



**TABLE 1C: SUMMARY OF ONSITE SURFACE WATER PHYSICAL PARAMETERS**

Battlefield Golf Club at Centerville  
1001 Centerville Turnpike  
Chesapeake, VA 23322

Sample I.D. No.	Sample Date	pH	Turbidity	Dissolved Oxygen	Temperature	Water Depth	Salinity
	mo/dy/yr		NTU	mg/L	°C	m	%
SW-0	04/22/08	6.40	181.0	5.74	23.01	0.2	0.0
SW-1	04/22/08	6.64	334.0	6.35	20.66	0.3	0.0
SW-2	04/22/08	6.57	202.0	7.10	19.31	0.1	0.0
SW-3	04/22/08	6.39	202.0	6.46	21.04	0.2	0.0
SW-4	04/22/08	6.40	181.0	5.74	23.01	0.2	0.0
SW-4	07/14/08	3.02	4.1	10.80	26.68	2.2	0.1
SW-5	04/22/08	6.69	262.0	6.40	19.33	0.3	0.0
SW-6	04/23/08	5.99	163.0	5.50	30.21	0.1	0.0
SW-7	04/23/08	5.93	160.0	5.71	28.24	0.0	0.0
SW-7	07/14/08	5.55	20.3	10.44	25.35	2.3	0.0
SW-8	04/23/08	5.91	393.0	5.46	35.29	0.5	0.0
SW-9	04/23/08	6.07	276.0	5.32	34.85	0.1	0.0
OFE	04/23/08	5.82	176.0	5.57	27.36	0.1	0.0
OFE	07/14/08	5.94	63.6	10.22	26.77	0.7	0.1
OFS	04/22/08	5.92	232.0	6.23	22.56	0.2	0.0
OFS	07/14/08	3.21	3.6	11.71	28.05	1.1	0.1
OF-B	04/22/08	5.82	176.0	5.57	27.36	0.1	0.0

**Notes:**

SW-0 is duplicate sample of SW-4.

OF-B is a field trip blank of distilled water.

Water quality data collected using a pre-calibrated multi-parameter Horiba U-22XD.