




SECTION A-A

PROPOSED OVERLAY LBS. PER SQ. YD.	APPROX. EQUIVALENT IN INCHES
110 LBS.	1"
140 LBS.	1 1/4"
165 LBS.	1 1/2"
190 LBS.	1 3/4"
220 LBS.	2"

\*\* ALL UTILITY TOP ELEVATION TO BE ON GRADE AND MATCH THE PROFILE OF FINISHED PAVEMENT. ADJUSTMENTS WILL BE CHECKED WITH 10' STRAIGHT EDGE. A 1/4" TOLERANCE IS PERMISSIBLE.



SECTION B-B



SECTION C-C

\* ALL UTILITY TOP ELEVATIONS TO BE ON GRADE AND MATCH THE PROFILE OF FINISHED PAVEMENT. ADJUSTMENTS WILL BE CHECKED WITH 10' STRAIGHT EDGE. A 1/4"± TOLERANCE IS PERMISSIBLE.

		DESIGN AND CONSTRUCTION STANDARDS	
		UTILITY TOP ADJUSTMENT	
08/01/03	REV. FOR INTERNET 2003	CHK. BY:	DATE:
DATE	REVISIONS	APP. BY:	DATE:
			<b>UTA-1</b>

APPROVED FOR THE WEB \_\_\_\_\_  
City Engineer

/ /  
Date