

Table C-2. Future Conditions Peak Water Surface Elevations

Vertical Datum: NAVD 1988 Adjustment

Red Numbers indicate upstream flooding should be considered.

Blue Shaded Numbers indicate locations where the maximum computed water surface meets or exceeds the ground elevation for that node.

| Junction Number | Ground Elevation (ft) | Maximum Computed Water Surface Elevation | | | | | |
|-----------------|-----------------------|--|-------------|-------------|--------------|--------------|--------------|
| | | 2-Yr (ft) | 5-Yr (ft) | 10-Yr (ft) | 25-Yr (ft) | 50-Yr (ft) | 100-Yr (ft) |
| 108 | 12.00 | 9.93 | 10.17 | 10.29 | 10.42 | 10.56 | 11.08 |
| 110 | 12.00 | 9.76 | 9.95 | 10.04 | 10.14 | 10.34 | 11.05 |
| 112 | 11.50 | 8.88 | 9.04 | 9.12 | 9.52 | 10.31 | 11.04 |
| 114 | 11.50 | 7.87 | 8.53 | 8.97 | 11.50 | 11.50 | 11.50 |
| 116 | 11.50 | 6.45 | 6.82 | 6.99 | 7.11 | 7.27 | 7.44 |
| 118 | 10.30 | 5.41 | 5.86 | 6.08 | 6.22 | 6.45 | 6.66 |
| 120 | 9.30 | 4.79 | 5.16 | 5.36 | 5.61 | 5.86 | 6.09 |
| 122 | 9.30 | 4.24 | 4.84 | 5.12 | 5.42 | 5.69 | 5.94 |
| 124 | 10.30 | 5.80 | 6.09 | 6.24 | 6.41 | 6.60 | 6.87 |
| 126 | 10.30 | 4.73 | 5.23 | 5.54 | 5.89 | 6.29 | 6.65 |
| 128 | 10.30 | 5.66 | 5.91 | 6.05 | 6.20 | 6.73 | 10.30 |
| 130 | 9.30 | 4.24 | 4.84 | 5.13 | 5.43 | 5.71 | 5.96 |
| 132 | 10.30 | 5.58 | 5.82 | 6.10 | 9.42 | 10.30 | 10.30 |
| 134 | 8.80 | 4.73 | 5.23 | 5.54 | 5.89 | 6.28 | 6.64 |
| 136 | 9.30 | 4.87 | 5.28 | 5.48 | 5.70 | 5.94 | 6.17 |
| 138 | 9.46 | 7.33 | 7.91 | 9.46 | 9.46 | 9.46 | 9.46 |
| 140 | 8.83 | 6.10 | 6.41 | 6.57 | 6.76 | 6.87 | 7.02 |
| 144 | 8.80 | 4.72 | 5.21 | 5.50 | 5.84 | 6.20 | 6.52 |
| 146 | 8.66 | 4.82 | 5.19 | 5.47 | 5.84 | 6.62 | 8.41 |
| 148 | 9.86 | 5.93 | 6.14 | 6.26 | 6.38 | 6.51 | 6.64 |
| 152 | 8.71 | 5.03 | 5.81 | 6.44 | 8.71 | 8.71 | 8.71 |
| 154 | 9.20 | 4.71 | 5.19 | 5.47 | 5.78 | 6.12 | 6.41 |
| 158 | 9.00 | 4.71 | 5.18 | 5.47 | 5.78 | 6.11 | 6.40 |
| 160 | 8.60 | 8.60 | 8.60 | 8.60 | 8.60 | 8.60 | 8.60 |
| 164 | 8.80 | 4.71 | 5.18 | 5.47 | 5.78 | 6.11 | 6.40 |
| 168 | 8.50 | 4.34 | 4.98 | 5.26 | 5.56 | 5.87 | 6.13 |
| 170 | 7.00 | 3.64 | 3.80 | 3.92 | 4.09 | 4.27 | 4.41 |
| 172 | 7.70 | 4.09 | 4.65 | 4.90 | 5.19 | 5.47 | 5.72 |
| 174 | 8.50 | 4.01 | 4.52 | 4.75 | 5.02 | 5.28 | 5.51 |
| 176 | 8.50 | 3.65 | 3.81 | 3.94 | 4.12 | 4.31 | 4.45 |
| 178 | 7.50 | 4.08 | 4.43 | 4.62 | 4.84 | 5.08 | 5.30 |
| 188 | 8.50 | 5.34 | 5.66 | 5.84 | 6.05 | 6.51 | 8.50 |
| 208 | 13.50 | 11.34 | 11.84 | 12.08 | 12.38 | 13.50 | 13.50 |
| 232 | 11.50 | 8.63 | 9.07 | 9.32 | 9.66 | 10.07 | 10.43 |
| 234 | 11.50 | 8.01 | 8.68 | 9.07 | 9.50 | 9.96 | 10.30 |
| 236 | 11.00 | 7.85 | 8.61 | 9.02 | 9.46 | 9.93 | 10.25 |
| 238 | 11.00 | 7.85 | 8.60 | 9.01 | 9.45 | 9.91 | 10.22 |
| 240 | 11.00 | 7.76 | 8.55 | 8.96 | 9.40 | 9.87 | 10.14 |
| 242 | 11.90 | 7.74 | 8.53 | 8.93 | 9.35 | 9.79 | 9.99 |

Table C-2. Future Conditions Peak Water Surface Elevations

Vertical Datum: NAVD 1988 Adjustment

Red Numbers indicate upstream flooding should be considered.

Blue Shaded Numbers indicate locations where the maximum computed water surface meets or exceeds the ground elevation for that node.

| Junction Number | Ground Elevation (ft) | Maximum Computed Water Surface Elevation | | | | | |
|-----------------|-----------------------|--|-------------|-------------|-------------|-------------|-------------|
| | | 2-Yr (ft) | 5-Yr (ft) | 10-Yr (ft) | 25-Yr (ft) | 50-Yr (ft) | 100-Yr (ft) |
| 246 | 11.00 | 7.59 | 8.41 | 8.81 | 9.25 | 9.68 | 9.81 |
| 248 | 10.50 | 7.59 | 8.40 | 8.81 | 9.24 | 9.66 | 9.78 |
| 250 | 11.10 | 8.04 | 8.90 | 9.33 | 9.74 | 10.12 | 10.35 |
| 252 | 11.50 | 7.99 | 8.84 | 9.29 | 9.72 | 10.11 | 10.33 |
| 254 | 11.50 | 7.98 | 8.83 | 9.27 | 9.70 | 10.09 | 10.32 |
| 256 | 11.00 | 7.95 | 8.76 | 9.22 | 9.66 | 10.07 | 10.30 |
| 258 | 11.00 | 7.92 | 8.72 | 9.13 | 9.55 | 9.94 | 10.11 |
| 260 | 10.50 | 7.73 | 8.55 | 8.99 | 9.43 | 9.84 | 9.99 |
| 262 | 10.50 | 7.71 | 8.51 | 8.91 | 9.33 | 9.71 | 9.85 |
| 266 | 10.50 | 7.57 | 8.39 | 8.79 | 9.22 | 9.64 | 9.75 |
| 268 | 9.50 | 7.43 | 8.26 | 8.67 | 9.11 | 9.50 | 9.50 |
| 270 | 9.50 | 7.42 | 8.26 | 8.66 | 9.09 | 9.49 | 9.49 |
| 274 | 9.80 | 7.96 | 8.37 | 8.69 | 9.31 | 9.65 | 9.80 |
| 276 | 9.38 | 7.31 | 8.14 | 8.60 | 9.38 | 9.38 | 9.38 |
| 278 | 9.38 | 7.14 | 7.94 | 8.33 | 8.76 | 9.12 | 9.21 |
| 282 | 9.40 | 7.34 | 8.14 | 8.56 | 9.01 | 9.40 | 9.40 |
| 284 | 9.50 | 7.21 | 8.05 | 8.45 | 8.88 | 9.25 | 9.30 |
| 286 | 9.50 | 7.09 | 7.91 | 8.31 | 8.74 | 9.10 | 9.19 |
| 288 | 9.30 | 6.61 | 7.39 | 7.76 | 8.18 | 8.52 | 8.62 |
| 302 | 9.00 | 6.47 | 6.55 | 6.66 | 6.87 | 7.14 | 7.30 |
| 304 | 9.00 | 5.74 | 6.24 | 6.51 | 6.80 | 7.07 | 7.23 |
| 308 | 9.50 | 7.55 | 7.92 | 8.09 | 8.26 | 8.43 | 8.57 |
| 312 | 8.50 | 5.74 | 6.24 | 6.51 | 6.79 | 7.07 | 7.22 |
| 316 | 9.00 | 5.53 | 6.08 | 6.35 | 6.63 | 6.89 | 7.01 |
| 318 | 8.50 | 4.44 | 4.88 | 5.10 | 5.33 | 5.56 | 5.68 |
| 320 | 9.50 | 7.29 | 7.43 | 7.50 | 7.57 | 7.64 | 7.70 |
| 322 | 8.50 | 4.37 | 4.78 | 5.00 | 5.22 | 5.44 | 5.56 |
| 324 | 9.20 | 5.14 | 9.20 | 9.20 | 9.20 | 9.20 | 9.20 |
| 328 | 9.30 | 4.34 | 5.19 | 5.16 | 5.52 | 5.84 | 6.14 |
| 330 | 8.57 | 4.34 | 4.94 | 5.37 | 5.90 | 6.67 | 7.32 |
| 334 | 8.21 | 6.04 | 6.87 | 8.21 | 8.21 | 8.21 | 8.21 |
| 336 | 7.90 | 4.35 | 4.93 | 5.33 | 6.03 | 6.44 | 6.98 |
| 338 | 8.68 | 4.33 | 4.84 | 5.18 | 5.54 | 5.88 | 6.20 |
| 340 | 8.80 | 4.33 | 4.81 | 5.09 | 5.39 | 5.72 | 6.05 |
| 346 | 7.80 | 4.10 | 4.49 | 4.70 | 4.91 | 5.11 | 5.24 |
| 348 | 7.80 | 4.03 | 4.41 | 4.61 | 4.82 | 5.02 | 5.14 |
| 352 | 6.50 | 3.64 | 3.80 | 3.92 | 4.09 | 4.27 | 4.41 |
| 360 | 7.80 | 4.45 | 4.97 | 5.28 | 5.64 | 6.04 | 6.44 |
| 362 | 5.64 | 3.60 | 3.69 | 3.77 | 3.89 | 4.04 | 4.15 |

Table C-2. Future Conditions Peak Water Surface Elevations

Vertical Datum: NAVD 1988 Adjustment

Red Numbers indicate upstream flooding should be considered.

Blue Shaded Numbers indicate locations where the maximum computed water surface meets or exceeds the ground elevation for that node.

| Junction Number | Ground Elevation (ft) | Maximum Computed Water Surface Elevation | | | | | |
|-----------------|-----------------------|--|--------------|--------------|--------------|--------------|--------------|
| | | 2-Yr (ft) | 5-Yr (ft) | 10-Yr (ft) | 25-Yr (ft) | 50-Yr (ft) | 100-Yr (ft) |
| 364 | 4.73 | 3.58 | 3.62 | 3.65 | 3.69 | 3.75 | 3.79 |
| 402 | 15.50 | 10.23 | 11.33 | 11.89 | 12.50 | 13.18 | 13.84 |
| 404 | 15.00 | 10.23 | 11.33 | 11.89 | 12.50 | 13.18 | 13.84 |
| 406 | 15.00 | 10.23 | 11.32 | 11.89 | 12.49 | 13.17 | 13.83 |
| 410 | 14.50 | 14.50 | 14.50 | 14.50 | 14.50 | 14.50 | 14.50 |
| 412 | 14.50 | 12.36 | 12.54 | 12.65 | 12.76 | 13.25 | 13.86 |
| 414 | 14.80 | 10.21 | 11.31 | 11.87 | 12.47 | 13.13 | 13.77 |
| 418 | 14.50 | 11.63 | 12.02 | 12.22 | 12.58 | 13.25 | 13.90 |
| 420 | 14.70 | 11.20 | 11.55 | 11.90 | 12.53 | 13.21 | 13.88 |
| 424 | 16.00 | 10.19 | 11.29 | 11.86 | 12.48 | 13.14 | 13.79 |
| 426 | 15.20 | 10.18 | 11.28 | 11.84 | 12.43 | 13.05 | 13.63 |
| 430 | 14.69 | 13.13 | 14.06 | 14.29 | 14.69 | 14.69 | 14.69 |
| 432 | 14.00 | 13.04 | 14.00 | 14.00 | 14.00 | 14.00 | 14.00 |
| 434 | 15.50 | 12.17 | 12.52 | 12.66 | 12.82 | 13.10 | 13.65 |
| 438 | 15.50 | 10.17 | 11.27 | 11.82 | 12.41 | 13.03 | 13.61 |
| 440 | 13.70 | 10.94 | 11.24 | 11.58 | 12.19 | 12.83 | 13.43 |
| 442 | 15.00 | 9.86 | 10.98 | 11.55 | 12.15 | 12.79 | 13.38 |
| 446 | 14.40 | 9.64 | 10.74 | 11.30 | 11.90 | 12.53 | 13.12 |
| 448 | 13.30 | 9.04 | 10.08 | 10.62 | 11.20 | 11.84 | 12.43 |
| 450 | 12.60 | 9.01 | 10.05 | 10.60 | 11.17 | 11.78 | 12.35 |
| 452 | 13.95 | 10.99 | 11.32 | 11.74 | 12.23 | 12.97 | 13.15 |
| 454 | 13.30 | 12.98 | 13.30 | 13.30 | 13.30 | 13.30 | 13.30 |
| 456 | 13.50 | 10.20 | 11.01 | 11.43 | 11.90 | 12.64 | 13.05 |
| 458 | 13.80 | 10.16 | 10.98 | 11.40 | 11.87 | 12.85 | 13.80 |
| 460 | 13.60 | 9.92 | 10.58 | 10.85 | 11.13 | 11.48 | 11.75 |
| 462 | 13.20 | 9.55 | 10.21 | 10.50 | 10.80 | 11.13 | 11.43 |
| 466 | 12.50 | 8.13 | 8.78 | 9.08 | 9.39 | 9.77 | 10.16 |
| 470 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 |
| 472 | 11.50 | 9.65 | 9.67 | 9.67 | 9.67 | 9.87 | 10.30 |
| 474 | 12.50 | 8.28 | 8.62 | 8.78 | 9.15 | 9.68 | 10.16 |
| 478 | 11.90 | 6.96 | 7.92 | 8.40 | 8.93 | 9.48 | 9.94 |
| 480 | 11.80 | 6.10 | 7.11 | 7.61 | 8.14 | 8.67 | 9.08 |
| 484 | 11.50 | 9.21 | 9.62 | 9.82 | 10.03 | 10.84 | 11.50 |
| 486 | 11.50 | 7.63 | 8.55 | 9.04 | 11.50 | 11.50 | 11.50 |
| 488 | 11.80 | 6.31 | 6.82 | 7.25 | 7.72 | 8.20 | 8.57 |
| 490 | 12.00 | 5.76 | 6.72 | 7.20 | 7.69 | 8.19 | 8.55 |
| 502 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 |
| 504 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 | 11.50 |
| 506 | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 | 12.40 |

Table C-2. Future Conditions Peak Water Surface Elevations

Vertical Datum: NAVD 1988 Adjustment

Red Numbers indicate upstream flooding should be considered.

Blue Shaded Numbers indicate locations where the maximum computed water surface meets or exceeds the ground elevation for that node.

| Junction Number | Ground Elevation (ft) | Maximum Computed Water Surface Elevation | | | | | |
|-----------------|-----------------------|--|-----------|------------|------------|------------|-------------|
| | | 2-Yr (ft) | 5-Yr (ft) | 10-Yr (ft) | 25-Yr (ft) | 50-Yr (ft) | 100-Yr (ft) |
| 508 | 12.90 | 12.90 | 12.41 | 12.39 | 12.39 | 12.39 | 12.39 |
| 510 | 12.50 | 11.31 | 11.45 | 11.59 | 11.69 | 11.69 | 11.69 |
| 514 | 11.50 | 10.72 | 11.16 | 11.50 | 11.50 | 11.50 | 11.50 |
| 516 | 11.50 | 10.46 | 10.85 | 11.10 | 11.22 | 11.36 | 11.48 |
| 520 | 12.00 | 9.19 | 9.76 | 10.06 | 10.42 | 10.82 | 11.19 |
| 522 | 12.00 | 9.02 | 9.55 | 9.81 | 10.10 | 10.39 | 10.63 |
| 526 | 12.50 | 8.50 | 9.26 | 9.57 | 9.89 | 10.23 | 10.51 |
| 530 | 12.00 | 8.87 | 9.66 | 9.95 | 10.15 | 10.42 | 10.64 |
| 532 | 11.60 | 8.83 | 9.63 | 9.92 | 10.12 | 10.40 | 10.63 |
| 534 | 11.60 | 6.35 | 6.63 | 7.11 | 7.58 | 8.05 | 8.40 |
| 538 | 12.00 | 10.63 | 12.00 | 11.97 | 12.00 | 12.00 | 12.00 |
| 540 | 12.00 | 10.04 | 10.34 | 10.51 | 10.54 | 10.54 | 10.54 |
| 542 | 11.30 | 8.67 | 9.09 | 9.30 | 9.45 | 9.56 | 9.66 |
| 544 | 8.80 | 7.37 | 7.95 | 8.24 | 8.50 | 8.80 | 8.80 |
| 546 | 8.80 | 6.80 | 7.43 | 7.76 | 8.06 | 8.54 | 8.79 |
| 550 | 9.80 | 6.11 | 6.96 | 7.43 | 7.92 | 8.41 | 8.74 |
| 552 | 11.80 | 5.86 | 6.85 | 7.34 | 7.84 | 8.35 | 8.72 |
| 554 | 11.30 | 5.72 | 6.71 | 7.20 | 7.69 | 8.18 | 8.55 |
| 556 | 11.79 | 5.57 | 6.57 | 7.06 | 7.55 | 8.05 | 8.42 |
| 560 | 11.00 | 11.00 | 11.00 | 11.00 | 11.00 | 11.00 | 11.00 |
| 562 | 11.00 | 9.78 | 9.80 | 9.81 | 9.81 | 9.81 | 9.83 |
| 564 | 10.50 | 9.77 | 9.79 | 9.79 | 9.79 | 9.79 | 9.82 |
| 566 | 10.50 | 8.80 | 8.84 | 8.85 | 8.85 | 8.87 | 9.04 |
| 570 | 11.30 | 5.55 | 6.53 | 7.02 | 7.51 | 7.99 | 8.36 |
| 572 | 10.58 | 4.94 | 5.82 | 6.28 | 6.74 | 7.20 | 7.57 |
| 574 | 9.80 | 4.37 | 5.07 | 5.47 | 5.88 | 6.31 | 6.67 |
| 578 | 9.00 | 4.11 | 4.66 | 4.99 | 5.35 | 5.74 | 6.08 |
| 580 | 8.90 | 5.48 | 5.63 | 5.71 | 5.81 | 5.91 | 6.01 |
| 582 | 8.50 | 5.24 | 5.41 | 5.50 | 5.60 | 5.70 | 5.79 |
| 584 | 8.50 | 4.36 | 4.53 | 4.61 | 4.81 | 5.14 | 5.45 |
| 586 | 8.50 | 3.91 | 4.27 | 4.52 | 4.80 | 5.13 | 5.44 |
| 588 | 8.00 | 3.88 | 4.27 | 4.52 | 4.80 | 5.13 | 5.44 |
| 590 | 5.00 | 3.75 | 4.00 | 4.18 | 4.40 | 4.67 | 4.92 |
| 592 | 5.45 | 3.67 | 3.83 | 3.95 | 4.10 | 4.28 | 4.45 |
| 594 | 5.43 | 3.64 | 3.76 | 3.85 | 3.96 | 4.10 | 4.22 |
| 596 | 8.50 | 5.22 | 5.37 | 5.46 | 5.55 | 5.64 | 5.73 |
| 598 | 8.65 | 4.82 | 4.90 | 4.95 | 5.01 | 5.16 | 5.46 |
| 606 | 10.50 | 10.50 | 10.50 | 10.50 | 10.50 | 10.50 | 10.50 |
| 608 | 10.00 | 8.05 | 8.35 | 8.74 | 9.36 | 10.00 | 10.00 |

Table C-2. Future Conditions Peak Water Surface Elevations

Vertical Datum: NAVD 1988 Adjustment

Red Numbers indicate upstream flooding should be considered.

Blue Shaded Numbers indicate locations where the maximum computed water surface meets or exceeds the ground elevation for that node.

| Junction Number | Ground Elevation (ft) | Maximum Computed Water Surface Elevation | | | | | |
|-----------------|-----------------------|--|-----------|------------|------------|------------|-------------|
| | | 2-Yr (ft) | 5-Yr (ft) | 10-Yr (ft) | 25-Yr (ft) | 50-Yr (ft) | 100-Yr (ft) |
| 610 | 9.00 | 7.61 | 8.25 | 8.65 | 9.00 | 9.00 | 9.00 |
| 612 | 8.80 | 7.52 | 8.25 | 8.61 | 8.80 | 8.80 | 8.80 |
| 614 | 8.80 | 7.52 | 8.25 | 8.61 | 8.80 | 8.80 | 8.80 |
| 616 | 12.80 | 11.45 | 11.95 | 12.18 | 12.42 | 12.67 | 12.80 |
| 618 | 11.20 | 10.98 | 11.20 | 11.20 | 11.20 | 11.20 | 11.20 |
| 622 | 10.50 | 7.51 | 8.40 | 8.98 | 9.28 | 9.45 | 9.64 |
| 624 | 10.00 | 7.54 | 8.25 | 8.60 | 8.87 | 9.09 | 9.34 |
| 626 | 10.00 | 7.53 | 8.24 | 8.59 | 8.86 | 9.08 | 9.33 |
| 628 | 9.80 | 6.77 | 7.67 | 8.10 | 8.77 | 9.10 | 9.62 |
| 630 | 11.20 | 6.61 | 7.53 | 7.97 | 8.79 | 9.07 | 9.58 |
| 632 | 9.14 | 5.66 | 6.98 | 7.60 | 7.66 | 7.70 | 7.76 |
| 634 | 11.00 | 5.77 | 7.14 | 7.90 | 8.06 | 8.15 | 8.36 |
| 636 | 10.78 | 9.87 | 10.27 | 10.52 | 10.78 | 10.78 | 10.78 |
| 638 | 9.81 | 8.77 | 9.59 | 9.81 | 9.81 | 9.81 | 9.81 |
| 640 | 9.16 | 9.16 | 9.16 | 9.16 | 9.16 | 9.16 | 9.16 |
| 642 | 8.68 | 7.58 | 8.03 | 8.20 | 8.44 | 8.68 | 8.68 |
| 646 | 10.20 | 6.94 | 7.50 | 7.73 | 7.95 | 8.18 | 8.21 |
| 648 | 9.50 | 6.91 | 7.47 | 7.70 | 7.92 | 8.16 | 8.42 |
| 650 | 9.50 | 6.11 | 6.49 | 6.77 | 6.97 | 7.16 | 7.25 |
| 654 | 7.50 | 5.46 | 6.89 | 7.50 | 7.50 | 7.50 | 7.50 |
| 656 | 7.50 | 5.11 | 6.09 | 6.47 | 6.62 | 6.77 | 6.85 |
| 658 | 7.50 | 5.09 | 6.07 | 6.46 | 6.61 | 6.76 | 6.85 |
| 660 | 7.28 | 4.86 | 5.93 | 6.34 | 6.50 | 6.65 | 6.73 |
| 662 | 8.00 | 3.85 | 4.12 | 4.25 | 4.30 | 4.36 | 4.39 |
| 668 | 7.60 | 3.58 | 3.62 | 3.65 | 3.68 | 3.72 | 3.76 |
| 670 | 7.60 | 3.56 | 3.58 | 3.59 | 3.60 | 3.62 | 3.64 |
| 672 | 6.60 | 3.55 | 3.55 | 3.55 | 3.55 | 3.55 | 3.55 |
| 700 | 9.00 | 7.20 | 7.85 | 8.23 | 8.69 | 9.00 | 9.00 |
| 704 | 8.60 | 7.16 | 7.60 | 7.82 | 8.05 | 8.24 | 8.31 |
| 706 | 9.90 | 7.14 | 7.57 | 7.77 | 7.98 | 8.13 | 8.21 |
| 708 | 8.80 | 6.86 | 7.26 | 7.47 | 7.72 | 7.93 | 8.05 |
| 720 | 8.80 | 6.57 | 6.87 | 7.15 | 7.47 | 7.74 | 7.90 |
| 722 | 8.80 | 6.02 | 6.80 | 7.09 | 7.42 | 7.69 | 7.84 |
| 730 | 10.48 | 5.07 | 5.56 | 5.81 | 6.37 | 7.00 | 7.74 |
| 740 | 8.80 | 4.67 | 5.21 | 5.55 | 5.96 | 6.44 | 6.83 |
| 750 | 8.70 | 4.70 | 5.16 | 5.44 | 7.83 | 6.82 | 7.35 |
| 754 | 9.06 | 4.71 | 5.17 | 5.45 | 5.88 | 6.20 | 7.05 |
| 812 | 12.00 | 8.47 | 9.25 | 9.57 | 9.88 | 10.23 | 10.50 |