

Appendix A

HAMPTON ROADS AREA STATEMENT OF SPECIAL INSPECTIONS

PROJECT

PERMIT APPLICANT

Blank lines for PROJECT information

Blank lines for PERMIT APPLICANT information

PRIMARY RDP OF RECORD

STRUCTURAL ENGINEER OF RECORD

Blank lines for PRIMARY RDP OF RECORD information

Blank lines for STRUCTURAL ENGINEER OF RECORD information

This Statement of Special Inspections is submitted as a condition for permit issuance in accordance with the International Building Code (IBC) as stated in the Virginia Uniform Statewide Building Code (USBC). It includes a Schedule of Special Inspections applicable to this project as well as the name of the Special Inspector, and the identity of other testing laboratories or agencies intended to be retained for conducting these inspections or tests.

The Special Inspector shall keep records of all inspections, and shall furnish inspection reports to the Building Official, appropriate Registered Design Professional(s) (RDP(s)), Owner and Contractor. All discrepancies shall be brought to the immediate attention of the Contractor for correction. If the discrepancies are not corrected, the discrepancies shall be brought to the attention of the Building Official and appropriate RDP(s). Interim reports shall be submitted to the Building Official, Owner, Contractor, and the appropriate RDP(s) according to the Hampton Roads Regional Special Inspection Guidelines and Procedures.

Jobsite safety is solely the responsibility of the contractor. Materials and activities to be inspected are not to include the contractor's equipment and methods used to erect or install the materials listed. All fees/costs related to the performance of Special Inspections shall be the responsibility of the Owner. Additionally, the undersigned (RDP or SER) are only acknowledging that the items enumerated on the Schedule of Special Inspections are consistent with the required design elements, the applicable sections of the Uniform Statewide Building Code, and their area of expertise.

REVIEW, AUTHORIZATION & ACCEPTANCE

Permit Applicant (General Contractor):

Signature / date:

Printed Name:

Owner's Authorization:

Signature / date:

Printed Name:

Primary RDP of Record:(Review and Acceptance of Schedule)

Signature / date:

Printed Name:

SER of Record:(Review and Acceptance of Schedule)

Signature / date:

Printed Name:

Building Official's Acceptance:Signature / date:

Printed Name:

SCHEDULE OF SI PREPARED BY:

Virginia RDP Seal of SSI Preparer

Printed Name of the Preparer of the Schedule (on line above)

Special Inspector:

Signature / date:

Printed Name:

SI Company Name:

SCHEDULE OF SPECIAL INSPECTIONS

MATERIAL/ACTIVITY	TYPE OF INSPECTION	APPLICABLE TO THIS PROJECT			
		Y/C/P/N	EXTENT/REFERENCE	AGENT	COMPLETED
GENERAL					
Pre-construction conference	Meeting with parties listed in Section 6 of HRRSIGP to discuss Special Inspection procedures		Scheduled by SI with the Contractor prior to commencement of work		
EARTHWORK					
Site preparation (building)	Field testing and inspection		Field Review; IBC 1705.6		
Fill material (building)	Review submittals, field testing and inspection		Field Review; IBC 1705.6		
Fill compaction (building)	In-place density tests, lift thickness		Field Review; IBC 1705.6		
Excavation	Field inspection and verification of proper depth		Field Review; IBC 1705.6		
Foundation sub-grade	Field inspection of foundation subgrade prior to placement of concrete		Field Review; IBC 1705.6		
DEEP FOUNDATION ELEMENTS					
Materials	Review product, sizes, and lengths		Submittal and Field Review; IBC1705.7, 1705.8, 1705.9		
Test piles	Monitor driving of test piles		Field Review; IBC 1704.8, .9 or .10		
Installation	Monitor drilling, placement, plumbness, driving of piles, including recording blows per foot, cut off, and tip elevation		Field Review; IBC 1705.2, 1705.3, 1705.7		
Load test	Monitor pile load test		Field Review; IBC 1704.8, .9 or .10		
CONCRETE					
Materials	Review product supplied versus certificates of compliance and mix design		Submittal & Field Review; IBC 1705.3; ACI 318: Ch. 4 and 5; IBC 1904.2, 1910.2, 1903.3		
Installation of reinforcing steel, including prestress tendons and anchor bolts as well as welding	Field inspection of placement		Submittal and Field Review; ACI 318:3.5, 3.5.2 3.8.6 & Ch. 7 8.1.3 and 21.2.8; AWS D1.4; IBC 1705.3, 1908.5, 1909.1, 1910.4		
Formwork installation	Field inspection		Field Review; ACI 318: 6.1.1; IBC 1705.3		
Concreting operations and placement	Field inspection of placement/sampling		Field Review; ACI 318: 5.6, 5.8, 5.9-10; ASTM C 172, C 31; IBC 1705.3, 1910.6, 1910.7, 1910.8, 1910.10		
Concrete curing	Field inspection of curing process		Field Review; ACI 318: 5.11-13; IBC 1705.3, 1910.9		
Concrete strength	Evaluation of concrete strength		Laboratory Testing; ACI 318: 6.2; IBC 1705.3		
Application of forces for prestressed concrete	Field inspection		Field Review; ACI 318: 18.20; IBC 1705.3		

Hampton Roads Regional Special Inspection Guidelines and Procedures

MATERIAL/ACTIVITY	TYPE OF INSPECTION	APPLICABLE TO THIS PROJECT			
		Y/C/P/N	EXTENT/REFERENCE	AGENT	COMPLETED
Grouting of prestress tendons	Field inspection		Field Review; ACI 318: 18.18.4; IBC 1705.3		
PRECAST CONCRETE					
Verify fabrication/quality control procedures	In-plant inspection of fabrication/quality control procedures**		Submittal or Field Review; IBC 1705.3		
Erection and installation	Review submittals and as-built assemblies; Field inspection of in-place precast		Submittal and Field Review; ACI 318; Ch. 16; IBC Table 1705.3		
MASONRY (Level ____; Building Risk Category ____)					
Materials	Review of products supplied versus certificate of compliance and material submitted		Submittal & Field Review; ACI 530/ASCE 5; ACI 530.1/ASCE 6; IBC 1705.4, 1708		
Strength	Testing/review of strength		Submittal & Field Review; ACI 530/ASCE 5; ACI 530.1/ASCE 6; IBC 1705.4, 2105.2.2, 2105.3		
Mortar and Grout	Inspection of proportioning and mixing. Placement of mortar only.		Field Review; IBC 1705.4; ACI 530/ASCE 5; ACI 530.1/ASCE 6		
Grout placement, including prestressing grout	Verification to ensure compliance		Field Review; IBC 1705.4; ACI 530/ASCE 5; ACI 530.1/ASCE 6		
Grout space	Verification to ensure compliance		Field Review; IBC 1705.4; ACI 530/ASCE 5; ACI 530.1/ASCE 6; TMS 602		
Mortar, grout, and prism specimens	Observe Preparation		Field Review; IBC 1704.5, ACI 530.1; ASCE 6;		
Reinforcement, prestressing tendons, and connections	Inspect condition, size, location, and spacing		Field Review; IBC 1704.5; aCI 530/ASCE 5; ACI 530.1/ASCE 6		
Welding of reinforcing bars	Inspection and testing of welds		Field Review; IBC 1705.4; ACI 530/ASCE 5; ACI 530.1/ ASCE 6		
Prestressing force	Verify application and measurement		Field Review; IBC 1705.4; ACI 530/ASCE 5; ACI 530.1/ASCE 6		
Protection	Inspect procedures for protection during cold and hot weather		Field Review; IBC 1705.4.; ACI 530/ASCE 5; ACI 530.1/ASCE 6		
Anchorage	Inspection of anchorages		Field Review; ACI 530.1/ASCE 6, ASCE 6; IBC 1705.4; ACI 530/ASCE 5		
Masonry installation	Inspection of placement of masonry and joints		Field Review; ACI 530/ASCE 5; ACI 530.1/ASCE 6; IBC 1705.4		
STRUCTURAL STEEL					
Verify fabrication/quality control procedures	In-plant inspection of fabrication/quality control procedures** or submit Certificate of Compliance		IBC 1704.2.5, IBC 1704.2.5.1, 1704.2.5.2, 1705.2		
Bolts, nuts, and washers – materials	Material identification markings Review of Certificate of Compliance		Submittal & Field Review; IBC 1705.2.1; IBC 1705.2.2; IBC 1706; ASTM; AISC 360, Section A3.3		

Hampton Roads Regional Special Inspection Guidelines and Procedures

MATERIAL/ACTIVITY	TYPE OF INSPECTION	APPLICABLE TO THIS PROJECT			
		Y/C/P/N	EXTENT/REFERENCE	AGENT	COMPLETED
Bolts, nuts, washers – installation	Inspection of in-place high-strength bolts, snug-tight joints, pre-tensioned and bearing type, and slip critical connections		Submittal & Field Review; IBC 1705.2.1, 1705.2.2, AISC 360 Section M2.5		
Structural steel – materials	Material identification markings and review of Certificate of Compliance		Submittal & Field Review; IBC 1705.2.1, 1705.2.2, 1706; ASTM A6, A568		
Structural steel details – installation	Inspection of member locations, structural details for bracing, connections, stiffening		Submittal & Field Review; IBC 1705.2.1, 1705.2.2, AISC 360		
Weld filler materials and welder certification	Review of identification markings, certificate of compliance, and welder certifications		Submittal & Field Review; ASTM AISC 360 A3.5		
Welds	Inspection and testing of welds		Field Review; IBC 1705.2.2.1; AWS D1.1, D1.3		
Cold-formed metal deck – materials	Review of identification marking manufacturer’s certified test results		Submittal and Field Review; IBC 1705.2.2; ASTM		
Cold-formed metal deck – installation	Review laps and welds		Submittal and Field Review; IBC 1705.2.2, AWS D1.3		
Cold-formed light frame construction – welds	Review welding operation		IBC 1705.10, 1705.10.2, 1705.10.3		
Cold form light frame construction wind resistance – screws	Review screw attachment bolting, anchoring hold downs, bracing, diaphragms, struts		Field Review; IBC 1705.10, 1705.10.2, 1705.10.3		
Cold-formed steel trusses spanning 60’ or greater	Inspection of temporary and permanent restraints/bracing		Field review IBC 1705.2.2.2		
WOOD					
Verify fabrication/quality control procedures	In-plant inspection of fabrication/quality control procedures** or submit Certificate of Compliance		Submittal or Field Review; IBC 1704.2.5, 1705.5, 1705.5.2		
Metal plate connected wood/metal trusses spanning 60’ or more	Review approved submittal and installation of restraint/bracing		Field Review; IBC 1704.2.5, 1705.5, 1705.2		
Joist Hangers – Materials/Installation	Review manufacturer’s material and test standards,		Field Review; IBC 1711, ASTM D 1761		
High-Load Diaphragms- Installation	Review submittal and as-built assemblies; Inspection of sheathing, framing size, nail and staple diameter and length, number of fastener lines, and fastener spacing.		IBC 1705.5, 1705.5.1		
Wood Shear Walls – installation	Review nailing, bolting, anchoring, fastening, diaphragms, struts, braces, and hold downs when fasteners are ≤ 4” on center.		Field Review; IBC 1705.10.1		

Hampton Roads Regional Special Inspection Guidelines and Procedures

MATERIAL/ACTIVITY	TYPE OF INSPECTION	APPLICABLE TO THIS PROJECT			
		Y/C/P/N	EXTENT/REFERENCE	AGENT	COMPLETED

Hampton Roads Regional Special Inspection Guidelines and Procedures

MAIN WIND FORCE RESISTING SYSTEM				
Wind requirements	Review of the system components and installation for wood construction, cold-formed steel light frame construction, components, and cladding		Submittal and Field Review; IBC 1609.1.2, 1704.5.2, 1705.10, 1705, 1705.4, 1705.4.1, 1705.4.2, 1710	
SEISMIC FORCE RESISTING SYSTEMS				
Seismic requirements	Review of the designated seismic systems and seismic force resistance systems		Submittal and Field Review; IBC 1613, 1704.5.1, 1705.11, 1705.12; ASCE 7	
SMOKE CONTROL				
Special Inspection of smoke control systems	Leakage testing and recording of device location. pressure difference testing, flow measurement and detection, and control verification		Field Review; IBC 1705.17, 1705.17.1, 1705.17.2	
SPRAYED FIRE RESISTIVE MATERIAL, FIRE RESISTANT PENETRATIONS; JOINTS, MASTIC AND INTERMESCENT FIRE RESISTANT COATING				
Structural member surface conditions	Field Review of surface conditions prior to application		AWCI 12-B; IBC 1705.13, 1705.13.2	
Application/thickness/density/bond strength	Field review of application operations, thickness, and density		ASTM E605, AWCI 12-B; IBC 1705.13.2; 1705.13.1, 1705.13.3, 1705.13.4; IBC 1705.13.5, 1705.13.6	
Mastic & Intumescent Fire Resistant Coating	Field review of application operations and thickness		AWCI 12-B; IBC 1705.14	
EXTERIOR INSULATION AND FINISH SYSTEMS (EIFS)				
Application	Field Review of application/installation		ASTM E2570, IBC 1705.15	
SPECIAL CASES				
Alternative Materials and Systems	As requested by Building Official, review system and installation		IBC 1705.1.1	
INSPECTION AGENTS	FIRM		ADDRESS	TELEPHONE
1. Special Inspector:				
2. Materials and Testing Laboratory:				
3. Special Inspector Smoke Control System:				
4. (Additional Agents?)				

Note: * The Qualifications of the Special Inspector and Testing Laboratories are subject to the Approval of the Building Official.

** Inspection of quality control procedures required only if fabricator is not regularly inspected by an independent inspection agency.

***The Schedule of Special Inspections shall be expanded to include Architectural, Mechanical, and Electric components, as well as Storage Racks and Isolation Systems. Items in INC Section 1705.11

FINAL REPORT OF SPECIAL INSPECTIONS

PROJECT

PERMIT APPLICANT

PRIMARY RDP OF RECORD

STRUCTURAL ENGINEER OF RECORD

To the best of my information, knowledge, and belief, the special inspections required for this project, and itemized in the Statement of Special Inspections submitted for permit, have been completed. Attached to this final report are the Certificates of Compliance for shop fabricated load bearing members and assemblies. (Include this statement only if applicable).

The following discrepancies that were outstanding since the last interim report dated _____, have been corrected:

Interim reports submitted prior to this final report, and numbered _____ to _____, form a basis for, and are to be considered an integral part of this final report.

Respectfully submitted,

Signature

Date

Type or Print Name (**Agent 1**)

Seal of SI

Upon completion of all special inspections and testing, the SI shall submit a Final Report of Special Inspections to Building Official for review and approval. The Building Official review and approval is required prior to final building inspection approval or issuance of a Certificate of Occupancy.

Hampton Roads Regional Special Inspection Guidelines and Procedures

Appendix B/A/E SEAL ON DRAWINGS

The purpose of these charts and notes is for quick reference to determine in accordance with § 54.1 - 402 of the Code of Virginia if an architect's or engineer's (A/E) seal is required on documents for proposed construction.

CHART A - GENERAL DESIGN THIS CHART NO LONGER EXISTS IN THE MARCH 2014 VIRGINIA BUILDING AND FIRE CODE RELATED LAWS PACKAGE (FOR CORRELATION WITH THE 2012 STATE BUILDING AND FIRE CODES)

A proposed structure which is classified within any of the categories marked "Yes" requires an A/E seal on the documents. Separate requirements apply as to when the electrical, plumbing or mechanical systems in such structures require an A/E seal (see Charts B and C).

GROUP	BRIEF DESCRIPTION	AREA (SQ. FT.)			HEIGHT (STORIES)	
		5,000 OR LESS	5,001 TO 15,000	OVER 15,000	3 OR LESS	OVER 3
A ¹	ASSEMBLY	YES	YES	YES	YES	YES
B	BUSINESS	-	YES	YES	-	YES
E	SCHOOLS & DAY CARE CENTERS	YES	YES	YES	YES	YES
F	FACTORY & INDUSTRIAL	-	-	YES	-	YES
H	HIGH HAZARD	YES	YES	YES	YES	YES
I	INSTITUTIONAL	YES	YES	YES	YES	YES
M	MERCANTILE	-	YES	YES	-	YES
R-1	HOTEL, MOTEL & DORMITORY	YES	YES	YES	YES	YES
R-2 ⁷	MULTI-FAMILY RESIDENTIAL	-	-	YES	-	YES
R-3	2 FAMILY ATTACHED	-	-	YES	-	YES
R-4	RESIDENTIAL ASSISTED LIVING	-	-	YES	-	YES
R-5	1 AND 2 FAMILY DWELLINGS	-	-	YES	-	YES
S	STORAGE (NON_FARM)	-	-	YES	-	YES
U	UTILITY & MISCELLANEOUS	-	-	YES	-	YES
ALL	INTERIOR DESIGN	SEE NOTE #4				

Notes: (Apply the following notes to all categories as applicable.)

1. Churches are exempt if building does not exceed 5,000 square feet or three stories, and the occupant load does not exceed 100.
2. A local building code official may require an A/E seal even if not required to do so by this chart.
3. The law requires that, where an A/E seal is not present, the plans must be signed by the individual (not company) responsible for the design, including the individual's occupation and address.
4. Additions, remodeling or interior design defined under § 54.1-400 of the Code of Virginia might not require an A/E seal. For construction, additions or remodeling resulting in a change in occupancy, occupancy load, modification to the structural system, change in access or egress or an increase in the fire hazard an A/E seal is required in accordance with § 54.1-400, although notes 1 and 2 still apply.
5. Any unique design of structural elements for floors, walls, roofs or foundations requires an A/E seal, regardless of whether or not the remainder of the plans require such certification.
6. Buildings, structures, or electrical and mechanical installations which are not otherwise exempted but which are of standard design, provided they bear the certification of a professional engineer or architect registered or licensed in another state, and provided that the design is adapted for the specific location and conformity with local codes, ordinances and regulations, and is so certified by a professional engineer or architect licensed in Virginia may not require an A/E seal.
7. One exit and three stories or less Group R-2 buildings would normally be exempted from an A/E seal except where required by Note 2. Most all other three stories or less Group R-2 multi-family buildings are required by the building officials to have A/E seals for the construction documents.