

Appendix D
Comprehensive Water
Quality Database

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-10	SW-2A	MACTEC	5/27/2009	Aluminum	140		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Aluminum	464		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Aluminum	264		ug/L
SW-9	SG-9	CDM	9/9/2009	Aluminum	1450	J	ug/L
SW-11	SG-9	TetraTech	9/9/2009	Aluminum	336		ug/L
SW-8	SG-8	CDM	9/9/2009	Aluminum	3700	J	ug/L
SW-7	SG-7	CDM	9/9/2009	Aluminum	2580	J	ug/L
SW-08	SG-7	TetraTech	9/9/2009	Aluminum	214		ug/L
SW-6	SG-6	CDM	9/9/2009	Aluminum	12600	J	ug/L
SW-07	SG-6	TetraTech	9/9/2009	Aluminum	755		ug/L
SW-5	SG-5	CDM	9/9/2009	Aluminum	736	J	ug/L
SW-04	SG-5	TetraTech	9/9/2009	Aluminum	898		ug/L
SW-4	SG-4	CDM	9/9/2009	Aluminum	800	J	ug/L
SW-17	SG-38	TetraTech	9/10/2009	Aluminum	204		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Aluminum	80.2	J	ug/L
SW-14	SG-36	TetraTech	9/10/2009	Aluminum	228		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Aluminum	3210		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Aluminum	2520		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Aluminum	234		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Aluminum	666		ug/L
SW-3	SG-3	CDM	9/9/2009	Aluminum	885	J	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Aluminum	205		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Aluminum	653		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Aluminum	141	J	ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Aluminum	122	J	ug/L
SW-2A	SG-2A	CDM	9/9/2009	Aluminum	496	J	ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Aluminum	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Aluminum	495		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Aluminum	143	J	ug/L
SG-12	SG-28	MACTEC	5/27/2009	Aluminum	2000		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Aluminum	5000		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Aluminum	520		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Aluminum	372		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Aluminum	1550		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Aluminum	5580		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Aluminum	637		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Aluminum	6950		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Aluminum	335		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Aluminum	225		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Aluminum	578		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Aluminum	630		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Aluminum	3280		ug/L
SG-16	SG-16	URS	9/8/2009	Aluminum	2830		ug/L
SG-15	SG-15	URS	9/8/2009	Aluminum	5330		ug/L
SG-14	SG-14	URS	9/8/2009	Aluminum	3400		ug/L
SG-13	SG-13	URS	9/8/2009	Aluminum	70.1	B	ug/L
SG-12	SG-12	URS	9/8/2009	Aluminum	901		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-18	SG-11	TetraTech	9/10/2009	Aluminum	316		ug/L
SG-11	SG-11	URS	9/8/2009	Aluminum	2830		ug/L
FD1	SG-10dup	CDM	9/9/2009	Aluminum	216	J	ug/L
SW-10	SG-10	CDM	9/9/2009	Aluminum	233	J	ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Aluminum	403		ug/L
SG-10	SG-10	URS	9/8/2009	Aluminum	381		ug/L
SW-1	SG-1	CDM	9/9/2009	Aluminum	433	J	ug/L
SW-01	SG-1	TetraTech	9/9/2009	Aluminum	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Aluminum	34.7	B	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Aluminum	117	B	ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Aluminum	163		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Aluminum	66	J	ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Aluminum	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Aluminum	22.9	B	ug/L
MW-9A	MW-9A	CDM	9/10/2009	Aluminum	75.5	B	ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Aluminum	< 100		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Aluminum	65.2	J	ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Aluminum	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Aluminum	37	B	ug/L
MW-8B	MW-8B	CDM	9/10/2009	Aluminum	354		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Aluminum	< 100		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Aluminum	233		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Aluminum	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Aluminum	487	J	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Aluminum	786		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Aluminum	42500		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Aluminum	109000		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Aluminum	584		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Aluminum	84.5	B	ug/L
MW-7B	MW-7B	CDM	9/11/2009	Aluminum	1040		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Aluminum	227		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Aluminum	318		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Aluminum	107	J	ug/L
MW-7A	MW-7A	CDM	10/13/2009	Aluminum	1080		ug/L
MW-7A	MW-7A	CDM	9/11/2009	Aluminum	1360		ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Aluminum	126		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Aluminum	747		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Aluminum	445		ug/L
MW-6C	MW-6C	URS	10/13/2009	Aluminum	1320		ug/L
MW-6C	MW-6C	URS	9/9/2009	Aluminum	12100		ug/L
MW-6A	MW-6A	URS	10/13/2009	Aluminum	63.1	B	ug/L
MW-6A	MW-6A	URS	9/9/2009	Aluminum	175	B	ug/L
MW-5C	MW-5C	URS	10/14/2009	Aluminum	101	B	ug/L
MW-5C	MW-5C	URS	9/14/2009	Aluminum	254		ug/L
MW-4	MW-5A	URS	10/14/2009	Aluminum	8930		ug/L
MW-4	MW-5A	URS	9/9/2009	Aluminum	6740		ug/L
MW-1	MW-4C	URS	10/14/2009	Aluminum	724		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-1	MW-4C	URS	9/11/2009	Aluminum	157	B	ug/L
MW-2	MW-4B	URS	10/14/2009	Aluminum	49.1	B	ug/L
MW-2	MW-4B	URS	9/10/2009	Aluminum	47.8	B	ug/L
MW-4A	MW-4A	URS	10/14/2009	Aluminum	83	B	ug/L
MW-4A	MW-4A	URS	9/10/2009	Aluminum	77.9	B	ug/L
MW-3C	MW-3C	URS	10/12/2009	Aluminum	69.5	B	ug/L
MW-3C	MW-3C	URS	9/11/2009	Aluminum	38.6	B	ug/L
MW-6B	MW-3B	CDM	10/13/2009	Aluminum	338		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Aluminum	2620		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Aluminum	300		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Aluminum	526	B1	ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Aluminum	327		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Aluminum	3030		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Aluminum	135	B	ug/L
MW-6A	MW-3A	CDM	9/11/2009	Aluminum	527		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Aluminum	< 100		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Aluminum	269	B1	ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Aluminum	393		ug/L
MW-2C	MW-2C	URS	10/13/2009	Aluminum	348		ug/L
MW-2C	MW-2C	URS	9/14/2009	Aluminum	69.7	B	ug/L
MW-2A	MW-2A	URS	10/13/2009	Aluminum	147	B	ug/L
MW-2A	MW-2A	URS	9/10/2009	Aluminum	52.4	B	ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Aluminum	244		ug/L
MW-1C	MW-1C	URS	10/12/2009	Aluminum	49.2	B	ug/L
MW-1C	MW-1C	URS	9/11/2009	Aluminum	39.7	B	ug/L
MW-1A	MW-1A	URS	10/12/2009	Aluminum	443		ug/L
MW-1A	MW-1A	URS	9/9/2009	Aluminum	1470		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Aluminum	1690	J	ug/L
MW-3	MW-19A	CDM	9/10/2009	Aluminum	851	J	ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Aluminum	101	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Aluminum	561		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Aluminum	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Aluminum	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Aluminum	397		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Aluminum	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Aluminum	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Aluminum	1660	J	ug/L
MW-2	MW-18A	CDM	9/10/2009	Aluminum	5740	J	ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Aluminum	476		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Aluminum	275		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Aluminum	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Aluminum	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Aluminum	376	J	ug/L
MW-1	MW-17A	CDM	9/10/2009	Aluminum	367	J	ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Aluminum	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Aluminum	76.5	J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Aluminum	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Aluminum	28.8	J	ug/L
5B	MW-16B	CDM	9/16/2009	Aluminum	58.3	B	ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Aluminum	< 100		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Aluminum	127		ug/L
5A	MW-16A	CDM	9/16/2009	Aluminum	51.8	B	ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Aluminum	< 100		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Aluminum	225		ug/L
MW-15	MW-15A	CDM	10/15/2009	Aluminum	2060	J	ug/L
15A	MW-15A	CDM	9/16/2009	Aluminum	3330		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Aluminum	6920		ug/L
MW-14	MW-14A	CDM	10/14/2009	Aluminum	45.8	BJ	ug/L
14A	MW-14A	CDM	9/16/2009	Aluminum	93	B	ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Aluminum	242		ug/L
MW-13	MW-13A	CDM	10/14/2009	Aluminum	1550	J	ug/L
13A	MW-13A	CDM	9/16/2009	Aluminum	802		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Aluminum	1520		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Aluminum	58.6	B	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Aluminum	165	BJ	ug/L
12B	MW-12B	CDM	9/16/2009	Aluminum	57.1	B	ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Aluminum	< 100		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Aluminum	1140		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Aluminum	102	BJ	ug/L
12A	MW-12A	CDM	9/16/2009	Aluminum	60	B	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Aluminum	< 100		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Aluminum	324		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Aluminum	37	B	ug/L
11B	MW-11B	CDM	9/16/2009	Aluminum	62.9	B	ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Aluminum	138		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Aluminum	698		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Aluminum	26	B	ug/L
11A	MW-11A	CDM	9/16/2009	Aluminum	34.3	B	ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Aluminum	< 100		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Aluminum	64.3	J	ug/L
MW-10B	MW-10B	CDM	10/14/2009	Aluminum	27	B	ug/L
MW-10B	MW-10B	CDM	9/10/2009	Aluminum	179	B	ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Aluminum	< 100		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Aluminum	38.2	J	ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Aluminum	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Aluminum	53.6	B	ug/L
MW-10A	MW-10A	CDM	9/10/2009	Aluminum	166	B	ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Aluminum	< 100		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Aluminum	145		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Aluminum	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Aluminum	5570		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Aluminum	241		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Aluminum	423		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Aluminum	1030		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Aluminum	1060		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Aluminum	177	J	ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Aluminum	202		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Aluminum	1460		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Aluminum	70.7	J	ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Aluminum	687		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Aluminum	224		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Aluminum	5510		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Aluminum	100	J	ug/L
SW-9	SG-9	CDM	9/9/2009	Ammonia-N	370		ug/L
SW-8	SG-8	CDM	9/9/2009	Ammonia-N	540		ug/L
SW-7	SG-7	CDM	9/9/2009	Ammonia-N	870		ug/L
SW-6	SG-6	CDM	9/9/2009	Ammonia-N	660		ug/L
SW-5	SG-5	CDM	9/9/2009	Ammonia-N	450		ug/L
SW-4	SG-4	CDM	9/9/2009	Ammonia-N	520		ug/L
SW-3	SG-3	CDM	9/9/2009	Ammonia-N	490		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Ammonia-N	230		ug/L
SG-16	SG-16	URS	9/8/2009	Ammonia-N	750		ug/L
SG-15	SG-15	URS	9/8/2009	Ammonia-N	140		ug/L
SG-14	SG-14	URS	9/8/2009	Ammonia-N	740		ug/L
SG-13	SG-13	URS	9/8/2009	Ammonia-N	200		ug/L
SG-12	SG-12	URS	9/8/2009	Ammonia-N	81	B	ug/L
SG-11	SG-11	URS	9/8/2009	Ammonia-N	490		ug/L
FD1	SG-10dup	CDM	9/9/2009	Ammonia-N	540		ug/L
SW-10	SG-10	CDM	9/9/2009	Ammonia-N	140		ug/L
SG-10	SG-10	URS	9/8/2009	Ammonia-N	170		ug/L
SW-1	SG-1	CDM	9/9/2009	Ammonia-N	960		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Ammonia-N	1400	J	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Ammonia-N	660	J	ug/L
MW-9A	MW-9A	CDM	10/14/2009	Ammonia-N	1400	J	ug/L
MW-9A	MW-9A	CDM	9/10/2009	Ammonia-N	520	J	ug/L
MW-8B	MW-8B	CDM	10/14/2009	Ammonia-N	1400	J	ug/L
MW-8B	MW-8B	CDM	9/10/2009	Ammonia-N	230	J	ug/L
MW-8A	MW-8A	CDM	10/14/2009	Ammonia-N	920	J	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Ammonia-N	430	J	ug/L
MW-7B	MW-7B	CDM	10/13/2009	Ammonia-N	980	J	ug/L
MW-7B	MW-7B	CDM	9/11/2009	Ammonia-N	400	J	ug/L
MW-7A	MW-7A	CDM	10/13/2009	Ammonia-N	520	J	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Ammonia-N	270	J	ug/L
MW-6C	MW-6C	URS	10/13/2009	Ammonia-N	1900	J	ug/L
MW-6C	MW-6C	URS	9/9/2009	Ammonia-N	1400		ug/L
MW-6A	MW-6A	URS	10/13/2009	Ammonia-N	370	J	ug/L
MW-6A	MW-6A	URS	9/9/2009	Ammonia-N	100		ug/L
MW-5C	MW-5C	URS	10/14/2009	Ammonia-N	910	J	ug/L
MW-5C	MW-5C	URS	9/14/2009	Ammonia-N	210		ug/L
MW-4	MW-5A	URS	10/14/2009	Ammonia-N	300	J	ug/L
MW-4	MW-5A	URS	9/9/2009	Ammonia-N	120		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-1	MW-4C	URS	10/14/2009	Ammonia-N	1000	J	ug/L
MW-1	MW-4C	URS	9/11/2009	Ammonia-N	1200		ug/L
MW-2	MW-4B	URS	10/14/2009	Ammonia-N	330	J	ug/L
MW-2	MW-4B	URS	9/10/2009	Ammonia-N	410		ug/L
MW-4A	MW-4A	URS	10/14/2009	Ammonia-N	530	J	ug/L
MW-4A	MW-4A	URS	9/10/2009	Ammonia-N	110		ug/L
MW-3C	MW-3C	URS	10/12/2009	Ammonia-N	590	J	ug/L
MW-3C	MW-3C	URS	9/11/2009	Ammonia-N	600		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Ammonia-N	85	BJ	ug/L
MW-6B	MW-3B	CDM	9/11/2009	Ammonia-N	320	J	ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Ammonia-N	740	J	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Ammonia-N	980	J	ug/L
MW-6A	MW-3A	CDM	9/11/2009	Ammonia-N	120	J	ug/L
MW-2C	MW-2C	URS	10/13/2009	Ammonia-N	2000	J	ug/L
MW-2C	MW-2C	URS	9/14/2009	Ammonia-N	1500		ug/L
MW-2A	MW-2A	URS	10/13/2009	Ammonia-N	520	J	ug/L
MW-2A	MW-2A	URS	9/10/2009	Ammonia-N	100		ug/L
MW-1C	MW-1C	URS	10/12/2009	Ammonia-N	440	J	ug/L
MW-1C	MW-1C	URS	9/11/2009	Ammonia-N	340		ug/L
MW-1A	MW-1A	URS	10/12/2009	Ammonia-N	370	J	ug/L
MW-1A	MW-1A	URS	9/9/2009	Ammonia-N	87	B	ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Ammonia-N	1300	J	ug/L
MW-3	MW-19A	CDM	9/10/2009	Ammonia-N	440	J	ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Ammonia-N	580	J	ug/L
MW-2	MW-18A	CDM	9/10/2009	Ammonia-N	430		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Ammonia-N	220	J	ug/L
MW-1	MW-17A	CDM	9/10/2009	Ammonia-N	460		ug/L
5B	MW-16B	CDM	9/16/2009	Ammonia-N	1500	J	ug/L
5A	MW-16A	CDM	9/16/2009	Ammonia-N	830	J	ug/L
MW-15	MW-15A	CDM	10/15/2009	Ammonia-N	2300	J	ug/L
15A	MW-15A	CDM	9/16/2009	Ammonia-N	2900	J	ug/L
MW-14	MW-14A	CDM	10/14/2009	Ammonia-N	690	J	ug/L
14A	MW-14A	CDM	9/16/2009	Ammonia-N	290	J	ug/L
MW-13	MW-13A	CDM	10/14/2009	Ammonia-N	650	J	ug/L
13A	MW-13A	CDM	9/16/2009	Ammonia-N	440	J	ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Ammonia-N	190	J	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Ammonia-N	1200	J	ug/L
12B	MW-12B	CDM	9/16/2009	Ammonia-N	750	J	ug/L
MW-12A	MW-12A	CDM	10/14/2009	Ammonia-N	690	J	ug/L
12A	MW-12A	CDM	9/16/2009	Ammonia-N	250	J	ug/L
MW-11B	MW-11B	CDM	10/14/2009	Ammonia-N	680	J	ug/L
11B	MW-11B	CDM	9/16/2009	Ammonia-N	650	J	ug/L
MW-11A	MW-11A	CDM	10/14/2009	Ammonia-N	290	J	ug/L
11A	MW-11A	CDM	9/16/2009	Ammonia-N	1300	J	ug/L
MW-10B	MW-10B	CDM	10/14/2009	Ammonia-N	1500	J	ug/L
MW-10B	MW-10B	CDM	9/10/2009	Ammonia-N	420	J	ug/L
MW-10A	MW-10A	CDM	10/14/2009	Ammonia-N	480	J	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-10A	MW-10A	CDM	9/10/2009	Ammonia-N	720	J	ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Antimony	< 10		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Antimony	< 3.8		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Antimony	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Antimony	< 10		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Antimony	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Antimony	< 10		ug/L
SW-7	SG-7	CDM	9/9/2009	Antimony	< 10		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Antimony	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Antimony	< 10		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Antimony	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Antimony	< 10		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Antimony	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Antimony	< 10		ug/L
SW-17	SG-38	TetraTech	9/10/2009	Antimony	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Antimony	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Antimony	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Antimony	< 3.8		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Antimony	< 3.8		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Antimony	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Antimony	< 3.8		ug/L
SW-3	SG-3	CDM	9/9/2009	Antimony	< 10		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Antimony	< 10		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Antimony	< 3.8		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Antimony	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Antimony	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Antimony	< 10		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Antimony	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Antimony	< 10		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Antimony	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Antimony	< 10		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Antimony	< 3.8		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Antimony	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Antimony	< 10		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Antimony	< 3.8		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Antimony	< 3.8		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Antimony	< 3.8		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Antimony	< 3.8		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Antimony	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Antimony	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Antimony	5.1	J	ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Antimony	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Antimony	4.9	J	ug/L
SG-16	SG-16	URS	9/8/2009	Antimony	< 10		ug/L
SG-15	SG-15	URS	9/8/2009	Antimony	< 10		ug/L
SG-14	SG-14	URS	9/8/2009	Antimony	< 10		ug/L
SG-13	SG-13	URS	9/8/2009	Antimony	< 10		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-12	SG-12	URS	9/8/2009	Antimony	< 10		ug/L
SW-18	SG-11	TetraTech	9/10/2009	Antimony	<		ug/L
SG-11	SG-11	URS	9/8/2009	Antimony	< 10		ug/L
FD1	SG-10dup	CDM	9/9/2009	Antimony	< 10		ug/L
SW-10	SG-10	CDM	9/9/2009	Antimony	< 10		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Antimony	<		ug/L
SG-10	SG-10	URS	9/8/2009	Antimony	< 10		ug/L
SW-1	SG-1	CDM	9/9/2009	Antimony	< 10		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Antimony	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Antimony	< 10		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Antimony	< 10		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Antimony	< 10		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Antimony	5.5	B,J	ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Antimony	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Antimony	< 10		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Antimony	< 10		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Antimony	< 10		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Antimony	6.3	B,J	ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Antimony	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Antimony	< 10		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Antimony	< 10		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Antimony	< 10		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Antimony	< 3.38		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Antimony	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Antimony	< 10		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Antimony	< 10		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Antimony	< 10		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Antimony	9.6	J,B	ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Antimony	<		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Antimony	< 10		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Antimony	< 10		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Antimony	< 10		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Antimony	7	B,J	ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Antimony	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Antimony	< 10		ug/L
MW-7A	MW-7A	CDM	9/11/2009	Antimony	< 10		ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Antimony	< 10		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Antimony	6.3	B,J	ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Antimony	<		ug/L
MW-6C	MW-6C	URS	10/13/2009	Antimony	< 10		ug/L
MW-6C	MW-6C	URS	9/9/2009	Antimony	< 10		ug/L
MW-6A	MW-6A	URS	10/13/2009	Antimony	2.2	B	ug/L
MW-6A	MW-6A	URS	9/9/2009	Antimony	< 10		ug/L
MW-5C	MW-5C	URS	10/14/2009	Antimony	1.7	B	ug/L
MW-5C	MW-5C	URS	9/14/2009	Antimony	< 10		ug/L
MW-4	MW-5A	URS	10/14/2009	Antimony	< 10		ug/L
MW-4	MW-5A	URS	9/9/2009	Antimony	< 10		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-1	MW-4C	URS	10/14/2009	Antimony	1.6	B	ug/L
MW-1	MW-4C	URS	9/11/2009	Antimony	< 10		ug/L
MW-2	MW-4B	URS	10/14/2009	Antimony	< 10		ug/L
MW-2	MW-4B	URS	9/10/2009	Antimony	< 10		ug/L
MW-4A	MW-4A	URS	10/14/2009	Antimony	1.7	B	ug/L
MW-4A	MW-4A	URS	9/10/2009	Antimony	< 10		ug/L
MW-3C	MW-3C	URS	10/12/2009	Antimony	< 10		ug/L
MW-3C	MW-3C	URS	9/11/2009	Antimony	42.8		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Antimony	< 10		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Antimony	1.4	B	ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Antimony	< 10		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Antimony	< 3.8		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Antimony	<		ug/L
FD-2	MW-3A dup	CDM	9/11/2009	Antimony	< 10		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Antimony	< 10		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Antimony	< 10		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Antimony	< 10		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Antimony	< 3.8		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Antimony	0.77	J	ug/L
MW-2C	MW-2C	URS	10/13/2009	Antimony	2.3	B	ug/L
MW-2C	MW-2C	URS	9/14/2009	Antimony	< 10		ug/L
MW-2A	MW-2A	URS	10/13/2009	Antimony	1.6	B	ug/L
MW-2A	MW-2A	URS	9/10/2009	Antimony	< 10		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Antimony	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Antimony	< 10		ug/L
MW-1C	MW-1C	URS	9/11/2009	Antimony	< 10		ug/L
MW-1A	MW-1A	URS	10/12/2009	Antimony	< 10		ug/L
MW-1A	MW-1A	URS	9/9/2009	Antimony	< 10		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Antimony	< 10		ug/L
MW-3	MW-19A	CDM	9/10/2009	Antimony	< 10		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Antimony	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MW02D	MW-18A dup	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MW02D	MW-18A dup	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MW02D	MW-18A dup	TetraTech	8/29/2008	Antimony	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Antimony	< 10		ug/L
MW-2	MW-18A	CDM	9/10/2009	Antimony	< 10		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Antimony	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Antimony	0.23	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Antimony	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Antimony	< 10		ug/L
MW-1	MW-17A	CDM	9/10/2009	Antimony	< 10		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Antimony	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Antimony	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Antimony	<		ug/L
5B	MW-16B	CDM	9/16/2009	Antimony	< 10		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Antimony	< 10		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Antimony	4.9	B,J	ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Antimony	0.76	J	ug/L
5A	MW-16A	CDM	9/16/2009	Antimony	< 10		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Antimony	< 10		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Antimony	5.7	B,J	ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Antimony	<		ug/L
MW-15	MW-15A	CDM	10/15/2009	Antimony	< 10		ug/L
15A	MW-15A	CDM	9/16/2009	Antimony	< 10		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Antimony	< 10		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Antimony	<		ug/L
MW-14	MW-14A	CDM	10/14/2009	Antimony	< 10		ug/L
14A	MW-14A	CDM	9/16/2009	Antimony	< 10		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Antimony	< 10		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Antimony	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Antimony	< 10		ug/L
13A	MW-13A	CDM	9/16/2009	Antimony	< 10		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Antimony	< 10		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Antimony	<		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Antimony	< 10		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Antimony	< 10		ug/L
12B	MW-12B	CDM	9/16/2009	Antimony	< 10		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Antimony	< 10		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Antimony	< 3.8		ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Antimony	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Antimony	1.8	B	ug/L
12A	MW-12A	CDM	9/16/2009	Antimony	< 10		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Antimony	< 10		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Antimony	< 3.8		ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Antimony	<		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Antimony	< 10		ug/L
11B	MW-11B	CDM	9/16/2009	Antimony	< 10		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Antimony	< 10		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Antimony	4	J,B	ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Antimony	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Antimony	< 10		ug/L
11A	MW-11A	CDM	9/16/2009	Antimony	< 10		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Antimony	< 10		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Antimony	7.9	B,J	ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Antimony	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Antimony	< 10		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Antimony	< 10		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Antimony	< 10		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Antimony	< 3.8		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-10B	MW-10B	TetraTech	9/10/2009	Antimony	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Antimony	<	10	ug/L
MW-10A	MW-10A	CDM	9/10/2009	Antimony	<	10	ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Antimony	<	10	ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Antimony		4.3	J ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Antimony	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Antimony	<		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Antimony	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Antimony	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Antimony	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Antimony	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Antimony	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Antimony	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Antimony	<		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Antimony	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Arsenic	<	10	ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Arsenic	<	4.5	ug/L
SW-19	SW-10	TetraTech	9/10/2009	Arsenic	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Arsenic	<	10	ug/L
SW-11	SG-9	TetraTech	9/9/2009	Arsenic	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Arsenic	<	10	ug/L
SW-7	SG-7	CDM	9/9/2009	Arsenic		4.7	B ug/L
SW-08	SG-7	TetraTech	9/9/2009	Arsenic	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Arsenic		7	B ug/L
SW-07	SG-6	TetraTech	9/9/2009	Arsenic	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Arsenic	<	10	ug/L
SW-04	SG-5	TetraTech	9/9/2009	Arsenic	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Arsenic	<	10	ug/L
SW-17	SG-38	TetraTech	9/10/2009	Arsenic	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Arsenic	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Arsenic	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Arsenic	<	4.5	ug/L
SG-18	SG-34	MACTEC	11/21/2008	Arsenic	<	4.5	ug/L
SW-12	SG-33	TetraTech	9/9/2009	Arsenic	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Arsenic	<	4.5	ug/L
SW-3	SG-3	CDM	9/9/2009	Arsenic	<	10	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Arsenic	<	10	ug/L
SG-11	SG-3	MACTEC	11/19/2008	Arsenic	<	4.5	ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Arsenic	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Arsenic		3.8	J ug/L
SW-2A	SG-2A	CDM	9/9/2009	Arsenic	<	10	ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Arsenic	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Arsenic	<	10	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-13	SG-29	TetraTech	9/10/2009	Arsenic	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Arsenic	< 10		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Arsenic	< 4.5		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Arsenic	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Arsenic	< 10		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Arsenic	< 4.5		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Arsenic	< 4.5		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Arsenic	< 4.5		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Arsenic	< 4.5		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Arsenic	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Arsenic	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Arsenic	< 45		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Arsenic	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Arsenic	< 4.5		ug/L
SG-16	SG-16	URS	9/8/2009	Arsenic	< 10		ug/L
SG-15	SG-15	URS	9/8/2009	Arsenic	< 10		ug/L
SG-14	SG-14	URS	9/8/2009	Arsenic	< 10		ug/L
SG-13	SG-13	URS	9/8/2009	Arsenic	< 10		ug/L
SG-12	SG-12	URS	9/8/2009	Arsenic	3.2	B	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Arsenic	<		ug/L
SG-11	SG-11	URS	9/8/2009	Arsenic	< 10		ug/L
FD1	SG-10dup	CDM	9/9/2009	Arsenic	< 10		ug/L
SW-10	SG-10	CDM	9/9/2009	Arsenic	< 10		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Arsenic	<		ug/L
SG-10	SG-10	URS	9/8/2009	Arsenic	< 10		ug/L
SW-1	SG-1	CDM	9/9/2009	Arsenic	< 10		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Arsenic	<		ug/L
	PW-73	City	7/19/2008	Arsenic	<		ug/L
	PW-72	City	7/18/2008	Arsenic	<		ug/L
	PW-7	City	7/18/2008	Arsenic	<		ug/L
	PW-55	City	7/18/2008	Arsenic	<		ug/L
	PW-54	City	7/18/2008	Arsenic	<		ug/L
	PW-5	City	7/18/2008	Arsenic	<		ug/L
	PW-46	City	7/19/2008	Arsenic	<		ug/L
	PW-4	City	7/18/2008	Arsenic	<		ug/L
	PW-34	City	7/19/2008	Arsenic	<		ug/L
	PW-30	City	7/18/2009	Arsenic	<		ug/L
	PW-28	City	7/19/2008	Arsenic	<		ug/L
	PW-26	City	7/18/2008	Arsenic	<		ug/L
	PW-25	City	7/19/2008	Arsenic	<		ug/L
	PW-23	City	7/19/2008	Arsenic	<		ug/L
	PW-20	City	7/19/2008	Arsenic	<		ug/L
	PW-19	City	7/19/2008	Arsenic	<		ug/L
	PW-18	City	7/19/2008	Arsenic	<		ug/L
	PW-17	City	7/19/2008	Arsenic	<		ug/L
	PW-14	City	7/18/2008	Arsenic	<		ug/L
	PW-12	City	7/18/2008	Arsenic	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-11	City	7/18/2008	Arsenic	<		ug/L
	PW-10	City	7/19/2008	Arsenic	<		ug/L
	PW-1	City	7/18/2008	Arsenic	<		ug/L
	PW-1	City	7/18/2008	Arsenic	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Arsenic	< 10		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Arsenic	< 10		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Arsenic	< 10		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Arsenic	< 4.5		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Arsenic	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Arsenic	< 10		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Arsenic	< 10		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Arsenic	< 10		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Arsenic	< 4.5		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Arsenic	0.68	J	ug/L
MW-8B	MW-8B	CDM	10/14/2009	Arsenic	3.1	B	ug/L
MW-8B	MW-8B	CDM	9/10/2009	Arsenic	< 10		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Arsenic	< 10		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Arsenic	< 4.5		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Arsenic	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Arsenic	4.8	B	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Arsenic	< 10		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Arsenic	23.9		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Arsenic	< 4.5		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Arsenic	1.6		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Arsenic	< 10		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Arsenic	< 10		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Arsenic	< 10		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Arsenic	5.6	J	ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Arsenic	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Arsenic	15		ug/L
MW-7A	MW-7A	CDM	9/11/2009	Arsenic	9.3	B	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Arsenic	< 10		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Arsenic	< 4.5		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Arsenic	10.7		ug/L
MW-6C	MW-6C	URS	10/13/2009	Arsenic	< 10		ug/L
MW-6C	MW-6C	URS	9/9/2009	Arsenic	7.7	B	ug/L
MW-6A	MW-6A	URS	10/13/2009	Arsenic	< 10		ug/L
MW-6A	MW-6A	URS	9/9/2009	Arsenic	3.3	B	ug/L
MW-5C	MW-5C	URS	10/14/2009	Arsenic	< 10		ug/L
MW-5C	MW-5C	URS	9/14/2009	Arsenic	< 10		ug/L
MW-4	MW-5A	URS	10/14/2009	Arsenic	7.4	B	ug/L
MW-4	MW-5A	URS	9/9/2009	Arsenic	6.2	B	ug/L
MW-1	MW-4C	URS	10/14/2009	Arsenic	< 10		ug/L
MW-1	MW-4C	URS	9/11/2009	Arsenic	< 10		ug/L
MW-2	MW-4B	URS	10/14/2009	Arsenic	< 10		ug/L
MW-2	MW-4B	URS	9/10/2009	Arsenic	< 10		ug/L
MW-4A	MW-4A	URS	10/14/2009	Arsenic	< 10		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-4A	MW-4A	URS	9/10/2009	Arsenic		B	ug/L
MW-3C	MW-3C	URS	10/12/2009	Arsenic	< 10		ug/L
MW-3C	MW-3C	URS	9/11/2009	Arsenic			ug/L
MW-6B	MW-3B	CDM	10/13/2009	Arsenic		B	ug/L
MW-6B	MW-3B	CDM	9/11/2009	Arsenic	< 10		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Arsenic	< 10		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Arsenic	< 4.5		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Arsenic			ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Arsenic		B	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Arsenic		B	ug/L
MW-6A	MW-3A	CDM	9/11/2009	Arsenic		B	ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Arsenic	< 10		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Arsenic	< 4.5		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Arsenic			ug/L
MW-2C	MW-2C	URS	10/13/2009	Arsenic	< 10		ug/L
MW-2C	MW-2C	URS	9/14/2009	Arsenic	< 10		ug/L
MW-2A	MW-2A	URS	10/13/2009	Arsenic			ug/L
MW-2A	MW-2A	URS	9/10/2009	Arsenic			ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Arsenic			ug/L
MW-1C	MW-1C	URS	10/12/2009	Arsenic	< 10		ug/L
MW-1C	MW-1C	URS	9/11/2009	Arsenic	< 10		ug/L
MW-1A	MW-1A	URS	10/12/2009	Arsenic		B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Arsenic			ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Arsenic		B	ug/L
MW-3	MW-19A	CDM	9/10/2009	Arsenic	< 10		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Arsenic		J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Arsenic		J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Arsenic			ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Arsenic	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Arsenic		J	ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Arsenic			ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Arsenic	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Arsenic			ug/L
MW-2	MW-18A	CDM	9/10/2009	Arsenic	< 10		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Arsenic			ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Arsenic		J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Arsenic			ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Arsenic	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Arsenic		B	ug/L
MW-1	MW-17A	CDM	9/10/2009	Arsenic		B	ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Arsenic			ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Arsenic		J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Arsenic			ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Arsenic	<		ug/L
5B	MW-16B	CDM	9/16/2009	Arsenic	< 10		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Arsenic	< 10		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Arsenic	< 4.5		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-05B	MW-16B	TetraTech	9/16/2009	Arsenic	13.9		ug/L
5A	MW-16A	CDM	9/16/2009	Arsenic	< 10		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Arsenic	< 10		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Arsenic	< 4.5		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Arsenic	1.8		ug/L
MW-15	MW-15A	CDM	10/15/2009	Arsenic	15.8		ug/L
15A	MW-15A	CDM	9/16/2009	Arsenic	15.4		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Arsenic	33.6		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Arsenic	21.5		ug/L
MW-14	MW-14A	CDM	10/14/2009	Arsenic	5.5	B	ug/L
14A	MW-14A	CDM	9/16/2009	Arsenic	< 10		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Arsenic	< 10		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Arsenic	2		ug/L
MW-13	MW-13A	CDM	10/14/2009	Arsenic	4.6	B	ug/L
13A	MW-13A	CDM	9/16/2009	Arsenic	< 10		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Arsenic	< 10		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Arsenic	1.3		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Arsenic	3.4	B	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Arsenic	3.5	B	ug/L
12B	MW-12B	CDM	9/16/2009	Arsenic	< 10		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Arsenic	< 10		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Arsenic	5.4	J	ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Arsenic	0.76	J	ug/L
MW-12A	MW-12A	CDM	10/14/2009	Arsenic	5.8	B	ug/L
12A	MW-12A	CDM	9/16/2009	Arsenic	3.6	B	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Arsenic	< 10		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Arsenic	20.5		ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Arsenic	3.6		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Arsenic	< 10		ug/L
11B	MW-11B	CDM	9/16/2009	Arsenic	< 10		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Arsenic	< 10		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Arsenic	< 4.5		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Arsenic	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Arsenic	5.6	B	ug/L
11A	MW-11A	CDM	9/16/2009	Arsenic	< 10		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Arsenic	< 10		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Arsenic	< 4.5		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Arsenic	1.5		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Arsenic	< 10		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Arsenic	< 10		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Arsenic	< 10		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Arsenic	< 4.5		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Arsenic	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Arsenic	3.8	B	ug/L
MW-10A	MW-10A	CDM	9/10/2009	Arsenic	< 10		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Arsenic	< 10		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Arsenic	< 4.5		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-10A	MW-10A	TetraTech	9/10/2009	Arsenic	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Arsenic	13.2		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Arsenic	6.4	J	ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Arsenic	19.8		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Arsenic	3.5	J	ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Arsenic	4.6	J	ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Arsenic	2.6	J	ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Arsenic	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Arsenic	10.7		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Arsenic	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Arsenic	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Arsenic	3.3	J	ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Arsenic	8.2	J	ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Arsenic	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Barium	32.5		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Barium	51.4		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Barium	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Barium	19.3	B	ug/L
SW-11	SG-9	TetraTech	9/9/2009	Barium	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Barium	32.1	B	ug/L
SW-7	SG-7	CDM	9/9/2009	Barium	44	B	ug/L
SW-08	SG-7	TetraTech	9/9/2009	Barium	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Barium	79.9	B	ug/L
SW-07	SG-6	TetraTech	9/9/2009	Barium	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Barium	27.9	B	ug/L
SW-04	SG-5	TetraTech	9/9/2009	Barium	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Barium	73.6	B	ug/L
SW-17	SG-38	TetraTech	9/10/2009	Barium	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Barium	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Barium	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Barium	50.8		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Barium	40.2		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Barium	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Barium	56.6		ug/L
SW-3	SG-3	CDM	9/9/2009	Barium	42.9	B	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Barium	79.7		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Barium	57.5		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Barium	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Barium	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Barium	41.4	B	ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Barium	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Barium	30.5		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Barium	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Barium	77.6		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Barium	83.9		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Barium	75	J	ug/L
SG-9	SG-25	MACTEC	5/27/2009	Barium	36.9		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-9	SG-25	MACTEC	11/19/2008	Barium	51.5		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Barium	47.1		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Barium	41		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Barium	54.6		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Barium	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Barium	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Barium	39.7		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Barium	37.9	J	ug/L
SG-3	SG-19	MACTEC	11/19/2008	Barium	46.2		ug/L
SG-16	SG-16	URS	9/8/2009	Barium	19.6	B	ug/L
SG-15	SG-15	URS	9/8/2009	Barium	31.4	B	ug/L
SG-14	SG-14	URS	9/8/2009	Barium	22.2	B	ug/L
SG-13	SG-13	URS	9/8/2009	Barium	16.1	B	ug/L
SG-12	SG-12	URS	9/8/2009	Barium	19.6	B	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Barium	<		ug/L
SG-11	SG-11	URS	9/8/2009	Barium	25.9	B	ug/L
FD1	SG-10dup	CDM	9/9/2009	Barium	61.2	B	ug/L
SW-10	SG-10	CDM	9/9/2009	Barium	59.7	B	ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Barium	30	J	ug/L
SG-10	SG-10	URS	9/8/2009	Barium	22.2	B	ug/L
SW-1	SG-1	CDM	9/9/2009	Barium	70.1	B	ug/L
SW-01	SG-1	TetraTech	9/9/2009	Barium	63.5	J	ug/L
	PW-8	City	7/18/2008	Barium	100		ug/L
	PW-8	City	7/18/2008	Barium	61		ug/L
	PW-77	City	7/18/2008	Barium	26		ug/L
	PW-76	City	7/18/2008	Barium	33		ug/L
	PW-75	City	7/19/2008	Barium	11		ug/L
	PW-74	City	7/18/2008	Barium	19		ug/L
	PW-73	City	7/19/2008	Barium	29		ug/L
	PW-73	City	7/19/2008	Barium	30		ug/L
	PW-72	City	7/18/2008	Barium	34		ug/L
	PW-72	City	7/18/2008	Barium	35		ug/L
	PW-71	City	7/18/2008	Barium	36		ug/L
	PW-70	City	7/18/2008	Barium	74		ug/L
	PW-7	City	7/18/2008	Barium	<		ug/L
	PW-69	City	7/18/2009	Barium	14		ug/L
	PW-68	City	7/18/2008	Barium	20		ug/L
	PW-67	City	7/18/2008	Barium	22		ug/L
	PW-66	City	7/18/2008	Barium	23		ug/L
	PW-65	City	7/18/2008	Barium	22		ug/L
	PW-63	City	7/18/2008	Barium	22		ug/L
	PW-62	City	7/18/2008	Barium	37		ug/L
	PW-61	City	7/19/2008	Barium	12		ug/L
	PW-60	City	7/18/2008	Barium	19		ug/L
	PW-58	City	7/18/2008	Barium	91		ug/L
	PW-57	City	7/18/2008	Barium	22		ug/L
	PW-56	City	7/18/2008	Barium	74		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-55	City	7/18/2009	Barium	15		ug/L
	PW-55	City	7/18/2008	Barium	25		ug/L
	PW-54	City	7/19/2008	Barium	30		ug/L
	PW-54	City	7/18/2008	Barium	32		ug/L
	PW-53	City	7/18/2008	Barium	43		ug/L
	PW-52	City	7/19/2008	Barium	12		ug/L
	PW-51	City	7/18/2008	Barium	59		ug/L
	PW-50	City	7/18/2008	Barium	46		ug/L
	PW-5	City	7/18/2008	Barium	<		ug/L
	PW-49	City	7/18/2008	Barium	60		ug/L
	PW-48	City	7/18/2008	Barium	23		ug/L
	PW-47	City	7/19/2008	Barium	11		ug/L
	PW-46	City	7/19/2008	Barium	9		ug/L
	PW-46	City	7/19/2008	Barium	10		ug/L
	PW-45	City	7/19/2008	Barium	11		ug/L
	PW-43	City	7/19/2008	Barium	27		ug/L
	PW-42	City	7/18/2008	Barium	18		ug/L
	PW-41	City	7/19/2008	Barium	30		ug/L
	PW-40	City	7/18/2009	Barium	14		ug/L
	PW-4	City	7/18/2008	Barium	<		ug/L
	PW-39	City	7/18/2008	Barium	78		ug/L
	PW-38	City	7/18/2008	Barium	24		ug/L
	PW-37	City	7/18/2008	Barium	22		ug/L
	PW-36	City	7/18/2008	Barium	21		ug/L
	PW-35	City	7/18/2009	Barium	16		ug/L
	PW-34	City	7/19/2008	Barium	<		ug/L
	PW-30	City	7/18/2009	Barium	12		ug/L
	PW-30	City	7/19/2008	Barium	12		ug/L
	PW-29	City	7/19/2008	Barium	12		ug/L
	PW-28	City	7/19/2008	Barium	<		ug/L
	PW-26	City	7/18/2008	Barium	17		ug/L
	PW-26	City	7/18/2008	Barium	104		ug/L
	PW-25	City	7/19/2008	Barium	<		ug/L
	PW-25	City	7/18/2008	Barium	396		ug/L
	PW-24	City	7/19/2008	Barium	8		ug/L
	PW-23	City	7/19/2008	Barium	<		ug/L
	PW-23	City	7/18/2008	Barium	192		ug/L
	PW-22	City	7/19/2008	Barium	7		ug/L
	PW-20	City	7/19/2008	Barium	<		ug/L
	PW-19	City	7/19/2008	Barium	<		ug/L
	PW-18	City	7/19/2008	Barium	<		ug/L
	PW-18	City	7/18/2008	Barium	195		ug/L
	PW-17	City	7/19/2008	Barium	<		ug/L
	PW-17	City	7/18/2008	Barium	208		ug/L
	PW-14	City	7/18/2008	Barium	122		ug/L
	PW-14	City	7/18/2008	Barium	<		ug/L
	PW-12	City	7/18/2008	Barium	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-11	City	7/18/2008	Barium	<		ug/L
	PW-10	City	7/19/2008	Barium	<		ug/L
	PW-1	City	7/18/2008	Barium	69		ug/L
	PW-1	City	7/18/2008	Barium	83		ug/L
	PW-1	City	7/18/2008	Barium	102		ug/L
	PW-1	City	7/18/2008	Barium	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Barium	14.2	B	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Barium	15.5	B	ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Barium	15.1		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Barium	19.8		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Barium	14.4		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Barium	28.1	B	ug/L
MW-9A	MW-9A	CDM	9/10/2009	Barium	39.8	B	ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Barium	33.7		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Barium	49.7		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Barium	55.8		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Barium	14.1	B	ug/L
MW-8B	MW-8B	CDM	9/10/2009	Barium	17.5	B	ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Barium	15.9		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Barium	25.7		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Barium	16.6		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Barium	65.4	B	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Barium	63.9	B	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Barium	15.6		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Barium	28.9		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Barium	57.6		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Barium	13.2	B	ug/L
MW-7B	MW-7B	CDM	9/11/2009	Barium	17.4	B	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Barium	14.6		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Barium	83.6		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Barium	15.8		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Barium	84.6	B	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Barium	82.2	B	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Barium	79.8		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Barium	25.2		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Barium	77.5		ug/L
MW-6C	MW-6C	URS	10/13/2009	Barium	29.2	B	ug/L
MW-6C	MW-6C	URS	9/9/2009	Barium	107	B	ug/L
MW-6A	MW-6A	URS	10/13/2009	Barium	14	B	ug/L
MW-6A	MW-6A	URS	9/9/2009	Barium	21.1	B	ug/L
MW-5C	MW-5C	URS	10/14/2009	Barium	28.2	B	ug/L
MW-5C	MW-5C	URS	9/14/2009	Barium	35.6	B	ug/L
MW-4	MW-5A	URS	10/14/2009	Barium	13.3	B	ug/L
MW-4	MW-5A	URS	9/9/2009	Barium	16.4	B	ug/L
MW-1	MW-4C	URS	10/14/2009	Barium	27.5	B	ug/L
MW-1	MW-4C	URS	9/11/2009	Barium	19.4	B	ug/L
MW-2	MW-4B	URS	10/14/2009	Barium	18.1	B	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-2	MW-4B	URS	9/10/2009	Barium	26	B	ug/L
MW-4A	MW-4A	URS	10/14/2009	Barium	13	B	ug/L
MW-4A	MW-4A	URS	9/10/2009	Barium	18.3	B	ug/L
MW-3C	MW-3C	URS	10/12/2009	Barium	23.8	B	ug/L
MW-3C	MW-3C	URS	9/11/2009	Barium	23	B	ug/L
MW-6B	MW-3B	CDM	10/13/2009	Barium	87	B	ug/L
MW-6B	MW-3B	CDM	9/11/2009	Barium	34.3	B	ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Barium	84.5		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Barium	128		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Barium	81		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Barium	34.9	B	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Barium	40.5	B	ug/L
MW-6A	MW-3A	CDM	9/11/2009	Barium	90.6	B	ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Barium	39.6		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Barium	663		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Barium	30.5		ug/L
MW-2C	MW-2C	URS	10/13/2009	Barium	26	B	ug/L
MW-2C	MW-2C	URS	9/14/2009	Barium	22.2	B	ug/L
MW-2A	MW-2A	URS	10/13/2009	Barium	17.1	B	ug/L
MW-2A	MW-2A	URS	9/10/2009	Barium	20	B	ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Barium	73.1		ug/L
MW-1C	MW-1C	URS	10/12/2009	Barium	44.1	B	ug/L
MW-1C	MW-1C	URS	9/11/2009	Barium	43.8	B	ug/L
MW-1A	MW-1A	URS	10/12/2009	Barium	116	B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Barium	134	B	ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Barium	17	B	ug/L
MW-3	MW-19A	CDM	9/10/2009	Barium	17.9	B	ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Barium	15.3		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Barium	18.1		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Barium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Barium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Barium	19		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Barium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Barium	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Barium	23.5	B	ug/L
MW-2	MW-18A	CDM	9/10/2009	Barium	61.5	B	ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Barium	48.4		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Barium	18.3		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Barium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Barium	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Barium	19.8	B	ug/L
MW-1	MW-17A	CDM	9/10/2009	Barium	22	B	ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Barium	20.2		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Barium	20.4		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Barium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Barium	<		ug/L
5B	MW-16B	CDM	9/16/2009	Barium	13.5	B	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-5B	MW-16B	MACTEC	6/16/2009	Barium	13		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Barium	22.4		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Barium	<		ug/L
5A	MW-16A	CDM	9/16/2009	Barium	33	B	ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Barium	28.7		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Barium	66.4		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Barium	31.4		ug/L
MW-15	MW-15A	CDM	10/15/2009	Barium	73.4	B	ug/L
15A	MW-15A	CDM	9/16/2009	Barium	68.8	B	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Barium	69.4		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Barium	70		ug/L
MW-14	MW-14A	CDM	10/14/2009	Barium	37.2	B	ug/L
14A	MW-14A	CDM	9/16/2009	Barium	39.8	B	ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Barium	53.1		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Barium	39.1		ug/L
MW-13	MW-13A	CDM	10/14/2009	Barium	34.4	B	ug/L
13A	MW-13A	CDM	9/16/2009	Barium	34.6	B	ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Barium	43.6		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Barium	33.4		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Barium	27.8	B	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Barium	24.6	B	ug/L
12B	MW-12B	CDM	9/16/2009	Barium	25.9	B	ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Barium	15		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Barium	35.7		ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Barium	20.3		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Barium	23.4	B	ug/L
12A	MW-12A	CDM	9/16/2009	Barium	28.4	B	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Barium	29.7		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Barium	52		ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Barium	26		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Barium	21.4	B	ug/L
11B	MW-11B	CDM	9/16/2009	Barium	25.2	B	ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Barium	30.1		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Barium	38.5		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Barium	24.8		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Barium	8.3	B	ug/L
11A	MW-11A	CDM	9/16/2009	Barium	10.6	B	ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Barium	< 10		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Barium	36		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Barium	10.1		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Barium	5.7	B	ug/L
MW-10B	MW-10B	CDM	9/10/2009	Barium	8.2	B	ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Barium	< 10		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Barium	9.3	J	ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Barium	8.6	J	ug/L
MW-10A	MW-10A	CDM	10/14/2009	Barium	6.7	B	ug/L
MW-10A	MW-10A	CDM	9/10/2009	Barium	9.3	B	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-10A	MW-10A	MACTEC	6/17/2009	Barium	< 10		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Barium	19.1		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Barium	8.5	J	ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Barium	74	J	ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Barium	<		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Barium	33.7	J	ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Barium	85.7	J	ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Barium	83.4	J	ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Barium	79.4	J	ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Barium	22.9	J	ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Barium	48.1	J	ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Barium	70	J	ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Barium	41.4	J	ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Barium	103	J	ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Barium	99.6	J	ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Barium	34.9	J	ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Beryllium	< 4		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Beryllium	< 1		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Beryllium	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Beryllium	< 4		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Beryllium	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Beryllium	< 4		ug/L
SW-7	SG-7	CDM	9/9/2009	Beryllium	< 4		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Beryllium	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Beryllium	< 4		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Beryllium	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Beryllium	< 4		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Beryllium	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Beryllium	0.35	B	ug/L
SW-17	SG-38	TetraTech	9/10/2009	Beryllium	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Beryllium	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Beryllium	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Beryllium	< 1		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Beryllium	1.1	J	ug/L
SW-12	SG-33	TetraTech	9/9/2009	Beryllium	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Beryllium	< 1		ug/L
SW-3	SG-3	CDM	9/9/2009	Beryllium	< 4		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Beryllium	< 4		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Beryllium	1.5	J	ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Beryllium	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Beryllium	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Beryllium	< 4		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Beryllium	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Beryllium	< 4		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Beryllium	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Beryllium	< 4		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Beryllium	2.7	J	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-02	SG-28	TetraTech	9/10/2009	Beryllium	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Beryllium	<	4	ug/L
SG-9	SG-25	MACTEC	11/19/2008	Beryllium	<	1	ug/L
SG-8	SG-24	MACTEC	11/19/2008	Beryllium		1	J ug/L
SG-7	SG-23	MACTEC	11/19/2008	Beryllium	<	1	ug/L
SG-6	SG-22	MACTEC	11/19/2008	Beryllium	<	1	ug/L
SW-10	SG-22	TetraTech	9/9/2009	Beryllium	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Beryllium	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Beryllium		1	J ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Beryllium		0.55	J ug/L
SG-3	SG-19	MACTEC	11/19/2008	Beryllium		1.2	J ug/L
SG-16	SG-16	URS	9/8/2009	Beryllium	<	4	ug/L
SG-15	SG-15	URS	9/8/2009	Beryllium	<	4	ug/L
SG-14	SG-14	URS	9/8/2009	Beryllium	<	4	ug/L
SG-13	SG-13	URS	9/8/2009	Beryllium	<	4	ug/L
SG-12	SG-12	URS	9/8/2009	Beryllium	<	4	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Beryllium	<		ug/L
SG-11	SG-11	URS	9/8/2009	Beryllium	<	4	ug/L
FD1	SG-10dup	CDM	9/9/2009	Beryllium	<	4	ug/L
SW-10	SG-10	CDM	9/9/2009	Beryllium	<	4	ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Beryllium		0.59	J ug/L
SG-10	SG-10	URS	9/8/2009	Beryllium	<	4	ug/L
SW-1	SG-1	CDM	9/9/2009	Beryllium	<	4	ug/L
SW-01	SG-1	TetraTech	9/9/2009	Beryllium	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Beryllium	<	4	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Beryllium	<	4	ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Beryllium	<	4	ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Beryllium	<	1	ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Beryllium	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Beryllium	<	4	ug/L
MW-9A	MW-9A	CDM	9/10/2009	Beryllium	<	4	ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Beryllium	<	4	ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Beryllium	<	1	ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Beryllium	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Beryllium	<	4	ug/L
MW-8B	MW-8B	CDM	9/10/2009	Beryllium	<	4	ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Beryllium	<	4	ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Beryllium	<	1	ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Beryllium	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Beryllium		0.6	B ug/L
MW-8A	MW-8A	CDM	9/10/2009	Beryllium		0.58	B ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Beryllium		7.8	ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Beryllium		14.9	ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Beryllium		0.76	J ug/L
MW-7B	MW-7B	CDM	10/13/2009	Beryllium	<	4	ug/L
MW-7B	MW-7B	CDM	9/11/2009	Beryllium	<	4	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Beryllium	<	4	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-7B	MW-7B	MACTEC	12/2/2008	Beryllium	< 1		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Beryllium	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Beryllium	0.32	B	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Beryllium	< 4		ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Beryllium	< 4		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Beryllium	< 1		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Beryllium	0.41	J	ug/L
MW-6C	MW-6C	URS	10/13/2009	Beryllium	< 4		ug/L
MW-6C	MW-6C	URS	9/9/2009	Beryllium	0.93	B	ug/L
MW-6A	MW-6A	URS	10/13/2009	Beryllium	< 4		ug/L
MW-6A	MW-6A	URS	9/9/2009	Beryllium	< 4		ug/L
MW-5C	MW-5C	URS	10/14/2009	Beryllium	< 4		ug/L
MW-5C	MW-5C	URS	9/14/2009	Beryllium	< 4		ug/L
MW-4	MW-5A	URS	10/14/2009	Beryllium	10		ug/L
MW-4	MW-5A	URS	9/9/2009	Beryllium	8.1		ug/L
MW-1	MW-4C	URS	10/14/2009	Beryllium	< 4		ug/L
MW-1	MW-4C	URS	9/11/2009	Beryllium	< 4		ug/L
MW-2	MW-4B	URS	10/14/2009	Beryllium	< 4		ug/L
MW-2	MW-4B	URS	9/10/2009	Beryllium	< 4		ug/L
MW-4A	MW-4A	URS	10/14/2009	Beryllium	< 4		ug/L
MW-4A	MW-4A	URS	9/10/2009	Beryllium	< 4		ug/L
MW-3C	MW-3C	URS	10/12/2009	Beryllium	< 4		ug/L
MW-3C	MW-3C	URS	9/11/2009	Beryllium	< 4		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Beryllium	0.56	B	ug/L
MW-6B	MW-3B	CDM	9/11/2009	Beryllium	< 4		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Beryllium	< 4		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Beryllium	2	J	ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Beryllium	0.63	J	ug/L
FD-2	MW-3A dup	CDM	9/11/2009	Beryllium	< 4		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Beryllium	< 4		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Beryllium	0.57	B	ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Beryllium	< 4		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Beryllium	< 1		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Beryllium	<		ug/L
MW-2C	MW-2C	URS	10/13/2009	Beryllium	< 4		ug/L
MW-2C	MW-2C	URS	9/14/2009	Beryllium	< 4		ug/L
MW-2A	MW-2A	URS	10/13/2009	Beryllium	< 4		ug/L
MW-2A	MW-2A	URS	9/10/2009	Beryllium	< 4		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Beryllium	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Beryllium	< 4		ug/L
MW-1C	MW-1C	URS	9/11/2009	Beryllium	< 4		ug/L
MW-1A	MW-1A	URS	10/12/2009	Beryllium	0.81	B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Beryllium	1.2	B	ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Beryllium	< 4		ug/L
MW-3	MW-19A	CDM	9/10/2009	Beryllium	< 4		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Beryllium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Beryllium	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Beryllium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Beryllium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Beryllium	0.11	J	ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Beryllium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Beryllium	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Beryllium	4		ug/L
MW-2	MW-18A	CDM	9/10/2009	Beryllium	4		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Beryllium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Beryllium	0.11	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Beryllium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Beryllium	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Beryllium	0.52	B	ug/L
MW-1	MW-17A	CDM	9/10/2009	Beryllium	0.44	B	ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Beryllium	0.6	J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Beryllium	0.18	J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Beryllium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Beryllium	<		ug/L
5B	MW-16B	CDM	9/16/2009	Beryllium	4		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Beryllium	4		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Beryllium	4.5		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Beryllium	<		ug/L
5A	MW-16A	CDM	9/16/2009	Beryllium	4		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Beryllium	4		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Beryllium	1		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Beryllium	<		ug/L
MW-15	MW-15A	CDM	10/15/2009	Beryllium	0.93	B	ug/L
15A	MW-15A	CDM	9/16/2009	Beryllium	1.2	B	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Beryllium	4		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Beryllium	1.5		ug/L
MW-14	MW-14A	CDM	10/14/2009	Beryllium	4		ug/L
14A	MW-14A	CDM	9/16/2009	Beryllium	4		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Beryllium	4		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Beryllium	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Beryllium	16.6		ug/L
13A	MW-13A	CDM	9/16/2009	Beryllium	11.7		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Beryllium	14.5		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Beryllium	13		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Beryllium	4		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Beryllium	4		ug/L
12B	MW-12B	CDM	9/16/2009	Beryllium	4		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Beryllium	4		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Beryllium	1		ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Beryllium	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Beryllium	4		ug/L
12A	MW-12A	CDM	9/16/2009	Beryllium	4		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Beryllium	4		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Beryllium	1		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-12A	MW-12A	TetraTech	9/16/2009	Beryllium	<		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Beryllium	<	4	ug/L
11B	MW-11B	CDM	9/16/2009	Beryllium	<	4	ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Beryllium	<	4	ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Beryllium	<	1	ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Beryllium	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Beryllium	<	4	ug/L
11A	MW-11A	CDM	9/16/2009	Beryllium	<	4	ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Beryllium	<	4	ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Beryllium	<	1	ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Beryllium	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Beryllium	<	4	ug/L
MW-10B	MW-10B	CDM	9/10/2009	Beryllium	<	4	ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Beryllium	<	4	ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Beryllium	<	1	ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Beryllium	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Beryllium	<	4	ug/L
MW-10A	MW-10A	CDM	9/10/2009	Beryllium	<	4	ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Beryllium	<	4	ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Beryllium	<	1	ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Beryllium	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Beryllium		0.43	J ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Beryllium	<		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Beryllium	<		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Beryllium	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Beryllium	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Beryllium	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Beryllium	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Beryllium	<		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Beryllium	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Beryllium	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Beryllium	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Beryllium	<		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Beryllium	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Boron	<	50	ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Boron		44.6	J ug/L
SW-19	SW-10	TetraTech	9/10/2009	Boron		9.8	ug/L
SW-9	SG-9	CDM	9/9/2009	Boron		73.9	B ug/L
SW-11	SG-9	TetraTech	9/9/2009	Boron		43.4	ug/L
SW-8	SG-8	CDM	9/9/2009	Boron		55.8	B ug/L
SW-7	SG-7	CDM	9/9/2009	Boron		55.3	B ug/L
SW-08	SG-7	TetraTech	9/9/2009	Boron		35.5	ug/L
SW-6	SG-6	CDM	9/9/2009	Boron		540	ug/L
SW-07	SG-6	TetraTech	9/9/2009	Boron		473	ug/L
SW-5	SG-5	CDM	9/9/2009	Boron		48.8	B ug/L
SW-04	SG-5	TetraTech	9/9/2009	Boron		24.9	ug/L
SW-4	SG-4	CDM	9/9/2009	Boron		62.6	B ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-17	SG-38	TetraTech	9/10/2009	Boron	29.2		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Boron	31.1		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Boron	28.2		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Boron	45.8	J	ug/L
SG-18	SG-34	MACTEC	11/21/2008	Boron	34.8	J	ug/L
SW-12	SG-33	TetraTech	9/9/2009	Boron	26.8		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Boron	45.9	J	ug/L
SW-3	SG-3	CDM	9/9/2009	Boron	65.2	B	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Boron	61.2		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Boron	44.9	J	ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Boron	41.1		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Boron	45		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Boron	65.9	B	ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Boron	40.4		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Boron	< 50		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Boron	30.9		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Boron	< 50		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Boron	40.3	J	ug/L
SW-02	SG-28	TetraTech	9/10/2009	Boron	38.1		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Boron	< 50		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Boron	41	J	ug/L
SG-8	SG-24	MACTEC	11/19/2008	Boron	30.3	J	ug/L
SG-7	SG-23	MACTEC	11/19/2008	Boron	31.4	J	ug/L
SG-6	SG-22	MACTEC	11/19/2008	Boron	37.3	J	ug/L
SW-10	SG-22	TetraTech	9/9/2009	Boron	31.1		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Boron	30.3		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Boron	36.4	J	ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Boron	22.1	J	ug/L
SG-3	SG-19	MACTEC	11/19/2008	Boron	36.3	J	ug/L
SG-16	SG-16	URS	9/8/2009	Boron	40.3	B	ug/L
SG-15	SG-15	URS	9/8/2009	Boron	42.1	B	ug/L
SG-14	SG-14	URS	9/8/2009	Boron	46.1	B	ug/L
SG-13	SG-13	URS	9/8/2009	Boron	46.3	B	ug/L
SG-12	SG-12	URS	9/8/2009	Boron	41	B	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Boron	10.5		ug/L
SG-11	SG-11	URS	9/8/2009	Boron	43.2	B	ug/L
FD1	SG-10dup	CDM	9/9/2009	Boron	67.6	B	ug/L
SW-10	SG-10	CDM	9/9/2009	Boron	64	B	ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Boron	25.6	J	ug/L
SG-10	SG-10	URS	9/8/2009	Boron	54.1	B	ug/L
SW-1	SG-1	CDM	9/9/2009	Boron	72.6	B	ug/L
SW-01	SG-1	TetraTech	9/9/2009	Boron	44		ug/L
	PW-9	City	7/18/2008	Boron	143		ug/L
	PW-80	City	7/19/2008	Boron	19		ug/L
	PW-8	City	7/19/2008	Boron	21		ug/L
	PW-8	City	7/18/2008	Boron	18		ug/L
	PW-79	City	7/18/2008	Boron	58		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-78	City	7/18/2008	Boron	84		ug/L
	PW-77	City	7/18/2008	Boron	34		ug/L
	PW-76	City	7/18/2008	Boron	78		ug/L
	PW-75	City	7/18/2008	Boron	10		ug/L
	PW-74	City	7/18/2008	Boron	74		ug/L
	PW-73	City	7/19/2008	Boron	116		ug/L
	PW-73	City	7/18/2008	Boron	109		ug/L
	PW-72	City	7/18/2008	Boron	113		ug/L
	PW-72	City	7/18/2008	Boron	128		ug/L
	PW-71	City	7/19/2008	Boron	121		ug/L
	PW-70	City	7/18/2008	Boron	200		ug/L
	PW-7	City	7/18/2009	Boron	115		ug/L
	PW-7	City	7/18/2008	Boron	122		ug/L
	PW-69	City	7/18/2008	Boron	14		ug/L
	PW-68	City	7/18/2008	Boron	25		ug/L
	PW-67	City	7/18/2008	Boron	16		ug/L
	PW-66	City	7/18/2008	Boron	33		ug/L
	PW-65	City	7/18/2008	Boron	28		ug/L
	PW-65	City	7/18/2008	Boron	32		ug/L
	PW-64	City	7/18/2008	Boron	41		ug/L
	PW-63	City	7/18/2008	Boron	77		ug/L
	PW-62	City	7/18/2008	Boron	45		ug/L
	PW-61	City	7/18/2008	Boron	37		ug/L
	PW-60	City	7/18/2008	Boron	6		ug/L
	PW-6	City	7/18/2008	Boron	150		ug/L
	PW-6	City	7/18/2008	Boron	159		ug/L
	PW-59	City	7/19/2008	Boron	220		ug/L
	PW-58	City	7/18/2008	Boron	29		ug/L
	PW-57	City	7/18/2008	Boron	14		ug/L
	PW-56	City	7/18/2008	Boron	45		ug/L
	PW-55	City	7/19/2008	Boron	329		ug/L
	PW-55	City	7/18/2008	Boron	385		ug/L
	PW-54	City	7/19/2008	Boron	612		ug/L
	PW-54	City	7/18/2008	Boron	713		ug/L
	PW-53	City	7/18/2008	Boron	905		ug/L
	PW-52	City	7/18/2008	Boron	51		ug/L
	PW-51	City	7/19/2008	Boron	184		ug/L
	PW-50	City	7/18/2008	Boron	133		ug/L
	PW-49	City	7/18/2008	Boron	87		ug/L
	PW-48	City	7/18/2008	Boron	53		ug/L
	PW-47	City	7/19/2008	Boron	19		ug/L
	PW-47	City	7/18/2008	Boron	14		ug/L
	PW-46	City	7/19/2008	Boron	18		ug/L
	PW-46	City	7/18/2008	Boron	9		ug/L
	PW-45	City	7/18/2008	Boron	13		ug/L
	PW-45	City	7/18/2008	Boron	200		ug/L
	PW-44	City	7/18/2008	Boron	7		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-43	City	7/19/2008	Boron	215		ug/L
	PW-43	City	7/19/2008	Boron	269		ug/L
	PW-42	City	7/18/2008	Boron	200		ug/L
	PW-41	City	7/18/2008	Boron	9		ug/L
	PW-4	City	7/18/2008	Boron	137		ug/L
	PW-4	City	7/18/2008	Boron	148		ug/L
	PW-39	City	7/18/2008	Boron	50		ug/L
	PW-38	City	7/18/2008	Boron	49		ug/L
	PW-37	City	7/18/2008	Boron	55		ug/L
	PW-36	City	7/18/2008	Boron	49		ug/L
	PW-36	City	7/18/2008	Boron	68		ug/L
	PW-35	City	7/18/2008	Boron	42		ug/L
	PW-35	City	7/18/2008	Boron	50		ug/L
	PW-34	City	7/19/2008	Boron	560		ug/L
	PW-34	City	7/19/2008	Boron	586		ug/L
	PW-33	City	7/18/2008	Boron	67		ug/L
	PW-32	City	7/18/2008	Boron	45		ug/L
	PW-31	City	7/18/2008	Boron	44		ug/L
	PW-30	City	7/18/2009	Boron	113		ug/L
	PW-30	City	7/18/2008	Boron	104		ug/L
	PW-3	City	7/18/2008	Boron	53		ug/L
	PW-29	City	7/18/2008	Boron	89		ug/L
	PW-28	City	7/19/2008	Boron	294		ug/L
	PW-28	City	7/19/2008	Boron	301		ug/L
	PW-28	City	7/19/2008	Boron	305		ug/L
	PW-27	City	7/18/2008	Boron	45		ug/L
	PW-26	City	7/18/2008	Boron	166		ug/L
	PW-25	City	7/19/2008	Boron	403		ug/L
	PW-25	City	7/18/2008	Boron	402		ug/L
	PW-24	City	7/18/2008	Boron	131		ug/L
	PW-23	City	7/19/2008	Boron	202		ug/L
	PW-22	City	7/18/2008	Boron	113		ug/L
	PW-21	City	7/18/2008	Boron	44		ug/L
	PW-20	City	7/19/2008	Boron	167		ug/L
	PW-20	City	7/18/2008	Boron	155		ug/L
	PW-2	City	7/18/2008	Boron	41		ug/L
	PW-19	City	7/19/2008	Boron	174		ug/L
	PW-19	City	7/18/2008	Boron	159		ug/L
	PW-18	City	7/19/2008	Boron	206		ug/L
	PW-17	City	7/19/2008	Boron	220		ug/L
	PW-16	City	7/18/2008	Boron	45		ug/L
	PW-15	City	7/18/2008	Boron	189		ug/L
	PW-14	City	7/18/2008	Boron	128		ug/L
	PW-13	City	7/19/2008	Boron	20		ug/L
	PW-12	City	7/19/2008	Boron	172		ug/L
	PW-12	City	7/18/2008	Boron	187		ug/L
	PW-11	City	7/18/2008	Boron	144		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-11	City	7/18/2008	Boron	158		ug/L
	PW-10	City	7/19/2008	Boron	180		ug/L
	PW-10	City	7/18/2008	Boron	164		ug/L
	PW-10	City	7/18/2008	Boron	162		ug/L
	PW-1	City	7/19/2008	Boron	20		ug/L
	PW-1	City	7/18/2008	Boron	22		ug/L
	PW-1	City	7/18/2008	Boron	108		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Boron	126	B	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Boron	142	BJ	ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Boron	109		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Boron	11.5	B1	ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Boron	99.3	K	ug/L
MW-9A	MW-9A	CDM	10/14/2009	Boron	107	B	ug/L
MW-9A	MW-9A	CDM	9/10/2009	Boron	79.4	BJ	ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Boron	64.8		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Boron	64.6	B1	ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Boron	38.6	K	ug/L
MW-8B	MW-8B	CDM	10/14/2009	Boron	79.5	B	ug/L
MW-8B	MW-8B	CDM	9/10/2009	Boron	70.8	BJ	ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Boron	52		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Boron	55.7		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Boron	39.3	K	ug/L
MW-8A	MW-8A	CDM	10/14/2009	Boron	47.7	B	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Boron	42.8	BJ	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Boron	< 50		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Boron	57.3	B1	ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Boron	17.3	K	ug/L
MW-7B	MW-7B	CDM	10/13/2009	Boron	31.6	B	ug/L
MW-7B	MW-7B	CDM	9/11/2009	Boron	32.1	BJ	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Boron	< 50		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Boron	23.3	B,J	ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Boron	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Boron	43.6	B	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Boron	42.1	BJ	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Boron	< 50		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Boron	21.8	B,J	ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Boron	14.3	K	ug/L
MW-6C	MW-6C	URS	10/13/2009	Boron	872		ug/L
MW-6C	MW-6C	URS	9/9/2009	Boron	1100		ug/L
MW-6A	MW-6A	URS	10/13/2009	Boron	33.4	B	ug/L
MW-6A	MW-6A	URS	9/9/2009	Boron	30	B	ug/L
MW-5C	MW-5C	URS	10/14/2009	Boron	48.3	B	ug/L
MW-5C	MW-5C	URS	9/14/2009	Boron	54.3	B	ug/L
MW-4	MW-5A	URS	10/14/2009	Boron	32.1	B	ug/L
MW-4	MW-5A	URS	9/9/2009	Boron	35	B	ug/L
MW-1	MW-4C	URS	10/14/2009	Boron	531		ug/L
MW-1	MW-4C	URS	9/11/2009	Boron	548		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-2	MW-4B	URS	10/14/2009	Boron	145	B	ug/L
MW-2	MW-4B	URS	9/10/2009	Boron	208		ug/L
MW-4A	MW-4A	URS	10/14/2009	Boron	34.8	B	ug/L
MW-4A	MW-4A	URS	9/10/2009	Boron	40.6	B	ug/L
MW-3C	MW-3C	URS	10/12/2009	Boron	180	B	ug/L
MW-3C	MW-3C	URS	9/11/2009	Boron	178	B	ug/L
MW-6B	MW-3B	CDM	10/13/2009	Boron	32.7	B	ug/L
MW-6B	MW-3B	CDM	9/11/2009	Boron	38.1	BJ	ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Boron	< 50		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Boron	14.9	J	ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Boron	5.6	J	ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Boron	39.4	BJ	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Boron	51.1	B	ug/L
MW-6A	MW-3A	CDM	9/11/2009	Boron	35	BJ	ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Boron	< 50		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Boron	23.9		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Boron	12.9	K	ug/L
MW-2C	MW-2C	URS	10/13/2009	Boron	599		ug/L
MW-2C	MW-2C	URS	9/14/2009	Boron	588		ug/L
MW-2A	MW-2A	URS	10/13/2009	Boron	35	B	ug/L
MW-2A	MW-2A	URS	9/10/2009	Boron	37.8	B	ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Boron	15	K	ug/L
MW-1C	MW-1C	URS	10/12/2009	Boron	85.4	B	ug/L
MW-1C	MW-1C	URS	9/11/2009	Boron	89.7	B	ug/L
MW-1A	MW-1A	URS	10/12/2009	Boron	42.2	B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Boron	47.5	B	ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Boron	47.4	B	ug/L
MW-3	MW-19A	CDM	9/10/2009	Boron	50.1	B	ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Boron	22.2	K	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Boron	17.4	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Boron	22.4	J	ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Boron	27.5	J	ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Boron	29	J	ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Boron	70	B	ug/L
MW-2	MW-18A	CDM	9/10/2009	Boron	188	B	ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Boron	146	K	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Boron	28.6	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Boron	29.4	J	ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Boron	36.3	B	ug/L
MW-1	MW-17A	CDM	9/10/2009	Boron	35.7	B	ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Boron	9.8	K	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Boron	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Boron	10.3	J	ug/L
5B	MW-16B	CDM	9/16/2009	Boron	94	B	ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Boron	83.5		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Boron	22.4	B1	ug/L
5A	MW-16A	CDM	9/16/2009	Boron	100	B	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-5A	MW-16A	MACTEC	6/16/2009	Boron	80.3		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Boron	72.4	B1	ug/L
MW-15	MW-15A	CDM	10/15/2009	Boron	157	B	ug/L
15A	MW-15A	CDM	9/16/2009	Boron	157	B	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Boron	162		ug/L
MW-14	MW-14A	CDM	10/14/2009	Boron	41.8	B	ug/L
14A	MW-14A	CDM	9/16/2009	Boron	39.2	B	ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Boron	< 50		ug/L
MW-13	MW-13A	CDM	10/14/2009	Boron	40.3	B	ug/L
13A	MW-13A	CDM	9/16/2009	Boron	38.8	B	ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Boron	< 50		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Boron	37	B	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Boron	99.6	B	ug/L
12B	MW-12B	CDM	9/16/2009	Boron	112	B	ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Boron	< 50		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Boron	86.7		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Boron	37.2	B	ug/L
12A	MW-12A	CDM	9/16/2009	Boron	36.9	B	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Boron	< 50		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Boron	18.5	J	ug/L
MW-11B	MW-11B	CDM	10/14/2009	Boron	71.1	B	ug/L
11B	MW-11B	CDM	9/16/2009	Boron	105	B	ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Boron	69.1		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Boron	120	B1	ug/L
MW-11A	MW-11A	CDM	10/14/2009	Boron	44.7	B	ug/L
11A	MW-11A	CDM	9/16/2009	Boron	46.6	B	ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Boron	< 50		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Boron	52.7	B1	ug/L
MW-10B	MW-10B	CDM	10/14/2009	Boron	167	B	ug/L
MW-10B	MW-10B	CDM	9/10/2009	Boron	151	BJ	ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Boron	135		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Boron	138		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Boron	116	K	ug/L
MW-10A	MW-10A	CDM	10/14/2009	Boron	54.9	B	ug/L
MW-10A	MW-10A	CDM	9/10/2009	Boron	51.3	BJ	ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Boron	< 50		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Boron	35.7	J	ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Boron	21.9	K	ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Boron	13.6	J	ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Boron	39.1	J	ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Boron	22.7	J	ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Boron	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Boron	14.9	J	ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Boron	7.4	J	ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Boron	9.9	J	ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Boron	5.6	J	ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Boron	24.7	J	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Boron	52.5		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Boron	19	J	ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Boron	<		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Boron	15.2	J	ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Cadmium	< 1		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Cadmium	< 0.5		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Cadmium	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Cadmium	< 5		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Cadmium	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Cadmium	< 5		ug/L
SW-7	SG-7	CDM	9/9/2009	Cadmium	< 5		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Cadmium	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Cadmium	< 5		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Cadmium	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Cadmium	< 5		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Cadmium	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Cadmium	< 5		ug/L
SW-17	SG-38	TetraTech	9/10/2009	Cadmium	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Cadmium	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Cadmium	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Cadmium	< 0.5		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Cadmium	< 0.5		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Cadmium	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Cadmium	< 0.5		ug/L
SW-3	SG-3	CDM	9/9/2009	Cadmium	< 5		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Cadmium	< 1		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Cadmium	< 0.5		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Cadmium	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Cadmium	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Cadmium	< 5		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Cadmium	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Cadmium	< 1		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Cadmium	18800		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Cadmium	< 1		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Cadmium	< 0.5		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Cadmium	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Cadmium	< 1		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Cadmium	< 0.5		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Cadmium	< 0.5		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Cadmium	< 0.5		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Cadmium	< 0.5		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Cadmium	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Cadmium	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Cadmium	< 0.5		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Cadmium	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Cadmium	0.5		ug/L
SG-16	SG-16	URS	9/8/2009	Cadmium	< 5		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-15	SG-15	URS	9/8/2009	Cadmium	< 5		ug/L
SG-14	SG-14	URS	9/8/2009	Cadmium	< 5		ug/L
SG-13	SG-13	URS	9/8/2009	Cadmium	< 5		ug/L
SG-12	SG-12	URS	9/8/2009	Cadmium	< 5		ug/L
SW-18	SG-11	TetraTech	9/10/2009	Cadmium	<		ug/L
SG-11	SG-11	URS	9/8/2009	Cadmium	< 5		ug/L
FD1	SG-10dup	CDM	9/9/2009	Cadmium	< 5		ug/L
SW-10	SG-10	CDM	9/9/2009	Cadmium	< 5		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Cadmium	<		ug/L
SG-10	SG-10	URS	9/8/2009	Cadmium	< 5		ug/L
SW-1	SG-1	CDM	9/9/2009	Cadmium	< 5		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Cadmium	<		ug/L
	PW-8	City	7/18/2008	Cadmium	0.5		ug/L
	PW-75	City	7/18/2008	Cadmium	0.5		ug/L
	PW-74	City	7/18/2008	Cadmium	1.3		ug/L
	PW-73	City	7/19/2008	Cadmium	<		ug/L
	PW-72	City	7/18/2008	Cadmium	<		ug/L
	PW-7	City	7/18/2008	Cadmium	<		ug/L
	PW-55	City	7/18/2008	Cadmium	<		ug/L
	PW-54	City	7/18/2008	Cadmium	<		ug/L
	PW-5	City	7/18/2008	Cadmium	<		ug/L
	PW-47	City	7/18/2008	Cadmium	0.9		ug/L
	PW-46	City	7/19/2008	Cadmium	<		ug/L
	PW-46	City	7/18/2008	Cadmium	1.2		ug/L
	PW-45	City	7/18/2008	Cadmium	0.8		ug/L
	PW-43	City	7/19/2008	Cadmium	<		ug/L
	PW-42	City	7/18/2008	Cadmium	0.7		ug/L
	PW-41	City	7/18/2008	Cadmium	1		ug/L
	PW-40	City	7/18/2008	Cadmium	0.8		ug/L
	PW-4	City	7/18/2008	Cadmium	<		ug/L
	PW-39	City	7/18/2008	Cadmium	1		ug/L
	PW-37	City	7/18/2008	Cadmium	0.8		ug/L
	PW-34	City	7/19/2008	Cadmium	<		ug/L
	PW-30	City	7/18/2009	Cadmium	<		ug/L
	PW-28	City	7/19/2008	Cadmium	<		ug/L
	PW-26	City	7/18/2008	Cadmium	<		ug/L
	PW-25	City	7/19/2008	Cadmium	<		ug/L
	PW-23	City	7/19/2008	Cadmium	<		ug/L
	PW-20	City	7/19/2008	Cadmium	<		ug/L
	PW-19	City	7/19/2008	Cadmium	<		ug/L
	PW-18	City	7/19/2008	Cadmium	<		ug/L
	PW-17	City	7/19/2008	Cadmium	<		ug/L
	PW-14	City	7/18/2008	Cadmium	<		ug/L
	PW-12	City	7/18/2008	Cadmium	<		ug/L
	PW-11	City	7/18/2008	Cadmium	<		ug/L
	PW-10	City	7/19/2008	Cadmium	<		ug/L
	PW-1	City	7/18/2008	Cadmium	1.5		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-1	City	7/18/2008	Cadmium	<		ug/L
	PW-1	City	7/18/2008	Cadmium	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Cadmium	<	5	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Cadmium	<	5	ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Cadmium	<	1	ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Cadmium	<	0.5	ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Cadmium	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Cadmium	<	5	ug/L
MW-9A	MW-9A	CDM	9/10/2009	Cadmium		0.2	B ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Cadmium	<	1	ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Cadmium	<	0.5	ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Cadmium	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Cadmium	<	5	ug/L
MW-8B	MW-8B	CDM	9/10/2009	Cadmium	<	5	ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Cadmium	<	1	ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Cadmium	<	0.5	ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Cadmium	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Cadmium	<	5	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Cadmium	<	5	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Cadmium		1.1	ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Cadmium		1.8	ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Cadmium	<		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Cadmium	<	5	ug/L
MW-7B	MW-7B	CDM	9/11/2009	Cadmium	<	5	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Cadmium	<	1	ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Cadmium	<	0.5	ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Cadmium	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Cadmium	<	5	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Cadmium		0.24	B ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Cadmium		1	ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Cadmium	<	0.5	ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Cadmium	<		ug/L
MW-6C	MW-6C	URS	10/13/2009	Cadmium	<	5	ug/L
MW-6C	MW-6C	URS	9/9/2009	Cadmium	<	5	ug/L
MW-6A	MW-6A	URS	10/13/2009	Cadmium	<	5	ug/L
MW-6A	MW-6A	URS	9/9/2009	Cadmium	<	5	ug/L
MW-5C	MW-5C	URS	10/14/2009	Cadmium	<	5	ug/L
MW-5C	MW-5C	URS	9/14/2009	Cadmium	<	5	ug/L
MW-4	MW-5A	URS	10/14/2009	Cadmium	<	5	ug/L
MW-4	MW-5A	URS	9/9/2009	Cadmium		0.15	B ug/L
MW-1	MW-4C	URS	10/14/2009	Cadmium	<	5	ug/L
MW-1	MW-4C	URS	9/11/2009	Cadmium	<	5	ug/L
MW-2	MW-4B	URS	10/14/2009	Cadmium	<	5	ug/L
MW-2	MW-4B	URS	9/10/2009	Cadmium	<	5	ug/L
MW-4A	MW-4A	URS	10/14/2009	Cadmium	<	5	ug/L
MW-4A	MW-4A	URS	9/10/2009	Cadmium	<	5	ug/L
MW-3C	MW-3C	URS	10/12/2009	Cadmium	<	5	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-3C	MW-3C	URS	9/11/2009	Cadmium	< 5		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Cadmium	< 5		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Cadmium	< 5		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Cadmium	< 1		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Cadmium	< 0.5		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Cadmium	<		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Cadmium	0.18	B	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Cadmium	< 5		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Cadmium	< 5		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Cadmium	< 1		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Cadmium	< 0.5		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Cadmium	<		ug/L
MW-2C	MW-2C	URS	10/13/2009	Cadmium	< 5		ug/L
MW-2C	MW-2C	URS	9/14/2009	Cadmium	< 5		ug/L
MW-2A	MW-2A	URS	10/13/2009	Cadmium	< 5		ug/L
MW-2A	MW-2A	URS	9/10/2009	Cadmium	< 5		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Cadmium	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Cadmium	< 5		ug/L
MW-1C	MW-1C	URS	9/11/2009	Cadmium	< 5		ug/L
MW-1A	MW-1A	URS	10/12/2009	Cadmium	< 5		ug/L
MW-1A	MW-1A	URS	9/9/2009	Cadmium	0.17	B	ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Cadmium	< 5		ug/L
MW-3	MW-19A	CDM	9/10/2009	Cadmium	< 5		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Cadmium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Cadmium	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Cadmium	< 5		ug/L
MW-2	MW-18A	CDM	9/10/2009	Cadmium	< 5		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Cadmium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Cadmium	0.14	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Cadmium	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Cadmium	< 5		ug/L
MW-1	MW-17A	CDM	9/10/2009	Cadmium	< 5		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Cadmium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Cadmium	<		ug/L
5B	MW-16B	CDM	9/16/2009	Cadmium	< 5		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Cadmium	< 1		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Cadmium	< 1		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Cadmium	<		ug/L
5A	MW-16A	CDM	9/16/2009	Cadmium	< 5		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-5A	MW-16A	MACTEC	6/16/2009	Cadmium	< 1		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Cadmium	< 0.5		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Cadmium	<		ug/L
MW-15	MW-15A	CDM	10/15/2009	Cadmium	< 5		ug/L
15A	MW-15A	CDM	9/16/2009	Cadmium	1.1	B	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Cadmium	< 1		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Cadmium	<		ug/L
MW-14	MW-14A	CDM	10/14/2009	Cadmium	< 5		ug/L
14A	MW-14A	CDM	9/16/2009	Cadmium	0.19	B	ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Cadmium	< 1		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Cadmium	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Cadmium	< 5		ug/L
13A	MW-13A	CDM	9/16/2009	Cadmium	0.61	B	ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Cadmium	< 1		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Cadmium	<		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Cadmium	< 5		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Cadmium	< 5		ug/L
12B	MW-12B	CDM	9/16/2009	Cadmium	< 5		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Cadmium	< 10		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Cadmium	< 0.5		ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Cadmium	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Cadmium	< 5		ug/L
12A	MW-12A	CDM	9/16/2009	Cadmium	< 5		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Cadmium	< 1		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Cadmium	< 0.5		ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Cadmium	<		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Cadmium	< 5		ug/L
11B	MW-11B	CDM	9/16/2009	Cadmium	< 5		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Cadmium	< 1		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Cadmium	< 0.5		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Cadmium	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Cadmium	< 5		ug/L
11A	MW-11A	CDM	9/16/2009	Cadmium	0.15	B	ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Cadmium	< 1		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Cadmium	< 0.5		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Cadmium	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Cadmium	< 5		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Cadmium	< 5		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Cadmium	< 1		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Cadmium	< 0.5		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Cadmium	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Cadmium	< 5		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Cadmium	0.2	B	ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Cadmium	< 1		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Cadmium	< 0.5		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Cadmium	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Cadmium	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Cadmium	<		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Cadmium	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Cadmium	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Cadmium	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Cadmium	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Cadmium	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Cadmium	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Cadmium	<		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Cadmium	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Chromium	< 5		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Chromium	< 1.5		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Chromium	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Chromium	2.1	B	ug/L
SW-11	SG-9	TetraTech	9/9/2009	Chromium	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Chromium	4.6	B	ug/L
SW-7	SG-7	CDM	9/9/2009	Chromium	3.7	B	ug/L
SW-08	SG-7	TetraTech	9/9/2009	Chromium	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Chromium	16.7		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Chromium	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Chromium	1.2	B	ug/L
SW-04	SG-5	TetraTech	9/9/2009	Chromium	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Chromium	0.6	B	ug/L
SW-17	SG-38	TetraTech	9/10/2009	Chromium	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Chromium	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Chromium	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Chromium	4.1	J	ug/L
SG-18	SG-34	MACTEC	11/21/2008	Chromium	4.2	J	ug/L
SW-12	SG-33	TetraTech	9/9/2009	Chromium	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Chromium	< 1.5		ug/L
SW-3	SG-3	CDM	9/9/2009	Chromium	1.3	B	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Chromium	< 5		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Chromium	< 1.5		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Chromium	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Chromium	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Chromium	0.68	B	ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Chromium	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Chromium	< 5		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Chromium	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Chromium	< 5		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Chromium	< 1.5		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Chromium	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Chromium	< 5		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Chromium	2.2	J	ug/L
SG-8	SG-24	MACTEC	11/19/2008	Chromium	7.9		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-7	SG-23	MACTEC	11/19/2008	Chromium	< 1.5		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Chromium	9.9		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Chromium	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Chromium	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Chromium	< 1.5		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Chromium	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Chromium	4.7	J	ug/L
SG-16	SG-16	URS	9/8/2009	Chromium	2.6	B	ug/L
SG-15	SG-15	URS	9/8/2009	Chromium	5.4		ug/L
SG-14	SG-14	URS	9/8/2009	Chromium	3.3	B	ug/L
SG-13	SG-13	URS	9/8/2009	Chromium	< 5		ug/L
SG-12	SG-12	URS	9/8/2009	Chromium	0.79	B	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Chromium	<		ug/L
SG-11	SG-11	URS	9/8/2009	Chromium	2.9	B	ug/L
FD1	SG-10dup	CDM	9/9/2009	Chromium	0.61	B	ug/L
SW-10	SG-10	CDM	9/9/2009	Chromium	0.92	B	ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Chromium	<		ug/L
SG-10	SG-10	URS	9/8/2009	Chromium	< 5		ug/L
SW-1	SG-1	CDM	9/9/2009	Chromium	0.63	B	ug/L
SW-01	SG-1	TetraTech	9/9/2009	Chromium	<		ug/L
	PW-73	City	7/19/2008	Chromium	<		ug/L
	PW-72	City	7/18/2008	Chromium	<		ug/L
	PW-7	City	7/18/2008	Chromium	<		ug/L
	PW-62	City	7/18/2008	Chromium	1		ug/L
	PW-55	City	7/18/2008	Chromium	<		ug/L
	PW-54	City	7/18/2008	Chromium	<		ug/L
	PW-5	City	7/18/2008	Chromium	<		ug/L
	PW-46	City	7/19/2008	Chromium	<		ug/L
	PW-43	City	7/19/2008	Chromium	<		ug/L
	PW-4	City	7/18/2008	Chromium	<		ug/L
	PW-34	City	7/19/2008	Chromium	<		ug/L
	PW-30	City	7/18/2009	Chromium	<		ug/L
	PW-28	City	7/19/2008	Chromium	<		ug/L
	PW-26	City	7/18/2008	Chromium	<		ug/L
	PW-25	City	7/19/2008	Chromium	<		ug/L
	PW-23	City	7/19/2008	Chromium	<		ug/L
	PW-20	City	7/19/2008	Chromium	<		ug/L
	PW-19	City	7/19/2008	Chromium	<		ug/L
	PW-18	City	7/19/2008	Chromium	<		ug/L
	PW-17	City	7/19/2008	Chromium	<		ug/L
	PW-14	City	7/18/2008	Chromium	<		ug/L
	PW-12	City	7/18/2008	Chromium	<		ug/L
	PW-11	City	7/18/2008	Chromium	<		ug/L
	PW-10	City	7/19/2008	Chromium	<		ug/L
	PW-1	City	7/18/2008	Chromium	<		ug/L
	PW-1	City	7/18/2008	Chromium	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Chromium	< 5		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-9B	MW-9B	CDM	9/10/2009	Chromium	< 5		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Chromium	< 5		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Chromium	< 1.5		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Chromium	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Chromium	< 5		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Chromium	1	B	ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Chromium	< 5		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Chromium	< 1.5		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Chromium	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Chromium	< 5		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Chromium	1	B	ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Chromium	< 5		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Chromium	< 1.5		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Chromium	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Chromium	< 5		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Chromium	0.88	B	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Chromium	< 5		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Chromium	8.3		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Chromium	0.63	J	ug/L
MW-7B	MW-7B	CDM	10/13/2009	Chromium	< 5		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Chromium	1.8	B	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Chromium	< 5		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Chromium	< 1.5		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Chromium	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Chromium	1.9	B	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Chromium	2.1	B	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Chromium	< 5		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Chromium	1.8	J	ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Chromium	0.8	J	ug/L
MW-6C	MW-6C	URS	10/13/2009	Chromium	3.1	B	ug/L
MW-6C	MW-6C	URS	9/9/2009	Chromium	11.7		ug/L
MW-6A	MW-6A	URS	10/13/2009	Chromium	< 5		ug/L
MW-6A	MW-6A	URS	9/9/2009	Chromium	< 5		ug/L
MW-5C	MW-5C	URS	10/14/2009	Chromium	6.4		ug/L
MW-5C	MW-5C	URS	9/14/2009	Chromium	< 5		ug/L
MW-4	MW-5A	URS	10/14/2009	Chromium	4.4	B	ug/L
MW-4	MW-5A	URS	9/9/2009	Chromium	3.4	B	ug/L
MW-1	MW-4C	URS	10/14/2009	Chromium	26.8		ug/L
MW-1	MW-4C	URS	9/11/2009	Chromium	< 5		ug/L
MW-2	MW-4B	URS	10/14/2009	Chromium	< 5		ug/L
MW-2	MW-4B	URS	9/10/2009	Chromium	0.93	B	ug/L
MW-4A	MW-4A	URS	10/14/2009	Chromium	< 5		ug/L
MW-4A	MW-4A	URS	9/10/2009	Chromium	< 5		ug/L
MW-3C	MW-3C	URS	10/12/2009	Chromium	1.8	B	ug/L
MW-3C	MW-3C	URS	9/11/2009	Chromium	0.92	B	ug/L
MW-6B	MW-3B	CDM	10/13/2009	Chromium	< 5		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Chromium	2.9	B	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-6B	MW-3B	MACTEC	6/16/2009	Chromium	< 5		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Chromium	< 1.5		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Chromium	<		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Chromium	3.3	B	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Chromium	0.61	B	ug/L
MW-6A	MW-3A	CDM	9/11/2009	Chromium	0.71	B	ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Chromium	< 5		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Chromium	< 1.5		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Chromium	1.1	J	ug/L
MW-2C	MW-2C	URS	10/13/2009	Chromium	0.99	B	ug/L
MW-2C	MW-2C	URS	9/14/2009	Chromium	0.76	B	ug/L
MW-2A	MW-2A	URS	10/13/2009	Chromium	< 5		ug/L
MW-2A	MW-2A	URS	9/10/2009	Chromium	< 5		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Chromium	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Chromium	0.61	B	ug/L
MW-1C	MW-1C	URS	9/11/2009	Chromium	< 5		ug/L
MW-1A	MW-1A	URS	10/12/2009	Chromium	1.4	B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Chromium	1.7	B	ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Chromium	2.9	B	ug/L
MW-3	MW-19A	CDM	9/10/2009	Chromium	6.1		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Chromium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Chromium	0.78	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Chromium	1.9	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Chromium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Chromium	0.92	J	ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Chromium	1.2	J	ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Chromium	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Chromium	3.4	B	ug/L
MW-2	MW-18A	CDM	9/10/2009	Chromium	7.2		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Chromium	1	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Chromium	0.8	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Chromium	1.8	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Chromium	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Chromium	0.74	B	ug/L
MW-1	MW-17A	CDM	9/10/2009	Chromium	0.9	B	ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Chromium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Chromium	0.85	J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Chromium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Chromium	<		ug/L
5B	MW-16B	CDM	9/16/2009	Chromium	< 5		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Chromium	< 5		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Chromium	< 1.5		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Chromium	<		ug/L
5A	MW-16A	CDM	9/16/2009	Chromium	< 5		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Chromium	< 5		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Chromium	< 1.5		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Chromium	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-15	MW-15A	CDM	10/15/2009	Chromium	2	B	ug/L
15A	MW-15A	CDM	9/16/2009	Chromium	2.3	B	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Chromium	< 5		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Chromium	2.7		ug/L
MW-14	MW-14A	CDM	10/14/2009	Chromium	< 5		ug/L
14A	MW-14A	CDM	9/16/2009	Chromium	0.84	B	ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Chromium	< 5		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Chromium	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Chromium	3.1	B	ug/L
13A	MW-13A	CDM	9/16/2009	Chromium	2.2	B	ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Chromium	< 5		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Chromium	1.7	J	ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Chromium	0.83	B	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Chromium	< 5		ug/L
12B	MW-12B	CDM	9/16/2009	Chromium	< 5		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Chromium	< 5		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Chromium	2.3	J	ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Chromium	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Chromium	< 5		ug/L
12A	MW-12A	CDM	9/16/2009	Chromium	0.67	B	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Chromium	< 5		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Chromium	1.5	J	ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Chromium	<		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Chromium	< 5		ug/L
11B	MW-11B	CDM	9/16/2009	Chromium	< 5		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Chromium	< 5		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Chromium	< 1.5		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Chromium	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Chromium	< 5		ug/L
11A	MW-11A	CDM	9/16/2009	Chromium	0.57	B	ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Chromium	< 5		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Chromium	< 1.5		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Chromium	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Chromium	< 5		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Chromium	0.7	B	ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Chromium	< 5		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Chromium	< 1.5		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Chromium	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Chromium	< 5		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Chromium	0.63	B	ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Chromium	< 5		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Chromium	< 1.5		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Chromium	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Chromium	29.3		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Chromium	1.2	J	ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Chromium	3.3	J	ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Chromium	8.9	J	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Chromium	4.3	J	ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Chromium	2.1	J	ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Chromium	3.5	J	ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Chromium	11.1		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Chromium	0.96	J	ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Chromium	4.6	J	ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Chromium	2.8	J	ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Chromium	85.2		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Chromium	1.1	J	ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Cobalt	< 20		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Cobalt	< 2		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Cobalt	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Cobalt	< 50		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Cobalt	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Cobalt	< 50		ug/L
SW-7	SG-7	CDM	9/9/2009	Cobalt	< 50		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Cobalt	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Cobalt	1.3	B	ug/L
SW-07	SG-6	TetraTech	9/9/2009	Cobalt	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Cobalt	< 50		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Cobalt	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Cobalt	8.5	B	ug/L
SW-17	SG-38	TetraTech	9/10/2009	Cobalt	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Cobalt	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Cobalt	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Cobalt	< 2		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Cobalt	< 2		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Cobalt	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Cobalt	< 2		ug/L
SW-3	SG-3	CDM	9/9/2009	Cobalt	0.87	B	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Cobalt	< 20		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Cobalt	5	J	ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Cobalt	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Cobalt	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Cobalt	< 50		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Cobalt	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Cobalt	< 20		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Cobalt	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Cobalt	< 20		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Cobalt	37.7		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Cobalt	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Cobalt	< 20		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Cobalt	< 2		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Cobalt	< 2		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Cobalt	< 2		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Cobalt	< 2		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Cobalt	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-16	SG-21	TetraTech	9/10/2009	Cobalt	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Cobalt	6.2	J	ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Cobalt	9.2	J	ug/L
SG-3	SG-19	MACTEC	11/19/2008	Cobalt	< 2		ug/L
SG-16	SG-16	URS	9/8/2009	Cobalt	0.77	B	ug/L
SG-15	SG-15	URS	9/8/2009	Cobalt	0.8	B	ug/L
SG-14	SG-14	URS	9/8/2009	Cobalt	0.85	B	ug/L
SG-13	SG-13	URS	9/8/2009	Cobalt	< 50		ug/L
SG-12	SG-12	URS	9/8/2009	Cobalt	< 50		ug/L
SW-18	SG-11	TetraTech	9/10/2009	Cobalt	<		ug/L
SG-11	SG-11	URS	9/8/2009	Cobalt	0.84	B	ug/L
FD1	SG-10dup	CDM	9/9/2009	Cobalt	< 50		ug/L
SW-10	SG-10	CDM	9/9/2009	Cobalt	< 50		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Cobalt	5.6	J	ug/L
SG-10	SG-10	URS	9/8/2009	Cobalt	2.1	B	ug/L
SW-1	SG-1	CDM	9/9/2009	Cobalt	< 50		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Cobalt	<		ug/L
	PW-73	City	7/19/2008	Cobalt	<		ug/L
	PW-72	City	7/18/2008	Cobalt	<		ug/L
	PW-7	City	7/18/2008	Cobalt	<		ug/L
	PW-55	City	7/18/2008	Cobalt	<		ug/L
	PW-54	City	7/18/2008	Cobalt	<		ug/L
	PW-5	City	7/18/2008	Cobalt	<		ug/L
	PW-46	City	7/19/2008	Cobalt	<		ug/L
	PW-43	City	7/19/2008	Cobalt	<		ug/L
	PW-4	City	7/18/2008	Cobalt	<		ug/L
	PW-34	City	7/19/2008	Cobalt	<		ug/L
	PW-30	City	7/18/2009	Cobalt	<		ug/L
	PW-28	City	7/19/2008	Cobalt	<		ug/L
	PW-26	City	7/18/2008	Cobalt	<		ug/L
	PW-25	City	7/19/2008	Cobalt	<		ug/L
	PW-23	City	7/19/2008	Cobalt	<		ug/L
	PW-20	City	7/19/2008	Cobalt	<		ug/L
	PW-19	City	7/19/2008	Cobalt	<		ug/L
	PW-18	City	7/19/2008	Cobalt	<		ug/L
	PW-17	City	7/19/2008	Cobalt	<		ug/L
	PW-14	City	7/18/2008	Cobalt	<		ug/L
	PW-12	City	7/18/2008	Cobalt	<		ug/L
	PW-11	City	7/18/2008	Cobalt	<		ug/L
	PW-10	City	7/19/2008	Cobalt	<		ug/L
	PW-1	City	7/18/2008	Cobalt	<		ug/L
	PW-1	City	7/18/2008	Cobalt	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Cobalt	< 50		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Cobalt	< 50		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Cobalt	< 20		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Cobalt	< 2		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Cobalt	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-9A	MW-9A	CDM	10/14/2009	Cobalt	< 50		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Cobalt	< 50		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Cobalt	< 20		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Cobalt	< 2		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Cobalt	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Cobalt	< 50		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Cobalt	< 50		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Cobalt	< 20		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Cobalt	< 2		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Cobalt	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Cobalt	7.4	B	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Cobalt	8	B	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Cobalt	256		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Cobalt	790		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Cobalt	6.4		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Cobalt	< 50		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Cobalt	< 50		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Cobalt	< 20		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Cobalt	3.3		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Cobalt	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Cobalt	3.7	B	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Cobalt	4.3	B	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Cobalt	< 20		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Cobalt	< 2		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Cobalt	3.9		ug/L
MW-6C	MW-6C	URS	10/13/2009	Cobalt	< 50		ug/L
MW-6C	MW-6C	URS	9/9/2009	Cobalt	2	B	ug/L
MW-6A	MW-6A	URS	10/13/2009	Cobalt	< 50		ug/L
MW-6A	MW-6A	URS	9/9/2009	Cobalt	< 50		ug/L
MW-5C	MW-5C	URS	10/14/2009	Cobalt	< 50		ug/L
MW-5C	MW-5C	URS	9/14/2009	Cobalt	< 50		ug/L
MW-4	MW-5A	URS	10/14/2009	Cobalt	213		ug/L
MW-4	MW-5A	URS	9/9/2009	Cobalt	166		ug/L
MW-1	MW-4C	URS	10/14/2009	Cobalt	0.97	B	ug/L
MW-1	MW-4C	URS	9/11/2009	Cobalt	< 50		ug/L
MW-2	MW-4B	URS	10/14/2009	Cobalt	< 50		ug/L
MW-2	MW-4B	URS	9/10/2009	Cobalt	< 50		ug/L
MW-4A	MW-4A	URS	10/14/2009	Cobalt	< 50		ug/L
MW-4A	MW-4A	URS	9/10/2009	Cobalt	< 50		ug/L
MW-3C	MW-3C	URS	10/12/2009	Cobalt	< 50		ug/L
MW-3C	MW-3C	URS	9/11/2009	Cobalt	< 50		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Cobalt	5.5	B	ug/L
MW-6B	MW-3B	CDM	9/11/2009	Cobalt	< 50		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Cobalt	< 20		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Cobalt	3.9	J	ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Cobalt	<		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Cobalt	< 50		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-6A	MW-3A	CDM	10/13/2009	Cobalt	< 50		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Cobalt	5.7	B	ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Cobalt	< 20		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Cobalt	< 2		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Cobalt	<		ug/L
MW-2C	MW-2C	URS	10/13/2009	Cobalt	< 50		ug/L
MW-2C	MW-2C	URS	9/14/2009	Cobalt	< 50		ug/L
MW-2A	MW-2A	URS	10/13/2009	Cobalt	< 50		ug/L
MW-2A	MW-2A	URS	9/10/2009	Cobalt	< 50		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Cobalt	3.6		ug/L
MW-1C	MW-1C	URS	10/12/2009	Cobalt	< 50		ug/L
MW-1C	MW-1C	URS	9/11/2009	Cobalt	< 50		ug/L
MW-1A	MW-1A	URS	10/12/2009	Cobalt	13.8	B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Cobalt	17.9	B	ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Cobalt	0.59	B	ug/L
MW-3	MW-19A	CDM	9/10/2009	Cobalt	0.86	B	ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Cobalt	0.8	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Cobalt	3.1		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Cobalt	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Cobalt	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Cobalt	3.3		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Cobalt	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Cobalt	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Cobalt	< 50		ug/L
MW-2	MW-18A	CDM	9/10/2009	Cobalt	2.2	B	ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Cobalt	1.6		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Cobalt	3		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Cobalt	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Cobalt	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Cobalt	20.8	B	ug/L
MW-1	MW-17A	CDM	9/10/2009	Cobalt	15.9	B	ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Cobalt	14		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Cobalt	11.4	J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Cobalt	12.3		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Cobalt	<		ug/L
5B	MW-16B	CDM	9/16/2009	Cobalt	< 50		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Cobalt	< 20		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Cobalt	< 2		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Cobalt	<		ug/L
5A	MW-16A	CDM	9/16/2009	Cobalt	< 50		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Cobalt	< 20		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Cobalt	< 2		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Cobalt	0.31	J	ug/L
MW-15	MW-15A	CDM	10/15/2009	Cobalt	0.73	B	ug/L
15A	MW-15A	CDM	9/16/2009	Cobalt	2.6	B	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Cobalt	< 20		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Cobalt	2.1		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-14	MW-14A	CDM	10/14/2009	Cobalt	< 50		ug/L
14A	MW-14A	CDM	9/16/2009	Cobalt	< 50		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Cobalt	< 20		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Cobalt	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Cobalt	34.5	B	ug/L
13A	MW-13A	CDM	9/16/2009	Cobalt	28.2	B	ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Cobalt	45.4		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Cobalt	24.7		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Cobalt	2.1	B	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Cobalt	< 50		ug/L
12B	MW-12B	CDM	9/16/2009	Cobalt	< 50		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Cobalt	< 20		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Cobalt	< 20		ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Cobalt	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Cobalt	1.4	B	ug/L
12A	MW-12A	CDM	9/16/2009	Cobalt	1.4	B	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Cobalt	< 20		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Cobalt	< 2		ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Cobalt	1.6		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Cobalt	< 50		ug/L
11B	MW-11B	CDM	9/16/2009	Cobalt	< 50		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Cobalt	< 20		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Cobalt	< 2		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Cobalt	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Cobalt	< 50		ug/L
11A	MW-11A	CDM	9/16/2009	Cobalt	< 50		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Cobalt	< 20		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Cobalt	< 2		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Cobalt	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Cobalt	< 50		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Cobalt	< 50		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Cobalt	< 20		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Cobalt	< 2		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Cobalt	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Cobalt	< 50		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Cobalt	< 50		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Cobalt	< 20		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Cobalt	< 2		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Cobalt	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Cobalt	37.1	J	ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Cobalt	9.9	J	ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Cobalt	47.2	J	ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Cobalt	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Cobalt	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Cobalt	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Cobalt	5.2	J	ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Cobalt	12.1	J	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Cobalt	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Cobalt	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Cobalt	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Cobalt	6.2	J	ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Cobalt	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Copper	< 10		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Copper	< 3.5		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Copper	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Copper	< 25		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Copper	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Copper	< 25		ug/L
SW-7	SG-7	CDM	9/9/2009	Copper	< 25		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Copper	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Copper	4.6	B	ug/L
SW-07	SG-6	TetraTech	9/9/2009	Copper	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Copper	< 25		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Copper	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Copper	< 25		ug/L
SW-17	SG-38	TetraTech	9/10/2009	Copper	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Copper	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Copper	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Copper	< 3.5		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Copper	< 3.5		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Copper	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Copper	< 3.5		ug/L
SW-3	SG-3	CDM	9/9/2009	Copper	< 25		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Copper	< 10		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Copper	< 3.5		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Copper	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Copper	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Copper	< 25		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Copper	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Copper	< 10		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Copper	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Copper	< 10		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Copper	< 3.5		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Copper	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Copper	< 10		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Copper	< 3.5		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Copper	< 3.5		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Copper	< 3.5		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Copper	< 3.5		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Copper	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Copper	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Copper	3.5		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Copper	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Copper	< 3.5		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-16	SG-16	URS	9/8/2009	Copper	< 25		ug/L
SG-15	SG-15	URS	9/8/2009	Copper	3.4	B	ug/L
SG-14	SG-14	URS	9/8/2009	Copper	< 25		ug/L
SG-13	SG-13	URS	9/8/2009	Copper	< 25		ug/L
SG-12	SG-12	URS	9/8/2009	Copper	3	B	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Copper	<		ug/L
SG-11	SG-11	URS	9/8/2009	Copper	< 25		ug/L
FD1	SG-10dup	CDM	9/9/2009	Copper	< 25		ug/L
SW-10	SG-10	CDM	9/9/2009	Copper	< 25		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Copper	<		ug/L
SG-10	SG-10	URS	9/8/2009	Copper	< 25		ug/L
SW-1	SG-1	CDM	9/9/2009	Copper	< 25		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Copper	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Copper	< 25		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Copper	< 25		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Copper	< 10		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Copper	< 3.5		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Copper	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Copper	< 25		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Copper	< 25		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Copper	< 10		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Copper	< 3.5		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Copper	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Copper	< 25		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Copper	< 25		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Copper	< 10		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Copper	< 3.5		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Copper	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Copper	< 25		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Copper	< 25		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Copper	< 10		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Copper	< 3.5		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Copper	<		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Copper	< 25		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Copper	< 25		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Copper	< 10		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Copper	< 3.5		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Copper	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Copper	< 25		ug/L
MW-7A	MW-7A	CDM	9/11/2009	Copper	< 25		ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Copper	< 10		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Copper	< 3.5		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Copper	<		ug/L
MW-6C	MW-6C	URS	10/13/2009	Copper	< 25		ug/L
MW-6C	MW-6C	URS	9/9/2009	Copper	10.6	B	ug/L
MW-6A	MW-6A	URS	10/13/2009	Copper	< 25		ug/L
MW-6A	MW-6A	URS	9/9/2009	Copper	< 25		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-5C	MW-5C	URS	10/14/2009	Copper	< 25		ug/L
MW-5C	MW-5C	URS	9/14/2009	Copper	< 25		ug/L
MW-4	MW-5A	URS	10/14/2009	Copper	< 25		ug/L
MW-4	MW-5A	URS	9/9/2009	Copper	< 25		ug/L
MW-1	MW-4C	URS	10/14/2009	Copper	< 25		ug/L
MW-1	MW-4C	URS	9/11/2009	Copper	< 25		ug/L
MW-2	MW-4B	URS	10/14/2009	Copper	< 25		ug/L
MW-2	MW-4B	URS	9/10/2009	Copper	< 25		ug/L
MW-4A	MW-4A	URS	10/14/2009	Copper	< 25		ug/L
MW-4A	MW-4A	URS	9/10/2009	Copper	< 25		ug/L
MW-3C	MW-3C	URS	10/12/2009	Copper	< 25		ug/L
MW-3C	MW-3C	URS	9/11/2009	Copper	< 25		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Copper	< 25		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Copper	7.6	B	ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Copper	< 10		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Copper	< 3.5		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Copper	5.1		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Copper	7.5	B	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Copper	3.2	B	ug/L
MW-6A	MW-3A	CDM	9/11/2009	Copper	< 25		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Copper	< 10		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Copper	< 3.5		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Copper	4.7		ug/L
MW-2C	MW-2C	URS	10/13/2009	Copper	< 25		ug/L
MW-2C	MW-2C	URS	9/14/2009	Copper	< 25		ug/L
MW-2A	MW-2A	URS	10/13/2009	Copper	< 25		ug/L
MW-2A	MW-2A	URS	9/10/2009	Copper	< 25		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Copper	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Copper	< 25		ug/L
MW-1C	MW-1C	URS	9/11/2009	Copper	< 25		ug/L
MW-1A	MW-1A	URS	10/12/2009	Copper	< 25		ug/L
MW-1A	MW-1A	URS	9/9/2009	Copper	< 25		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Copper	3.6	BJ	ug/L
MW-3	MW-19A	CDM	9/10/2009	Copper	< 25		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Copper	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Copper	0.37	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Copper	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Copper	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Copper	3.4		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Copper	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Copper	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Copper	3.4	BJ	ug/L
MW-2	MW-18A	CDM	9/10/2009	Copper	< 25		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Copper	1.7	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Copper	0.66	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Copper	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Copper	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-1(KH)	MW-17A	CDM	10/14/2009	Copper	3.8	BJ	ug/L
MW-1	MW-17A	CDM	9/10/2009	Copper	< 25		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Copper	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Copper	0.29	J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Copper	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Copper	<		ug/L
5B	MW-16B	CDM	9/16/2009	Copper	< 25		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Copper	12.2		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Copper	< 3.5		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Copper	<		ug/L
5A	MW-16A	CDM	9/16/2009	Copper	< 25		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Copper	< 10		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Copper	< 3.5		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Copper	<		ug/L
MW-15	MW-15A	CDM	10/15/2009	Copper	4.4	BJ	ug/L
15A	MW-15A	CDM	9/16/2009	Copper	< 25		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Copper	< 10		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Copper	18.5		ug/L
MW-14	MW-14A	CDM	10/14/2009	Copper	< 25		ug/L
14A	MW-14A	CDM	9/16/2009	Copper	< 25		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Copper	< 10		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Copper	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Copper	5.2	BJ	ug/L
13A	MW-13A	CDM	9/16/2009	Copper	< 25		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Copper	< 10		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Copper	<		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Copper	< 25		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Copper	< 25		ug/L
12B	MW-12B	CDM	9/16/2009	Copper	< 25		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Copper	< 10		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Copper	< 3.5		ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Copper	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Copper	< 25		ug/L
12A	MW-12A	CDM	9/16/2009	Copper	< 25		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Copper	< 10		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Copper	< 3.5		ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Copper	<		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Copper	< 25		ug/L
11B	MW-11B	CDM	9/16/2009	Copper	< 25		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Copper	< 10		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Copper	< 3.5		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Copper	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Copper	< 25		ug/L
11A	MW-11A	CDM	9/16/2009	Copper	< 25		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Copper	< 10		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Copper	< 3.5		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Copper	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-10B	MW-10B	CDM	10/14/2009	Copper	3.2	B	ug/L
MW-10B	MW-10B	CDM	9/10/2009	Copper	< 25		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Copper	< 10		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Copper	< 3.5		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Copper	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Copper	< 25		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Copper	< 25		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Copper	< 10		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Copper	< 3.5		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Copper	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Copper	6.9	J	ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Copper	<		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Copper	<		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Copper	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Copper	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Copper	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Copper	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Copper	2.4	J	ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Copper	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Copper	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Copper	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Copper	23.7	J	ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Copper	<		ug/L
MW-1	MW-17A	CDM	9/9/2009	Ferrous Iron	100	Field	ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Iron	324		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Iron	458		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Iron	515		ug/L
SW-9	SG-9	CDM	9/9/2009	Iron	1030		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Iron	439		ug/L
SW-8	SG-8	CDM	9/9/2009	Iron	2120		ug/L
SW-7	SG-7	CDM	9/9/2009	Iron	1750		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Iron	345		ug/L
SW-6	SG-6	CDM	9/9/2009	Iron	6470		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Iron	785		ug/L
SW-5	SG-5	CDM	9/9/2009	Iron	433		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Iron	123		ug/L
SW-4	SG-4	CDM	9/9/2009	Iron	1370		ug/L
SW-17	SG-38	TetraTech	9/10/2009	Iron	1360		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Iron	665		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Iron	2030		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Iron	2100		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Iron	1840		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Iron	312		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Iron	654		ug/L
SW-3	SG-3	CDM	9/9/2009	Iron	1100		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Iron	717		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Iron	1800		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-06	SG-2Bdup	TetraTech	9/9/2009	Iron	663		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Iron	772		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Iron	486		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Iron	284		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Iron	521		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Iron	1120		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Iron	2020		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Iron	4030		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Iron	1360		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Iron	290		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Iron	1230		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Iron	3280		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Iron	440		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Iron	4190		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Iron	326		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Iron	1700		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Iron	2150		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Iron	1140		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Iron	2260		ug/L
SG-16	SG-16	URS	9/8/2009	Iron	1240		ug/L
SG-15	SG-15	URS	9/8/2009	Iron	2070		ug/L
SG-14	SG-14	URS	9/8/2009	Iron	1340		ug/L
SG-13	SG-13	URS	9/8/2009	Iron	257		ug/L
SG-12	SG-12	URS	9/8/2009	Iron	360		ug/L
SW-18	SG-11	TetraTech	9/10/2009	Iron	551		ug/L
SG-11	SG-11	URS	9/8/2009	Iron	1610		ug/L
FD1	SG-10dup	CDM	9/9/2009	Iron	529		ug/L
SW-10	SG-10	CDM	9/9/2009	Iron	521		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Iron	996		ug/L
SG-10	SG-10	URS	9/8/2009	Iron	1840		ug/L
SW-1	SG-1	CDM	9/9/2009	Iron	626		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Iron	416		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Iron	74.4	B	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Iron	394		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Iron	467		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Iron	272		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Iron	315		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Iron	2490		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Iron	7890		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Iron	3410		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Iron	4740		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Iron	17400		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Iron	4550		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Iron	8170		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Iron	6840		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Iron	5620		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Iron	8250		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-8A	MW-8A	CDM	10/14/2009	Iron	7550	J	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Iron	10100		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Iron	64500		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Iron	169000		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Iron	10100		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Iron	6390		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Iron	6590		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Iron	6170		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Iron	4510		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Iron	6170		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Iron	5440		ug/L
MW-7A	MW-7A	CDM	9/11/2009	Iron	5230		ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Iron	3310		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Iron	3690		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Iron	5270		ug/L
MW-6C	MW-6C	URS	10/13/2009	Iron	1600		ug/L
MW-6C	MW-6C	URS	9/9/2009	Iron	5520		ug/L
MW-6A	MW-6A	URS	10/13/2009	Iron	4750		ug/L
MW-6A	MW-6A	URS	9/9/2009	Iron	4900		ug/L
MW-5C	MW-5C	URS	10/14/2009	Iron	405		ug/L
MW-5C	MW-5C	URS	9/14/2009	Iron	294		ug/L
MW-4	MW-5A	URS	10/14/2009	Iron	61100		ug/L
MW-4	MW-5A	URS	9/9/2009	Iron	46400		ug/L
MW-1	MW-4C	URS	10/14/2009	Iron	1670		ug/L
MW-1	MW-4C	URS	9/11/2009	Iron	277		ug/L
MW-2	MW-4B	URS	10/14/2009	Iron	1310		ug/L
MW-2	MW-4B	URS	9/10/2009	Iron	2950		ug/L
MW-4A	MW-4A	URS	10/14/2009	Iron	4400		ug/L
MW-4A	MW-4A	URS	9/10/2009	Iron	5350		ug/L
MW-3C	MW-3C	URS	10/12/2009	Iron	265		ug/L
MW-3C	MW-3C	URS	9/11/2009	Iron	174		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Iron	4380		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Iron	761		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Iron	4490		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Iron	4650		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Iron	3890		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Iron	884		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Iron	1310		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Iron	4350		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Iron	< 50		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Iron	62.8		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Iron	102	B	ug/L
MW-2C	MW-2C	URS	10/13/2009	Iron	449		ug/L
MW-2C	MW-2C	URS	9/14/2009	Iron	275		ug/L
MW-2A	MW-2A	URS	10/13/2009	Iron	6200		ug/L
MW-2A	MW-2A	URS	9/10/2009	Iron	4860		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Iron	4010		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-1C	MW-1C	URS	10/12/2009	Iron	504		ug/L
MW-1C	MW-1C	URS	9/11/2009	Iron	406		ug/L
MW-1A	MW-1A	URS	10/12/2009	Iron	6480		ug/L
MW-1A	MW-1A	URS	9/9/2009	Iron	8640		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Iron	7110	J	ug/L
MW-3	MW-19A	CDM	9/10/2009	Iron	8090		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Iron	6800		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Iron	6970		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Iron	8030		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Iron	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Iron	4820		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Iron	5380		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Iron	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Iron	10700	J	ug/L
MW-2	MW-18A	CDM	9/10/2009	Iron	3510		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Iron	747		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Iron	4660		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Iron	5160		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Iron	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Iron	8600	J	ug/L
MW-1	MW-17A	CDM	9/10/2009	Iron	9840		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Iron	8930		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Iron	4320		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Iron	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Iron	4360		ug/L
5B	MW-16B	CDM	9/16/2009	Iron	573		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Iron	647		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Iron	580		ug/L
5A	MW-16A	CDM	9/16/2009	Iron	7980		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Iron	8390		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Iron	4430		ug/L
MW-15	MW-15A	CDM	10/15/2009	Iron	44700	J	ug/L
15A	MW-15A	CDM	9/16/2009	Iron	64000		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Iron	91900		ug/L
MW-14	MW-14A	CDM	10/14/2009	Iron	8650	J	ug/L
14A	MW-14A	CDM	9/16/2009	Iron	8500		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Iron	7990		ug/L
MW-13	MW-13A	CDM	10/14/2009	Iron	49700	J	ug/L
13A	MW-13A	CDM	9/16/2009	Iron	40800		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Iron	58200		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Iron	4900		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Iron	7390	J	ug/L
12B	MW-12B	CDM	9/16/2009	Iron	5930		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Iron	7270		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Iron	4690		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Iron	4980	J	ug/L
12A	MW-12A	CDM	9/16/2009	Iron	4940		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-12A	MW-12A	MACTEC	6/18/2009	Iron	6260		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Iron	6950		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Iron	4580		ug/L
11B	MW-11B	CDM	9/16/2009	Iron	3580		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Iron	4300		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Iron	1790		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Iron	3660		ug/L
11A	MW-11A	CDM	9/16/2009	Iron	4380		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Iron	3570		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Iron	3870		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Iron	192		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Iron	627		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Iron	375		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Iron	380		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Iron	416		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Iron	7420		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Iron	9490		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Iron	7690		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Iron	6140		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Iron	9000		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Iron	20900		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Iron	12800		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Iron	38400		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Iron	16300		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Iron	12900		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Iron	9590		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Iron	11700		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Iron	13100		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Iron	11900		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Iron	7010		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Iron	13700		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Iron	23100		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Iron	8060		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Lead	< 5		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Lead	< 2.8		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Lead	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Lead	1.6	B	ug/L
SW-11	SG-9	TetraTech	9/9/2009	Lead	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Lead	1.4	B	ug/L
SW-7	SG-7	CDM	9/9/2009	Lead	1.3	B	ug/L
SW-08	SG-7	TetraTech	9/9/2009	Lead	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Lead	10.3		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Lead	4.8	J	ug/L
SW-5	SG-5	CDM	9/9/2009	Lead	< 3		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Lead	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Lead	1.4	B	ug/L
SW-17	SG-38	TetraTech	9/10/2009	Lead	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-15	SG-37	TetraTech	9/10/2009	Lead	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Lead	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Lead		J	ug/L
SG-18	SG-34	MACTEC	11/21/2008	Lead	<	2.8	ug/L
SW-12	SG-33	TetraTech	9/9/2009	Lead	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Lead	<	2.8	ug/L
SW-3	SG-3	CDM	9/9/2009	Lead		B	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Lead	<	5	ug/L
SG-11	SG-3	MACTEC	11/19/2008	Lead	<	2.8	ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Lead	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Lead	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Lead	<	3	ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Lead	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Lead	<	5	ug/L
SW-13	SG-29	TetraTech	9/10/2009	Lead	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Lead	<	5	ug/L
SG-12	SG-28	MACTEC	11/19/2008	Lead	<	2.8	ug/L
SW-02	SG-28	TetraTech	9/10/2009	Lead	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Lead	<	5	ug/L
SG-9	SG-25	MACTEC	11/19/2008	Lead	<	2.8	ug/L
SG-8	SG-24	MACTEC	11/19/2008	Lead		J	ug/L
SG-7	SG-23	MACTEC	11/19/2008	Lead	<	2.8	ug/L
SG-6	SG-22	MACTEC	11/19/2008	Lead		J	ug/L
SW-10	SG-22	TetraTech	9/9/2009	Lead	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Lead	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Lead	<	2.8	ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Lead		J	ug/L
SG-3	SG-19	MACTEC	11/19/2008	Lead	<	2.8	ug/L
SG-16	SG-16	URS	9/8/2009	Lead		3.2	ug/L
SG-15	SG-15	URS	9/8/2009	Lead		3.6	ug/L
SG-14	SG-14	URS	9/8/2009	Lead		3.1	ug/L
SG-13	SG-13	URS	9/8/2009	Lead	<	3	ug/L
SG-12	SG-12	URS	9/8/2009	Lead	<	3	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Lead	<		ug/L
SG-11	SG-11	URS	9/8/2009	Lead		B	ug/L
FD1	SG-10dup	CDM	9/9/2009	Lead	<	3	ug/L
SW-10	SG-10	CDM	9/9/2009	Lead	<	3	ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Lead		J	ug/L
SG-10	SG-10	URS	9/8/2009	Lead	<	3	ug/L
SW-1	SG-1	CDM	9/9/2009	Lead	<	3	ug/L
SW-01	SG-1	TetraTech	9/9/2009	Lead	<		ug/L
	PW-8	City	7/18/2009	Lead		9	ug/L
	PW-8	City	7/18/2008	Lead		1	ug/L
	PW-79	City	7/19/2008	Lead		2	ug/L
	PW-78	City	7/19/2008	Lead		100	ug/L
	PW-73	City	7/19/2008	Lead	<		ug/L
	PW-72	City	7/19/2008	Lead		2	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-72	City	7/18/2008	Lead	2		ug/L
	PW-7	City	7/18/2008	Lead	<		ug/L
	PW-69	City	7/18/2008	Lead	1		ug/L
	PW-65	City	7/19/2008	Lead	2		ug/L
	PW-64	City	7/18/2008	Lead	3		ug/L
	PW-62	City	7/19/2008	Lead	2		ug/L
	PW-61	City	7/18/2008	Lead	1		ug/L
	PW-60	City	7/18/2008	Lead	3		ug/L
	PW-59	City	7/18/2008	Lead	1		ug/L
	PW-57	City	7/18/2008	Lead	1		ug/L
	PW-56	City	7/18/2008	Lead	1		ug/L
	PW-55	City	7/18/2008	Lead	<		ug/L
	PW-54	City	7/18/2008	Lead	<		ug/L
	PW-51	City	7/18/2008	Lead	1		ug/L
	PW-50	City	7/18/2008	Lead	13		ug/L
	PW-5	City	7/18/2008	Lead	<		ug/L
	PW-49	City	7/18/2008	Lead	1		ug/L
	PW-46	City	7/19/2008	Lead	<		ug/L
	PW-46	City	7/18/2008	Lead	31		ug/L
	PW-45	City	7/18/2008	Lead	27		ug/L
	PW-44	City	7/18/2008	Lead	1		ug/L
	PW-43	City	7/19/2008	Lead	42		ug/L
	PW-4	City	7/18/2008	Lead	11		ug/L
	PW-39	City	7/18/2009	Lead	7		ug/L
	PW-38	City	7/19/2008	Lead	2		ug/L
	PW-37	City	7/19/2008	Lead	2		ug/L
	PW-36	City	7/18/2008	Lead	3		ug/L
	PW-35	City	7/18/2008	Lead	4		ug/L
	PW-35	City	7/18/2008	Lead	4		ug/L
	PW-34	City	7/19/2008	Lead	1		ug/L
	PW-34	City	7/18/2008	Lead	1		ug/L
	PW-30	City	7/18/2009	Lead	4		ug/L
	PW-3	City	7/19/2008	Lead	2		ug/L
	PW-28	City	7/19/2008	Lead	2		ug/L
	PW-28	City	7/19/2008	Lead	<		ug/L
	PW-26	City	7/18/2008	Lead	<		ug/L
	PW-25	City	7/19/2008	Lead	2		ug/L
	PW-25	City	7/19/2008	Lead	<		ug/L
	PW-25	City	7/18/2008	Lead	1		ug/L
	PW-24	City	7/18/2009	Lead	5		ug/L
	PW-23	City	7/19/2008	Lead	56		ug/L
	PW-23	City	7/19/2008	Lead	<		ug/L
	PW-22	City	7/19/2008	Lead	2		ug/L
	PW-20	City	7/19/2008	Lead	<		ug/L
	PW-19	City	7/19/2008	Lead	<		ug/L
	PW-18	City	7/19/2008	Lead	<		ug/L
	PW-17	City	7/19/2008	Lead	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-14	City	7/18/2008	Lead	<		ug/L
	PW-13	City	7/18/2008	Lead	1		ug/L
	PW-12	City	7/18/2008	Lead	<		ug/L
	PW-11	City	7/18/2008	Lead	<		ug/L
	PW-10	City	7/19/2008	Lead	<		ug/L
	PW-10	City	7/18/2008	Lead	1		ug/L
	PW-1	City	7/19/2008	Lead	2		ug/L
	PW-1	City	7/18/2008	Lead	1		ug/L
	PW-1	City	7/18/2008	Lead	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Lead	<	3	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Lead	<	3	ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Lead	<	5	ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Lead	<	2.8	ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Lead	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Lead	<	3	ug/L
MW-9A	MW-9A	CDM	9/10/2009	Lead	<	3	ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Lead	<	5	ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Lead	<	2.8	ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Lead	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Lead	<	3	ug/L
MW-8B	MW-8B	CDM	9/10/2009	Lead	<	3	ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Lead	<	5	ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Lead	<	2.8	ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Lead	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Lead	<	3	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Lead	<	3	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Lead		7.8	ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Lead		3.1	J ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Lead	<		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Lead		1.3	B ug/L
MW-7B	MW-7B	CDM	9/11/2009	Lead	<	3	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Lead	<	5	ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Lead	<	2.8	ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Lead		0.46	J ug/L
MW-7A	MW-7A	CDM	10/13/2009	Lead	<	3	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Lead	<	3	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Lead	<	5	ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Lead	<	2.8	ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Lead		0.53	J ug/L
MW-6C	MW-6C	URS	10/13/2009	Lead		3.2	ug/L
MW-6C	MW-6C	URS	9/9/2009	Lead		11.3	ug/L
MW-6A	MW-6A	URS	10/13/2009	Lead		3.6	ug/L
MW-6A	MW-6A	URS	9/9/2009	Lead		3.4	ug/L
MW-5C	MW-5C	URS	10/14/2009	Lead		2.8	B ug/L
MW-5C	MW-5C	URS	9/14/2009	Lead	<	3	ug/L
MW-4	MW-5A	URS	10/14/2009	Lead		3.7	ug/L
MW-4	MW-5A	URS	9/9/2009	Lead		5.2	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-1	MW-4C	URS	10/14/2009	Lead	2.3	B	ug/L
MW-1	MW-4C	URS	9/11/2009	Lead	1.3	B	ug/L
MW-2	MW-4B	URS	10/14/2009	Lead	3.6		ug/L
MW-2	MW-4B	URS	9/10/2009	Lead	< 3		ug/L
MW-4A	MW-4A	URS	10/14/2009	Lead	2.8	B	ug/L
MW-4A	MW-4A	URS	9/10/2009	Lead	2	B	ug/L
MW-3C	MW-3C	URS	10/12/2009	Lead	2.2	B	ug/L
MW-3C	MW-3C	URS	9/11/2009	Lead	1.6	B	ug/L
MW-6B	MW-3B	CDM	10/13/2009	Lead	< 3		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Lead	1.7	B	ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Lead	< 5		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Lead	< 2.8		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Lead	<		ug/L
FD-2	MW-3A dup	CDM	9/11/2009	Lead	1.3	B	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Lead	< 3		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Lead	< 3		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Lead	< 5		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Lead	< 2.8		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Lead	1.1		ug/L
MW-2C	MW-2C	URS	10/13/2009	Lead	2	B	ug/L
MW-2C	MW-2C	URS	9/14/2009	Lead	< 3		ug/L
MW-2A	MW-2A	URS	10/13/2009	Lead	2.5	B	ug/L
MW-2A	MW-2A	URS	9/10/2009	Lead	1.9	B	ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Lead	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Lead	1.4	B	ug/L
MW-1C	MW-1C	URS	9/11/2009	Lead	< 3		ug/L
MW-1A	MW-1A	URS	10/12/2009	Lead	1.3	B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Lead	1.3	B	ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Lead	2.3	B	ug/L
MW-3	MW-19A	CDM	9/10/2009	Lead	< 3		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Lead	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Lead	0.14	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Lead	16.2		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Lead	<		ug/L
BG08-GW-MW02D	MW-18A dup	TetraTech	8/29/2008	Lead	1.2		ug/L
BG08-GW-MW02D	MW-18A dup	TetraTech	8/29/2008	Lead	16.1		ug/L
BG08-GW-MW02D	MW-18A dup	TetraTech	8/29/2008	Lead	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Lead	2.3	B	ug/L
MW-2	MW-18A	CDM	9/10/2009	Lead	3.3		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Lead	1.3		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Lead	0.27	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Lead	15.6		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Lead	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Lead	2.1	B	ug/L
MW-1	MW-17A	CDM	9/10/2009	Lead	< 3		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Lead	0.41	J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Lead	0.52	J	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Lead	13.1		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Lead	<		ug/L
5B	MW-16B	CDM	9/16/2009	Lead	< 3		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Lead	< 5		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Lead	< 2.8		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Lead	49		ug/L
5A	MW-16A	CDM	9/16/2009	Lead	< 3		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Lead	< 5		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Lead	< 2.8		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Lead	<		ug/L
MW-15	MW-15A	CDM	10/15/2009	Lead	1.4	B	ug/L
15A	MW-15A	CDM	9/16/2009	Lead	< 3		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Lead	< 5		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Lead	<		ug/L
MW-14	MW-14A	CDM	10/14/2009	Lead	< 3		ug/L
14A	MW-14A	CDM	9/16/2009	Lead	< 3		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Lead	< 5		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Lead	1.6		ug/L
MW-13	MW-13A	CDM	10/14/2009	Lead	3.4		ug/L
13A	MW-13A	CDM	9/16/2009	Lead	< 3		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Lead	< 5		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Lead	<		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Lead	< 3		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Lead	2	B	ug/L
12B	MW-12B	CDM	9/16/2009	Lead	< 3		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Lead	< 5		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Lead	< 2.8		ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Lead	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Lead	1.3	B	ug/L
12A	MW-12A	CDM	9/16/2009	Lead	< 3		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Lead	< 5		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Lead	< 2.8		ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Lead	<		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Lead	< 3		ug/L
11B	MW-11B	CDM	9/16/2009	Lead	< 3		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Lead	< 5		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Lead	< 2.8		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Lead	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Lead	1.3	B	ug/L
11A	MW-11A	CDM	9/16/2009	Lead	< 3		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Lead	< 5		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Lead	< 2.8		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Lead	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Lead	1.8	B	ug/L
MW-10B	MW-10B	CDM	9/10/2009	Lead	< 3		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Lead	< 5		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Lead	< 2.8		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-10B	MW-10B	TetraTech	9/10/2009	Lead	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Lead	<	3	ug/L
MW-10A	MW-10A	CDM	9/10/2009	Lead	<	3	ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Lead	<	5	ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Lead	<	2.8	ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Lead	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Lead		27.3	ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Lead		20.9	ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Lead		28.3	ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Lead		17.3	ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Lead		6.1	J ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Lead		2.8	J ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Lead		8.9	J ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Lead		11.8	ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Lead		1.9	J ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Lead		2	J ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Lead	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Lead		20.4	ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Lead		1.7	J ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Magnesium		4620	ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Magnesium		6060	ug/L
SW-19	SW-10	TetraTech	9/10/2009	Magnesium		2190	J ug/L
SW-9	SG-9	CDM	9/9/2009	Magnesium		989	B ug/L
SW-11	SG-9	TetraTech	9/9/2009	Magnesium	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Magnesium		1620	B ug/L
SW-7	SG-7	CDM	9/9/2009	Magnesium		4470	B ug/L
SW-08	SG-7	TetraTech	9/9/2009	Magnesium		4440	J ug/L
SW-6	SG-6	CDM	9/9/2009	Magnesium		2750	B ug/L
SW-07	SG-6	TetraTech	9/9/2009	Magnesium		2020	J ug/L
SW-5	SG-5	CDM	9/9/2009	Magnesium		3480	B ug/L
SW-04	SG-5	TetraTech	9/9/2009	Magnesium		3580	J ug/L
SW-4	SG-4	CDM	9/9/2009	Magnesium		7310	ug/L
SW-17	SG-38	TetraTech	9/10/2009	Magnesium		6610	ug/L
SW-15	SG-37	TetraTech	9/10/2009	Magnesium		6660	ug/L
SW-14	SG-36	TetraTech	9/10/2009	Magnesium		6040	ug/L
SG-19	SG-35	MACTEC	11/19/2008	Magnesium		2240	ug/L
SG-18	SG-34	MACTEC	11/21/2008	Magnesium		3750	ug/L
SW-12	SG-33	TetraTech	9/9/2009	Magnesium		2150	J ug/L
SG-16	SG-32	MACTEC	11/19/2008	Magnesium		3800	ug/L
SW-3	SG-3	CDM	9/9/2009	Magnesium		3580	B ug/L
SG-11	SG-3	MACTEC	5/27/2009	Magnesium		6960	ug/L
SG-11	SG-3	MACTEC	11/19/2008	Magnesium		6080	ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Magnesium		3940	J ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Magnesium		4300	J ug/L
SW-2A	SG-2A	CDM	9/9/2009	Magnesium		4540	B ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Magnesium		4690	J ug/L
SG-13	SG-29	MACTEC	5/27/2009	Magnesium		6290	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-13	SG-29	TetraTech	9/10/2009	Magnesium	6700		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Magnesium	9600		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Magnesium	8980		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Magnesium	7370		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Magnesium	4470		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Magnesium	4950		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Magnesium	1700		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Magnesium	8430		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Magnesium	2430		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Magnesium	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Magnesium	6840		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Magnesium	8310		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Magnesium	8530		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Magnesium	3860		ug/L
SG-16	SG-16	URS	9/8/2009	Magnesium	2120	B	ug/L
SG-15	SG-15	URS	9/8/2009	Magnesium	2530	B	ug/L
SG-14	SG-14	URS	9/8/2009	Magnesium	2040	B	ug/L
SG-13	SG-13	URS	9/8/2009	Magnesium	9790		ug/L
SG-12	SG-12	URS	9/8/2009	Magnesium	4120	B	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Magnesium	2230	J	ug/L
SG-11	SG-11	URS	9/8/2009	Magnesium	2690	B	ug/L
FD1	SG-10dup	CDM	9/9/2009	Magnesium	4620	B	ug/L
SW-10	SG-10	CDM	9/9/2009	Magnesium	4480	B	ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Magnesium	7250		ug/L
SG-10	SG-10	URS	9/8/2009	Magnesium	4990	B	ug/L
SW-1	SG-1	CDM	9/9/2009	Magnesium	5190		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Magnesium	4980	J	ug/L
MW-9B	MW-9B	CDM	10/14/2009	Magnesium	12900	J	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Magnesium	13800		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Magnesium	12900		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Magnesium	13600		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Magnesium	13300		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Magnesium	13600	J	ug/L
MW-9A	MW-9A	CDM	9/10/2009	Magnesium	14700		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Magnesium	13800		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Magnesium	15000		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Magnesium	15400		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Magnesium	9910	J	ug/L
MW-8B	MW-8B	CDM	9/10/2009	Magnesium	9160		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Magnesium	9820		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Magnesium	9530		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Magnesium	8850		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Magnesium	3790	BJ	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Magnesium	4290	B	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Magnesium	16200		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Magnesium	15800		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Magnesium	4350	J	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-7B	MW-7B	CDM	10/13/2009	Magnesium	3060	BJ	ug/L
MW-7B	MW-7B	CDM	9/11/2009	Magnesium	2920	B	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Magnesium	2790		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Magnesium	2750		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Magnesium	2930	J	ug/L
MW-7A	MW-7A	CDM	10/13/2009	Magnesium	2890	BJ	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Magnesium	2780	B	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Magnesium	2820		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Magnesium	3050		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Magnesium	2720	J	ug/L
MW-6C	MW-6C	URS	10/13/2009	Magnesium	85900		ug/L
MW-6C	MW-6C	URS	9/9/2009	Magnesium	96700		ug/L
MW-6A	MW-6A	URS	10/13/2009	Magnesium	10900		ug/L
MW-6A	MW-6A	URS	9/9/2009	Magnesium	11600		ug/L
MW-5C	MW-5C	URS	10/14/2009	Magnesium	2030	B	ug/L
MW-5C	MW-5C	URS	9/14/2009	Magnesium	2080	B	ug/L
MW-4	MW-5A	URS	10/14/2009	Magnesium	43600		ug/L
MW-4	MW-5A	URS	9/9/2009	Magnesium	39000		ug/L
MW-1	MW-4C	URS	10/14/2009	Magnesium	36000		ug/L
MW-1	MW-4C	URS	9/11/2009	Magnesium	37900		ug/L
MW-2	MW-4B	URS	10/14/2009	Magnesium	16500		ug/L
MW-2	MW-4B	URS	9/10/2009	Magnesium	21000		ug/L
MW-4A	MW-4A	URS	10/14/2009	Magnesium	18800		ug/L
MW-4A	MW-4A	URS	9/10/2009	Magnesium	19600		ug/L
MW-3C	MW-3C	URS	10/12/2009	Magnesium	10700		ug/L
MW-3C	MW-3C	URS	9/11/2009	Magnesium	10100		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Magnesium	3830	BJ	ug/L
MW-6B	MW-3B	CDM	9/11/2009	Magnesium	3460	B	ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Magnesium	3950		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Magnesium	3980		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Magnesium	3580	J	ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Magnesium	3430	B	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Magnesium	7450	J	ug/L
MW-6A	MW-3A	CDM	9/11/2009	Magnesium	3720	B	ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Magnesium	7720		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Magnesium	7520		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Magnesium	3370	J	ug/L
MW-2C	MW-2C	URS	10/13/2009	Magnesium	38800		ug/L
MW-2C	MW-2C	URS	9/14/2009	Magnesium	38000		ug/L
MW-2A	MW-2A	URS	10/13/2009	Magnesium	13800		ug/L
MW-2A	MW-2A	URS	9/10/2009	Magnesium	12400		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Magnesium	2660	J	ug/L
MW-1C	MW-1C	URS	10/12/2009	Magnesium	4450	B	ug/L
MW-1C	MW-1C	URS	9/11/2009	Magnesium	3990	B	ug/L
MW-1A	MW-1A	URS	10/12/2009	Magnesium	4720	B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Magnesium	5950		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Magnesium	17700	J	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-3	MW-19A	CDM	9/10/2009	Magnesium	20200		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Magnesium	19000		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Magnesium	18100		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Magnesium	18800		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Magnesium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Magnesium	20200		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Magnesium	20500		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Magnesium	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Magnesium	17900	J	ug/L
MW-2	MW-18A	CDM	9/10/2009	Magnesium	7890		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Magnesium	6430		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Magnesium	19300		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Magnesium	20300		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Magnesium	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Magnesium	23100	J	ug/L
MW-1	MW-17A	CDM	9/10/2009	Magnesium	21300		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Magnesium	20000		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Magnesium	14200		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Magnesium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Magnesium	14600		ug/L
5B	MW-16B	CDM	9/16/2009	Magnesium	10500		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Magnesium	10600		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Magnesium	10100		ug/L
5A	MW-16A	CDM	9/16/2009	Magnesium	17900		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Magnesium	17500		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Magnesium	19200		ug/L
MW-15	MW-15A	CDM	10/15/2009	Magnesium	20300	J	ug/L
15A	MW-15A	CDM	9/16/2009	Magnesium	27700		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Magnesium	34600		ug/L
MW-14	MW-14A	CDM	10/14/2009	Magnesium	4720	BJ	ug/L
14A	MW-14A	CDM	9/16/2009	Magnesium	4480	B	ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Magnesium	4780		ug/L
MW-13	MW-13A	CDM	10/14/2009	Magnesium	26800	J	ug/L
13A	MW-13A	CDM	9/16/2009	Magnesium	27100		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Magnesium	27700		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Magnesium	18700		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Magnesium	20800	J	ug/L
12B	MW-12B	CDM	9/16/2009	Magnesium	21100		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Magnesium	17900		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Magnesium	17400		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Magnesium	17500	J	ug/L
12A	MW-12A	CDM	9/16/2009	Magnesium	19000		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Magnesium	22500		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Magnesium	14000		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Magnesium	18600	J	ug/L
11B	MW-11B	CDM	9/16/2009	Magnesium	20100		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Magnesium	22300		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-11B	MW-11B	MACTEC	12/4/2008	Magnesium	19600		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Magnesium	21900	J	ug/L
11A	MW-11A	CDM	9/16/2009	Magnesium	21300		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Magnesium	20400		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Magnesium	24700		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Magnesium	18200	J	ug/L
MW-10B	MW-10B	CDM	9/10/2009	Magnesium	20000		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Magnesium	19300		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Magnesium	18500		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Magnesium	19900		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Magnesium	12400	J	ug/L
MW-10A	MW-10A	CDM	9/10/2009	Magnesium	13000		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Magnesium	14000		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Magnesium	15100		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Magnesium	13000		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Magnesium	19100		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Magnesium	13700		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Magnesium	17100		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Magnesium	37500		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Magnesium	9190		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Magnesium	3720	J	ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Magnesium	34600		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Magnesium	12300		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Magnesium	4300	J	ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Magnesium	5780		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Magnesium	3980	J	ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Magnesium	12800		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Magnesium	5750		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Manganese	< 15		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Manganese	13.5	J	ug/L
SW-19	SW-10	TetraTech	9/10/2009	Manganese	38.5		ug/L
SW-9	SG-9	CDM	9/9/2009	Manganese	10.3	B	ug/L
SW-11	SG-9	TetraTech	9/9/2009	Manganese	8	J	ug/L
SW-8	SG-8	CDM	9/9/2009	Manganese	13.3	B	ug/L
SW-7	SG-7	CDM	9/9/2009	Manganese	24.8		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Manganese	21.6		ug/L
SW-6	SG-6	CDM	9/9/2009	Manganese	71.3		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Manganese	53.5		ug/L
SW-5	SG-5	CDM	9/9/2009	Manganese	7.1	B	ug/L
SW-04	SG-5	TetraTech	9/9/2009	Manganese	10.9	J	ug/L
SW-4	SG-4	CDM	9/9/2009	Manganese	224		ug/L
SW-17	SG-38	TetraTech	9/10/2009	Manganese	250		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Manganese	256		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Manganese	234		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Manganese	9.7	J	ug/L
SG-18	SG-34	MACTEC	11/21/2008	Manganese	17.5		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Manganese	32.7		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-16	SG-32	MACTEC	11/19/2008	Manganese	19.1		ug/L
SW-3	SG-3	CDM	9/9/2009	Manganese	97.2		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Manganese	179		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Manganese	166		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Manganese	46.1		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Manganese	50.4		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Manganese	13	B	ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Manganese	16.1		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Manganese	289		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Manganese	323		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Manganese	304		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Manganese	337		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Manganese	235		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Manganese	< 15		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Manganese	24.6		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Manganese	17.1		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Manganese	5.6	J	ug/L
SG-6	SG-22	MACTEC	11/19/2008	Manganese	13.4	J	ug/L
SW-10	SG-22	TetraTech	9/9/2009	Manganese	11.8	J	ug/L
SW-16	SG-21	TetraTech	9/10/2009	Manganese	256		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Manganese	266		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Manganese	358		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Manganese	18		ug/L
SG-16	SG-16	URS	9/8/2009	Manganese	17.8		ug/L
SG-15	SG-15	URS	9/8/2009	Manganese	18.2		ug/L
SG-14	SG-14	URS	9/8/2009	Manganese	18.6		ug/L
SG-13	SG-13	URS	9/8/2009	Manganese	75.5		ug/L
SG-12	SG-12	URS	9/8/2009	Manganese	8	B	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Manganese	52.6		ug/L
SG-11	SG-11	URS	9/8/2009	Manganese	33.8		ug/L
FD1	SG-10dup	CDM	9/9/2009	Manganese	27.9		ug/L
SW-10	SG-10	CDM	9/9/2009	Manganese	31		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Manganese	360		ug/L
SG-10	SG-10	URS	9/8/2009	Manganese	151		ug/L
SW-1	SG-1	CDM	9/9/2009	Manganese	56.9		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Manganese	52.5		ug/L
	PW-73	City	7/19/2008	Manganese	213		ug/L
	PW-72	City	7/18/2008	Manganese	721		ug/L
	PW-7	City	7/18/2008	Manganese	7		ug/L
	PW-55	City	7/18/2008	Manganese	138		ug/L
	PW-54	City	7/18/2008	Manganese	181		ug/L
	PW-5	City	7/18/2008	Manganese	<		ug/L
	PW-46	City	7/19/2008	Manganese	298		ug/L
	PW-43	City	7/19/2008	Manganese	17		ug/L
	PW-4	City	7/18/2008	Manganese	<		ug/L
	PW-34	City	7/19/2008	Manganese	<		ug/L
	PW-30	City	7/18/2009	Manganese	96		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-28	City	7/19/2008	Manganese	10		ug/L
	PW-26	City	7/18/2008	Manganese	119		ug/L
	PW-25	City	7/19/2008	Manganese	<		ug/L
	PW-23	City	7/19/2008	Manganese	8		ug/L
	PW-20	City	7/19/2008	Manganese	6		ug/L
	PW-19	City	7/19/2008	Manganese	8		ug/L
	PW-18	City	7/19/2008	Manganese	<		ug/L
	PW-17	City	7/19/2008	Manganese	<		ug/L
	PW-14	City	7/18/2008	Manganese	7		ug/L
	PW-12	City	7/18/2008	Manganese	<		ug/L
	PW-11	City	7/18/2008	Manganese	<		ug/L
	PW-10	City	7/19/2008	Manganese	<		ug/L
	PW-1	City	7/18/2008	Manganese	250		ug/L
	PW-1	City	7/18/2008	Manganese	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Manganese	58.1		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Manganese	77.4		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Manganese	72.2		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Manganese	102		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Manganese	69.4		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Manganese	146		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Manganese	196		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Manganese	177		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Manganese	217		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Manganese	246		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Manganese	211		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Manganese	281		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Manganese	234		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Manganese	238		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Manganese	282		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Manganese	206		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Manganese	290		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Manganese	1510		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Manganese	2260		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Manganese	280		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Manganese	143		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Manganese	152		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Manganese	153		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Manganese	28.2		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Manganese	146		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Manganese	33.8		ug/L
MW-7A	MW-7A	CDM	9/11/2009	Manganese	30.9		ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Manganese	24.1		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Manganese	156		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Manganese	29		ug/L
MW-6C	MW-6C	URS	10/13/2009	Manganese	36		ug/L
MW-6C	MW-6C	URS	9/9/2009	Manganese	137		ug/L
MW-6A	MW-6A	URS	10/13/2009	Manganese	169		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-6A	MW-6A	URS	9/9/2009	Manganese	194		ug/L
MW-5C	MW-5C	URS	10/14/2009	Manganese	13.5	B	ug/L
MW-5C	MW-5C	URS	9/14/2009	Manganese	13.4	B	ug/L
MW-4	MW-5A	URS	10/14/2009	Manganese	941		ug/L
MW-4	MW-5A	URS	9/9/2009	Manganese	867		ug/L
MW-1	MW-4C	URS	10/14/2009	Manganese	27.9		ug/L
MW-1	MW-4C	URS	9/11/2009	Manganese	16.2		ug/L
MW-2	MW-4B	URS	10/14/2009	Manganese	95.8		ug/L
MW-2	MW-4B	URS	9/10/2009	Manganese	98.3		ug/L
MW-4A	MW-4A	URS	10/14/2009	Manganese	150		ug/L
MW-4A	MW-4A	URS	9/10/2009	Manganese	168		ug/L
MW-3C	MW-3C	URS	10/12/2009	Manganese	12.9	B	ug/L
MW-3C	MW-3C	URS	9/11/2009	Manganese	10.9	B	ug/L
MW-6B	MW-3B	CDM	10/13/2009	Manganese	128		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Manganese	33.7		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Manganese	133		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Manganese	142		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Manganese	119		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Manganese	32.8		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Manganese	196		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Manganese	134		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Manganese	130		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Manganese	9.34		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Manganese	32.9		ug/L
MW-2C	MW-2C	URS	10/13/2009	Manganese	10.8	B	ug/L
MW-2C	MW-2C	URS	9/14/2009	Manganese	10.8	B	ug/L
MW-2A	MW-2A	URS	10/13/2009	Manganese	97.5		ug/L
MW-2A	MW-2A	URS	9/10/2009	Manganese	81.4		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Manganese	25.9		ug/L
MW-1C	MW-1C	URS	10/12/2009	Manganese	19.7		ug/L
MW-1C	MW-1C	URS	9/11/2009	Manganese	16.5		ug/L
MW-1A	MW-1A	URS	10/12/2009	Manganese	83.6		ug/L
MW-1A	MW-1A	URS	9/9/2009	Manganese	129		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Manganese	143		ug/L
MW-3	MW-19A	CDM	9/10/2009	Manganese	168		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Manganese	151		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Manganese	163		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Manganese	184		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Manganese	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Manganese	108		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Manganese	123		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Manganese	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Manganese	136		ug/L
MW-2	MW-18A	CDM	9/10/2009	Manganese	79.7		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Manganese	61.3		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Manganese	107		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Manganese	120		ug/L

Water Quality Database

Battlefield Golf Club
Chesapeake, Virginia

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Manganese	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Manganese	200		ug/L
MW-1	MW-17A	CDM	9/10/2009	Manganese	187		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Manganese	171		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Manganese	121		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Manganese	126		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Manganese	<		ug/L
5B	MW-16B	CDM	9/16/2009	Manganese	51.7		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Manganese	49		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Manganese	54.9		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Manganese	<		ug/L
5A	MW-16A	CDM	9/16/2009	Manganese	300		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Manganese	303		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Manganese	285		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Manganese	277		ug/L
MW-15	MW-15A	CDM	10/15/2009	Manganese	201		ug/L
15A	MW-15A	CDM	9/16/2009	Manganese	286		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Manganese	385		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Manganese	269		ug/L
MW-14	MW-14A	CDM	10/14/2009	Manganese	211		ug/L
14A	MW-14A	CDM	9/16/2009	Manganese	213		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Manganese	214.6		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Manganese	203		ug/L
MW-13	MW-13A	CDM	10/14/2009	Manganese	585		ug/L
13A	MW-13A	CDM	9/16/2009	Manganese	498		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Manganese	565		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Manganese	469		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Manganese	113		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Manganese	138		ug/L
12B	MW-12B	CDM	9/16/2009	Manganese	149		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Manganese	160		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Manganese	201		ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Manganese	143		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Manganese	101		ug/L
12A	MW-12A	CDM	9/16/2009	Manganese	115		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Manganese	132		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Manganese	172		ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Manganese	97.2		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Manganese	215		ug/L
11B	MW-11B	CDM	9/16/2009	Manganese	226		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Manganese	270		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Manganese	141		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Manganese	211		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Manganese	52.6		ug/L
11A	MW-11A	CDM	9/16/2009	Manganese	84.3		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Manganese	63.3		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Manganese	117		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-11A	MW-11A	TetraTech	9/16/2009	Manganese	74.2		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Manganese	54		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Manganese	78.5		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Manganese	72.9		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Manganese	70.8		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Manganese	72		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Manganese	157		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Manganese	182		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Manganese	188		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Manganese	230		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Manganese	173		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Manganese	211		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Manganese	143		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Manganese	348		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Manganese	224		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Manganese	272		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Manganese	160		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Manganese	135		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Manganese	204		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Manganese	211		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Manganese	243		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Manganese	127		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Manganese	206		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Manganese	149		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Mercury	< 0.2		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Mercury	< 0.15		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Mercury	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Mercury	< 0.2		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Mercury	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Mercury	< 0.2		ug/L
SW-7	SG-7	CDM	9/9/2009	Mercury	< 0.2		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Mercury	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Mercury	< 0.2		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Mercury	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Mercury	< 0.2		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Mercury	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Mercury	< 0.2		ug/L
SW-17	SG-38	TetraTech	9/10/2009	Mercury	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Mercury	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Mercury	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Mercury	< 0.15		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Mercury	< 0.15		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Mercury	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Mercury	< 0.15		ug/L
SW-3	SG-3	CDM	9/9/2009	Mercury	< 0.2		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Mercury	< 0.2		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Mercury	< 0.15		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-06	SG-2Bdup	TetraTech	9/9/2009	Mercury	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Mercury	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Mercury	<	0.2	ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Mercury	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Mercury	<	0.2	ug/L
SW-13	SG-29	TetraTech	9/10/2009	Mercury	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Mercury	<	2	ug/L
SG-12	SG-28	MACTEC	11/19/2008	Mercury	<	0.15	ug/L
SW-02	SG-28	TetraTech	9/10/2009	Mercury	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Mercury	<	0.2	ug/L
SG-9	SG-25	MACTEC	11/19/2008	Mercury	<	0.15	ug/L
SG-8	SG-24	MACTEC	11/19/2008	Mercury	<	0.15	ug/L
SG-7	SG-23	MACTEC	11/19/2008	Mercury	<	0.15	ug/L
SG-6	SG-22	MACTEC	11/19/2008	Mercury	<	0.15	ug/L
SW-10	SG-22	TetraTech	9/9/2009	Mercury	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Mercury	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Mercury	<	0.15	ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Mercury	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Mercury	<	0.15	ug/L
SG-16	SG-16	URS	9/8/2009	Mercury	<	0.2	ug/L
SG-15	SG-15	URS	9/8/2009	Mercury	<	0.2	ug/L
SG-14	SG-14	URS	9/8/2009	Mercury	<	0.2	ug/L
SG-13	SG-13	URS	9/8/2009	Mercury	<	0.2	ug/L
SG-12	SG-12	URS	9/8/2009	Mercury	<	0.2	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Mercury	<		ug/L
SG-11	SG-11	URS	9/8/2009	Mercury	<	0.2	ug/L
FD1	SG-10dup	CDM	9/9/2009	Mercury	<	0.2	ug/L
SW-10	SG-10	CDM	9/9/2009	Mercury	<	0.2	ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Mercury	<		ug/L
SG-10	SG-10	URS	9/8/2009	Mercury	<	0.2	ug/L
SW-1	SG-1	CDM	9/9/2009	Mercury	<	0.2	ug/L
SW-01	SG-1	TetraTech	9/9/2009	Mercury	<		ug/L
	PW-73	City	7/19/2008	Mercury	<		ug/L
	PW-72	City	7/18/2008	Mercury	<		ug/L
	PW-7	City	7/18/2008	Mercury	<		ug/L
	PW-55	City	7/18/2008	Mercury	<		ug/L
	PW-54	City	7/18/2008	Mercury	<		ug/L
	PW-5	City	7/18/2008	Mercury	<		ug/L
	PW-46	City	7/19/2008	Mercury	<		ug/L
	PW-43	City	7/19/2008	Mercury	<		ug/L
	PW-4	City	7/18/2008	Mercury	<		ug/L
	PW-34	City	7/19/2008	Mercury	<		ug/L
	PW-30	City	7/18/2009	Mercury	<		ug/L
	PW-28	City	7/19/2008	Mercury	<		ug/L
	PW-26	City	7/18/2008	Mercury	<		ug/L
	PW-25	City	7/19/2008	Mercury	<		ug/L
	PW-23	City	7/19/2008	Mercury	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-20	City	7/19/2008	Mercury	<		ug/L
	PW-19	City	7/19/2008	Mercury	<		ug/L
	PW-18	City	7/19/2008	Mercury	<		ug/L
	PW-17	City	7/19/2008	Mercury	<		ug/L
	PW-14	City	7/18/2008	Mercury	<		ug/L
	PW-12	City	7/18/2008	Mercury	<		ug/L
	PW-11	City	7/18/2008	Mercury	<		ug/L
	PW-10	City	7/19/2008	Mercury	<		ug/L
	PW-1	City	7/18/2008	Mercury	<		ug/L
	PW-1	City	7/18/2008	Mercury	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Mercury	< 0.2		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Mercury	< 0.2		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Mercury	0.2	H	ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Mercury	< 0.15		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Mercury	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Mercury	< 0.2		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Mercury	< 0.2		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Mercury	0.2	H	ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Mercury	< 0.15		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Mercury	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Mercury	< 0.2		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Mercury	< 0.2		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Mercury	< 0.15		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Mercury	< 0.15		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Mercury	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Mercury	< 0.2		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Mercury	< 0.2		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Mercury	0.2	H	ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Mercury	< 0.15		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Mercury	<		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Mercury	< 0.2		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Mercury	< 0.2		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Mercury	0.2	H	ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Mercury	< 0.15		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Mercury	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Mercury	< 0.2		ug/L
MW-7A	MW-7A	CDM	9/11/2009	Mercury	< 0.2		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Mercury	< 0.15		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Mercury	<		ug/L
MW-6C	MW-6C	URS	10/13/2009	Mercury	0.056	BJ	ug/L
MW-6C	MW-6C	URS	9/9/2009	Mercury	< 0.2		ug/L
MW-6A	MW-6A	URS	10/13/2009	Mercury	0.05	BJ	ug/L
MW-6A	MW-6A	URS	9/9/2009	Mercury	< 0.2		ug/L
MW-5C	MW-5C	URS	10/14/2009	Mercury	< 0.2		ug/L
MW-5C	MW-5C	URS	9/14/2009	Mercury	< 0.2		ug/L
MW-4	MW-5A	URS	10/14/2009	Mercury	< 0.2		ug/L
MW-4	MW-5A	URS	9/9/2009	Mercury	< 0.2		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-1	MW-4C	URS	10/14/2009	Mercury	< 0.2		ug/L
MW-1	MW-4C	URS	9/11/2009	Mercury	< 0.2		ug/L
MW-2	MW-4B	URS	10/14/2009	Mercury	< 0.2		ug/L
MW-2	MW-4B	URS	9/10/2009	Mercury	< 0.2		ug/L
MW-4A	MW-4A	URS	10/14/2009	Mercury	< 0.2		ug/L
MW-4A	MW-4A	URS	9/10/2009	Mercury	< 0.2		ug/L
MW-3C	MW-3C	URS	10/12/2009	Mercury	0.055	BJ	ug/L
MW-3C	MW-3C	URS	9/11/2009	Mercury	< 0.2		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Mercury	< 0.2		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Mercury	< 0.2		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Mercury	0.2	H	ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Mercury	< 0.15		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Mercury	<		ug/L
FD-2	MW-3A dup	CDM	9/11/2009	Mercury	< 0.2		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Mercury	< 0.2		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Mercury	< 0.2		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Mercury	0.2	H	ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Mercury	< 0.15		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Mercury	<		ug/L
MW-2C	MW-2C	URS	10/13/2009	Mercury	< 0.2		ug/L
MW-2C	MW-2C	URS	9/14/2009	Mercury	< 0.2		ug/L
MW-2A	MW-2A	URS	10/13/2009	Mercury	< 0.2		ug/L
MW-2A	MW-2A	URS	9/10/2009	Mercury	< 0.2		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Mercury	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Mercury	0.046	BJ	ug/L
MW-1C	MW-1C	URS	9/11/2009	Mercury	< 0.2		ug/L
MW-1A	MW-1A	URS	10/12/2009	Mercury	0.057	BJ	ug/L
MW-1A	MW-1A	URS	9/9/2009	Mercury	< 0.2		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Mercury	< 0.2		ug/L
MW-3	MW-19A	CDM	9/10/2009	Mercury	< 0.2		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Mercury	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MW02D	MW-18A dup	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MW02D	MW-18A dup	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MW02D	MW-18A dup	TetraTech	8/29/2008	Mercury	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Mercury	< 0.2		ug/L
MW-2	MW-18A	CDM	9/10/2009	Mercury	< 0.2		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Mercury	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Mercury	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Mercury	< 0.2		ug/L
MW-1	MW-17A	CDM	9/10/2009	Mercury	< 0.2		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Mercury	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Mercury	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Mercury	<		ug/L
5B	MW-16B	CDM	9/16/2009	Mercury	< 0.2		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Mercury	< 0.2		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Mercury	< 0.15		ug/L
5A	MW-16A	CDM	9/16/2009	Mercury	< 0.2		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Mercury	0.2	H	ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Mercury	< 0.15		ug/L
MW-15	MW-15A	CDM	10/15/2009	Mercury	< 0.2		ug/L
15A	MW-15A	CDM	9/16/2009	Mercury	< 0.2		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Mercury	0.2	H	ug/L
MW-14	MW-14A	CDM	10/14/2009	Mercury	< 0.2		ug/L
14A	MW-14A	CDM	9/16/2009	Mercury	< 0.2		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Mercury	0.2	H	ug/L
MW-13	MW-13A	CDM	10/14/2009	Mercury	< 0.2		ug/L
13A	MW-13A	CDM	9/16/2009	Mercury	< 0.2		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Mercury	0.2	H	ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Mercury	< 0.2		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Mercury	< 0.2		ug/L
12B	MW-12B	CDM	9/16/2009	Mercury	< 0.2		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Mercury	0.2	H	ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Mercury	< 0.15		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Mercury	< 0.2		ug/L
12A	MW-12A	CDM	9/16/2009	Mercury	< 0.2		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Mercury	0.2	H	ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Mercury	< 0.15		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Mercury	< 0.2		ug/L
11B	MW-11B	CDM	9/16/2009	Mercury	< 0.2		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Mercury	0.2	H	ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Mercury	0.15	H	ug/L
MW-11A	MW-11A	CDM	10/14/2009	Mercury	< 0.2		ug/L
11A	MW-11A	CDM	9/16/2009	Mercury	< 0.2		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Mercury	0.2	H	ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Mercury	< 0.15		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Mercury	< 0.2		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Mercury	< 0.2		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Mercury	0.2	H	ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Mercury	< 0.15		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Mercury	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Mercury	< 0.2		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Mercury	< 0.2		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Mercury	0.2	H	ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Mercury	< 0.15		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Mercury	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Mercury	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Mercury	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Mercury	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Mercury	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Mercury	0.073	J	ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Mercury	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Mercury	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Mercury	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Mercury	<		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Mercury	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Molybdenum	< 50		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
SW-9	SG-9	CDM	9/9/2009	Molybdenum	1.8	B	ug/L
SW-8	SG-8	CDM	9/9/2009	Molybdenum	< 40		ug/L
SW-7	SG-7	CDM	9/9/2009	Molybdenum	5.1	B	ug/L
SW-6	SG-6	CDM	9/9/2009	Molybdenum	6.9	B	ug/L
SW-5	SG-5	CDM	9/9/2009	Molybdenum	< 40		ug/L
SW-4	SG-4	CDM	9/9/2009	Molybdenum	< 40		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Molybdenum	< 9		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
SW-3	SG-3	CDM	9/9/2009	Molybdenum	1.6	B	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Molybdenum	< 50		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Molybdenum	2.1	B	ug/L
SG-13	SG-29	MACTEC	5/27/2009	Molybdenum	< 50		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Molybdenum	< 50		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Molybdenum	< 50		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Molybdenum	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Molybdenum	< 9		ug/L
SG-16	SG-16	URS	9/8/2009	Molybdenum	< 40		ug/L
SG-15	SG-15	URS	9/8/2009	Molybdenum	< 40		ug/L
SG-14	SG-14	URS	9/8/2009	Molybdenum	< 40		ug/L
SG-13	SG-13	URS	9/8/2009	Molybdenum	< 40		ug/L
SG-12	SG-12	URS	9/8/2009	Molybdenum	< 40		ug/L
SG-11	SG-11	URS	9/8/2009	Molybdenum	< 40		ug/L
FD1	SG-10dup	CDM	9/9/2009	Molybdenum	< 40		ug/L
SW-10	SG-10	CDM	9/9/2009	Molybdenum	< 40		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Molybdenum	<		ug/L
SG-10	SG-10	URS	9/8/2009	Molybdenum	< 40		ug/L
SW-1	SG-1	CDM	9/9/2009	Molybdenum	1.4	B	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-9B	MW-9B	CDM	10/14/2009	Molybdenum	< 40		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Molybdenum	< 40		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Molybdenum	< 50		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Molybdenum	< 9		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Molybdenum	< 40		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Molybdenum	3.6	BJ	ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Molybdenum	< 50		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Molybdenum	< 9		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Molybdenum	< 40		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Molybdenum	< 40		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Molybdenum	< 50		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Molybdenum	< 9		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Molybdenum	< 40		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Molybdenum	< 40		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Molybdenum	< 50		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Molybdenum	9.3	J	ug/L
MW-7B	MW-7B	CDM	10/13/2009	Molybdenum	< 40		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Molybdenum	2.4	BJ	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Molybdenum	< 50		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Molybdenum	< 9		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Molybdenum	2.6	B	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Molybdenum	2.9	BJ	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Molybdenum	< 50		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Molybdenum	< 9		ug/L
MW-6C	MW-6C	URS	10/13/2009	Molybdenum	< 40		ug/L
MW-6C	MW-6C	URS	9/9/2009	Molybdenum	8	B	ug/L
MW-6A	MW-6A	URS	10/13/2009	Molybdenum	< 40		ug/L
MW-6A	MW-6A	URS	9/9/2009	Molybdenum	< 40		ug/L
MW-5C	MW-5C	URS	10/14/2009	Molybdenum	1.4	B	ug/L
MW-5C	MW-5C	URS	9/14/2009	Molybdenum	< 40		ug/L
MW-4	MW-5A	URS	10/14/2009	Molybdenum	< 40		ug/L
MW-4	MW-5A	URS	9/9/2009	Molybdenum	< 40		ug/L
MW-1	MW-4C	URS	10/14/2009	Molybdenum	8.9	B	ug/L
MW-1	MW-4C	URS	9/11/2009	Molybdenum	7.4	B	ug/L
MW-2	MW-4B	URS	10/14/2009	Molybdenum	< 40		ug/L
MW-2	MW-4B	URS	9/10/2009	Molybdenum	< 40		ug/L
MW-4A	MW-4A	URS	10/14/2009	Molybdenum	< 40		ug/L
MW-4A	MW-4A	URS	9/10/2009	Molybdenum	< 40		ug/L
MW-3C	MW-3C	URS	10/12/2009	Molybdenum	3.4	B	ug/L
MW-3C	MW-3C	URS	9/11/2009	Molybdenum	8.1	B	ug/L
MW-6B	MW-3B	CDM	10/13/2009	Molybdenum	< 40		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Molybdenum	3.5	BJ	ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Molybdenum	< 50		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Molybdenum	< 9		ug/L
FD-2	MW-3A dup	CDM	9/11/2009	Molybdenum	7.7	BJ	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Molybdenum	1.7	B	ug/L
MW-6A	MW-3A	CDM	9/11/2009	Molybdenum	2.4	BJ	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-6A	MW-3A	MACTEC	6/16/2009	Molybdenum	< 50		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Molybdenum	< 9		ug/L
MW-2C	MW-2C	URS	10/13/2009	Molybdenum	< 40		ug/L
MW-2C	MW-2C	URS	9/14/2009	Molybdenum	2.2	B	ug/L
MW-2A	MW-2A	URS	10/13/2009	Molybdenum	< 40		ug/L
MW-2A	MW-2A	URS	9/10/2009	Molybdenum	< 40		ug/L
MW-1C	MW-1C	URS	10/12/2009	Molybdenum	< 40		ug/L
MW-1C	MW-1C	URS	9/11/2009	Molybdenum	1.7	B	ug/L
MW-1A	MW-1A	URS	10/12/2009	Molybdenum	< 40		ug/L
MW-1A	MW-1A	URS	9/9/2009	Molybdenum	< 40		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Molybdenum	< 40		ug/L
MW-3	MW-19A	CDM	9/10/2009	Molybdenum	< 40		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Molybdenum	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Molybdenum	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Molybdenum	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Molybdenum	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Molybdenum	< 40		ug/L
MW-2	MW-18A	CDM	9/10/2009	Molybdenum	< 40		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Molybdenum	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Molybdenum	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Molybdenum	< 40		ug/L
MW-1	MW-17A	CDM	9/10/2009	Molybdenum	< 40		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Molybdenum	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Molybdenum	<		ug/L
5B	MW-16B	CDM	9/16/2009	Molybdenum	< 40		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Molybdenum	< 50		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Molybdenum	< 9		ug/L
5A	MW-16A	CDM	9/16/2009	Molybdenum	< 40		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Molybdenum	< 50		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Molybdenum	9.1	J	ug/L
MW-15	MW-15A	CDM	10/15/2009	Molybdenum	< 40		ug/L
15A	MW-15A	CDM	9/16/2009	Molybdenum	< 40		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Molybdenum	< 50		ug/L
MW-14	MW-14A	CDM	10/14/2009	Molybdenum	< 40		ug/L
14A	MW-14A	CDM	9/16/2009	Molybdenum	1.8	B	ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Molybdenum	< 50		ug/L
MW-13	MW-13A	CDM	10/14/2009	Molybdenum	< 40		ug/L
13A	MW-13A	CDM	9/16/2009	Molybdenum	< 40		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Molybdenum	< 50		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Molybdenum	< 40		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Molybdenum	< 40		ug/L
12B	MW-12B	CDM	9/16/2009	Molybdenum	< 40		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Molybdenum	< 50		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Molybdenum	< 9		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Molybdenum	< 40		ug/L
12A	MW-12A	CDM	9/16/2009	Molybdenum	< 40		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Molybdenum	< 50		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-12A	MW-12A	MACTEC	12/5/2008	Molybdenum	< 9		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Molybdenum	< 40		ug/L
11B	MW-11B	CDM	9/16/2009	Molybdenum	4.6	B	ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Molybdenum	< 50		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Molybdenum	< 9		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Molybdenum	< 40		ug/L
11A	MW-11A	CDM	9/16/2009	Molybdenum	4.4	B	ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Molybdenum	< 50		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Molybdenum	< 9		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Molybdenum	< 40		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Molybdenum	< 40		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Molybdenum	< 50		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Molybdenum	< 9		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Molybdenum	< 40		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Molybdenum	< 40		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Molybdenum	< 50		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Molybdenum	< 9		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Molybdenum	<		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Molybdenum	<		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Molybdenum	<		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Molybdenum	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Molybdenum	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Molybdenum	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Molybdenum	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Molybdenum	<		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Molybdenum	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Molybdenum	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Molybdenum	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Molybdenum	9.7		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Molybdenum	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Nickel	< 10		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Nickel	< 2.4		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Nickel	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Nickel	< 40		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Nickel	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Nickel	2.2	B	ug/L
SW-7	SG-7	CDM	9/9/2009	Nickel	< 40		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Nickel	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Nickel	6.2	B	ug/L
SW-07	SG-6	TetraTech	9/9/2009	Nickel	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Nickel	3.9	B	ug/L
SW-04	SG-5	TetraTech	9/9/2009	Nickel	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Nickel	8.9	B	ug/L
SW-17	SG-38	TetraTech	9/10/2009	Nickel	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Nickel	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Nickel	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Nickel	< 2.4		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-18	SG-34	MACTEC	11/21/2008	Nickel	< 2.4		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Nickel	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Nickel	< 2.4		ug/L
SW-3	SG-3	CDM	9/9/2009	Nickel	1.8	B	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Nickel	< 10		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Nickel	5.2	J	ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Nickel	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Nickel	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Nickel	< 40		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Nickel	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Nickel	13.4		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Nickel	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Nickel	21		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Nickel	38.3		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Nickel	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Nickel	< 10		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Nickel	< 2.4		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Nickel	< 2.4		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Nickel	< 2.4		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Nickel	4.4	J	ug/L
SW-10	SG-22	TetraTech	9/9/2009	Nickel	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Nickel	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Nickel	13.4		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Nickel	4.9	J	ug/L
SG-3	SG-19	MACTEC	11/19/2008	Nickel	< 2.4		ug/L
SG-16	SG-16	URS	9/8/2009	Nickel	1.7	B	ug/L
SG-15	SG-15	URS	9/8/2009	Nickel	2.7	B	ug/L
SG-14	SG-14	URS	9/8/2009	Nickel	2.3	B	ug/L
SG-13	SG-13	URS	9/8/2009	Nickel	< 40		ug/L
SG-12	SG-12	URS	9/8/2009	Nickel	< 40		ug/L
SW-18	SG-11	TetraTech	9/10/2009	Nickel	<		ug/L
SG-11	SG-11	URS	9/8/2009	Nickel	2.3	B	ug/L
FD1	SG-10dup	CDM	9/9/2009	Nickel	< 40		ug/L
SW-10	SG-10	CDM	9/9/2009	Nickel	< 40		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Nickel	3.6	J	ug/L
SG-10	SG-10	URS	9/8/2009	Nickel	4.6	B	ug/L
SW-1	SG-1	CDM	9/9/2009	Nickel	< 40		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Nickel	<		ug/L
	PW-73	City	7/19/2008	Nickel	<		ug/L
	PW-72	City	7/18/2008	Nickel	<		ug/L
	PW-7	City	7/18/2008	Nickel	<		ug/L
	PW-55	City	7/18/2008	Nickel	<		ug/L
	PW-54	City	7/18/2008	Nickel	<		ug/L
	PW-5	City	7/18/2008	Nickel	<		ug/L
	PW-46	City	7/19/2008	Nickel	<		ug/L
	PW-43	City	7/19/2008	Nickel	<		ug/L
	PW-4	City	7/18/2008	Nickel	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-34	City	7/19/2008	Nickel	<		ug/L
	PW-30	City	7/18/2009	Nickel	<		ug/L
	PW-28	City	7/19/2008	Nickel	<		ug/L
	PW-26	City	7/18/2008	Nickel	<		ug/L
	PW-25	City	7/19/2008	Nickel	<		ug/L
	PW-23	City	7/19/2008	Nickel	<		ug/L
	PW-20	City	7/19/2008	Nickel	<		ug/L
	PW-19	City	7/19/2008	Nickel	<		ug/L
	PW-18	City	7/19/2008	Nickel	<		ug/L
	PW-17	City	7/19/2008	Nickel	<		ug/L
	PW-14	City	7/18/2008	Nickel	<		ug/L
	PW-12	City	7/18/2008	Nickel	<		ug/L
	PW-11	City	7/18/2008	Nickel	<		ug/L
	PW-10	City	7/19/2008	Nickel	<		ug/L
	PW-1	City	7/18/2008	Nickel	<		ug/L
	PW-1	City	7/18/2008	Nickel	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Nickel	< 40		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Nickel	< 40		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Nickel	< 10		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Nickel	< 2.4		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Nickel	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Nickel	< 40		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Nickel	< 40		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Nickel	< 10		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Nickel	< 2.4		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Nickel	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Nickel	< 40		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Nickel	< 40		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Nickel	< 10		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Nickel	< 2.4		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Nickel	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Nickel	6	B	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Nickel	5.7	B	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Nickel	383		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Nickel	825		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Nickel	3.8	J	ug/L
MW-7B	MW-7B	CDM	10/13/2009	Nickel	< 40		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Nickel	< 40		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Nickel	< 10		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Nickel	4.6	J	ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Nickel	0.33	J	ug/L
MW-7A	MW-7A	CDM	10/13/2009	Nickel	3.2	B	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Nickel	4.6	B	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Nickel	< 10		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Nickel	2.9	J	ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Nickel	3.2	J	ug/L
MW-6C	MW-6C	URS	10/13/2009	Nickel	2	B	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-6C	MW-6C	URS	9/9/2009	Nickel	3.2	B	ug/L
MW-6A	MW-6A	URS	10/13/2009	Nickel	< 40		ug/L
MW-6A	MW-6A	URS	9/9/2009	Nickel	< 40		ug/L
MW-5C	MW-5C	URS	10/14/2009	Nickel	9.9	B	ug/L
MW-5C	MW-5C	URS	9/14/2009	Nickel	< 40		ug/L
MW-4	MW-5A	URS	10/14/2009	Nickel	385		ug/L
MW-4	MW-5A	URS	9/9/2009	Nickel	279		ug/L
MW-1	MW-4C	URS	10/14/2009	Nickel	20.4	B	ug/L
MW-1	MW-4C	URS	9/11/2009	Nickel	< 40		ug/L
MW-2	MW-4B	URS	10/14/2009	Nickel	< 40		ug/L
MW-2	MW-4B	URS	9/10/2009	Nickel	< 40		ug/L
MW-4A	MW-4A	URS	10/14/2009	Nickel	< 40		ug/L
MW-4A	MW-4A	URS	9/10/2009	Nickel	< 40		ug/L
MW-3C	MW-3C	URS	10/12/2009	Nickel	< 40		ug/L
MW-3C	MW-3C	URS	9/11/2009	Nickel	2.6	B	ug/L
MW-6B	MW-3B	CDM	10/13/2009	Nickel	6.8	B	ug/L
MW-6B	MW-3B	CDM	9/11/2009	Nickel	2.7	B	ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Nickel	12.7		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Nickel	7.8	J	ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Nickel	6.2	J	ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Nickel	2.7	B	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Nickel	< 40		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Nickel	7.9	B	ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Nickel	< 10		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Nickel	< 2.4		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Nickel	0.82	J	ug/L
MW-2C	MW-2C	URS	10/13/2009	Nickel	< 40		ug/L
MW-2C	MW-2C	URS	9/14/2009	Nickel	< 40		ug/L
MW-2A	MW-2A	URS	10/13/2009	Nickel	< 40		ug/L
MW-2A	MW-2A	URS	9/10/2009	Nickel	< 40		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Nickel	2.8	J	ug/L
MW-1C	MW-1C	URS	10/12/2009	Nickel	< 40		ug/L
MW-1C	MW-1C	URS	9/11/2009	Nickel	< 40		ug/L
MW-1A	MW-1A	URS	10/12/2009	Nickel	28.2	B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Nickel	34.2	B	ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Nickel	< 40		ug/L
MW-3	MW-19A	CDM	9/10/2009	Nickel	3.7	B	ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Nickel	1.1	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Nickel	5.7		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Nickel	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Nickel	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Nickel	7.9		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Nickel	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Nickel	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Nickel	2.5	B	ug/L
MW-2	MW-18A	CDM	9/10/2009	Nickel	8.9	B	ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Nickel	5.7		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Nickel	7.8		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Nickel	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Nickel	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Nickel	36.6	B	ug/L
MW-1	MW-17A	CDM	9/10/2009	Nickel	29.8	B	ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Nickel	24	J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Nickel	17.9	J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Nickel	22		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Nickel	<		ug/L
5B	MW-16B	CDM	9/16/2009	Nickel	< 40		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Nickel	< 10		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Nickel	< 2.4		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Nickel	<		ug/L
5A	MW-16A	CDM	9/16/2009	Nickel	2	B	ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Nickel	11.1		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Nickel	3	J	ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Nickel	0.99	J	ug/L
MW-15	MW-15A	CDM	10/15/2009	Nickel	3.6	B	ug/L
15A	MW-15A	CDM	9/16/2009	Nickel	4.9	B	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Nickel	23.6		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Nickel	2.5		ug/L
MW-14	MW-14A	CDM	10/14/2009	Nickel	< 40		ug/L
14A	MW-14A	CDM	9/16/2009	Nickel	< 40		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Nickel	< 10		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Nickel	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Nickel	66.9		ug/L
13A	MW-13A	CDM	9/16/2009	Nickel	52.3		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Nickel	88.3		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Nickel	45.2		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Nickel	9.7	B	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Nickel	< 40		ug/L
12B	MW-12B	CDM	9/16/2009	Nickel	< 40		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Nickel	< 10		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Nickel	< 2.4		ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Nickel	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Nickel	6.7	B	ug/L
12A	MW-12A	CDM	9/16/2009	Nickel	9.3	B	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Nickel	11.7		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Nickel	4.3	J	ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Nickel	6.7		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Nickel	< 40		ug/L
11B	MW-11B	CDM	9/16/2009	Nickel	< 40		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Nickel	< 100		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Nickel	< 2.4		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Nickel	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Nickel	< 40		ug/L
11A	MW-11A	CDM	9/16/2009	Nickel	< 40		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-11A	MW-11A	MACTEC	6/17/2009	Nickel	< 10		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Nickel	< 2.4		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Nickel	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Nickel	< 40		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Nickel	< 40		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Nickel	< 10		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Nickel	< 2.4		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Nickel	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Nickel	< 40		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Nickel	< 40		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Nickel	< 10		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Nickel	< 2.4		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Nickel	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Nickel	54.6		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Nickel	11.5	J	ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Nickel	61		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Nickel	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Nickel	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Nickel	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Nickel	5.7	J	ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Nickel	10.2	J	ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Nickel	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Nickel	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Nickel	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Nickel	18.5	J	ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Nickel	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Nitrate-N	< 100		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Nitrate-N	< 50		ug/L
SW-9	SG-9	CDM	9/9/2009	Nitrate-N	< 50		ug/L
SW-8	SG-8	CDM	9/9/2009	Nitrate-N	< 50		ug/L
SW-7	SG-7	CDM	9/9/2009	Nitrate-N	< 50		ug/L
SW-6	SG-6	CDM	9/9/2009	Nitrate-N	280		ug/L
SW-5	SG-5	CDM	9/9/2009	Nitrate-N	33	B	ug/L
SW-4	SG-4	CDM	9/9/2009	Nitrate-N	26	B	ug/L
SG-19	SG-35	MACTEC	11/19/2008	Nitrate-N	65	J	ug/L
SG-18	SG-34	MACTEC	11/21/2008	Nitrate-N	172		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Nitrate-N	< 50		ug/L
SW-3	SG-3	CDM	9/9/2009	Nitrate-N	240		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Nitrate-N	< 100		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Nitrate-N	73	J	ug/L
SW-2A	SG-2A	CDM	9/9/2009	Nitrate-N	< 50		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Nitrate-N	137		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Nitrate-N	< 100		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Nitrate-N	< 50		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Nitrate-N	< 100		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Nitrate-N	150		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Nitrate-N	< 50		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-7	SG-23	MACTEC	11/19/2008	Nitrate-N	< 50		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Nitrate-N	57	J	ug/L
SG-4	SG-20	MACTEC	11/19/2008	Nitrate-N	450		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Nitrate-N	172		ug/L
SG-16	SG-16	URS	9/8/2009	Nitrate-N	410		ug/L
SG-15	SG-15	URS	9/8/2009	Nitrate-N	620		ug/L
SG-14	SG-14	URS	9/8/2009	Nitrate-N	460		ug/L
SG-13	SG-13	URS	9/8/2009	Nitrate-N	< 50		ug/L
SG-12	SG-12	URS	9/8/2009	Nitrate-N	1200		ug/L
SG-11	SG-11	URS	9/8/2009	Nitrate-N	430		ug/L
FD1	SG-10dup	CDM	9/9/2009	Nitrate-N	53		ug/L
SW-10	SG-10	CDM	9/9/2009	Nitrate-N	46	B	ug/L
SG-10	SG-10	URS	9/8/2009	Nitrate-N	180		ug/L
SW-1	SG-1	CDM	9/9/2009	Nitrate-N	32	B	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Nitrate-N	< 50		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Nitrate-N	< 100		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Nitrate-N	< 50		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Nitrate-N	32	B	ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Nitrate-N	< 100		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Nitrate-N	< 50		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Nitrate-N	< 50		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Nitrate-N	< 100		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Nitrate-N	< 50		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Nitrate-N	< 50		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Nitrate-N	< 100		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Nitrate-N	< 50		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Nitrate-N	100		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Nitrate-N	< 100		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Nitrate-N	50	H2	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Nitrate-N	25	B	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Nitrate-N	115		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Nitrate-N	109	H2	ug/L
MW-6C	MW-6C	URS	10/13/2009	Nitrate-N	< 50		ug/L
MW-6C	MW-6C	URS	9/9/2009	Nitrate-N	< 50		ug/L
MW-6A	MW-6A	URS	10/13/2009	Nitrate-N	< 50		ug/L
MW-6A	MW-6A	URS	9/9/2009	Nitrate-N	< 50		ug/L
MW-5C	MW-5C	URS	10/14/2009	Nitrate-N	< 50		ug/L
MW-5C	MW-5C	URS	9/14/2009	Nitrate-N	< 50		ug/L
MW-4	MW-5A	URS	10/14/2009	Nitrate-N	< 50		ug/L
MW-4	MW-5A	URS	9/9/2009	Nitrate-N	< 50		ug/L
MW-1	MW-4C	URS	10/14/2009	Nitrate-N	< 50		ug/L
MW-1	MW-4C	URS	9/11/2009	Nitrate-N	< 50		ug/L
MW-2	MW-4B	URS	10/14/2009	Nitrate-N	< 50		ug/L
MW-2	MW-4B	URS	9/10/2009	Nitrate-N	< 50		ug/L
MW-4A	MW-4A	URS	10/14/2009	Nitrate-N	< 50		ug/L
MW-4A	MW-4A	URS	9/10/2009	Nitrate-N	< 50		ug/L
MW-3C	MW-3C	URS	10/12/2009	Nitrate-N	< 50		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-3C	MW-3C	URS	9/11/2009	Nitrate-N	< 50		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Nitrate-N	140		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Nitrate-N	< 100		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Nitrate-N	< 50		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Nitrate-N	140		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Nitrate-N	< 50		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Nitrate-N	1510		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Nitrate-N	1740		ug/L
MW-2C	MW-2C	URS	10/13/2009	Nitrate-N	< 50		ug/L
MW-2C	MW-2C	URS	9/14/2009	Nitrate-N	< 50		ug/L
MW-2A	MW-2A	URS	10/13/2009	Nitrate-N	< 50		ug/L
MW-2A	MW-2A	URS	9/10/2009	Nitrate-N	< 50		ug/L
MW-1C	MW-1C	URS	10/12/2009	Nitrate-N	< 50		ug/L
MW-1C	MW-1C	URS	9/11/2009	Nitrate-N	< 50		ug/L
MW-1A	MW-1A	URS	10/12/2009	Nitrate-N	< 50		ug/L
MW-1A	MW-1A	URS	9/9/2009	Nitrate-N	70		ug/L
MW-3	MW-19A	CDM	9/10/2009	Nitrate-N	< 50		ug/L
MW-2	MW-18A	CDM	9/10/2009	Nitrate-N	< 50		ug/L
MW-1	MW-17A	CDM	9/10/2009	Nitrate-N	< 50		ug/L
5B	MW-16B	CDM	9/16/2009	Nitrate-N	< 50		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Nitrate-N	< 100		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Nitrate-N	< 50		ug/L
5A	MW-16A	CDM	9/16/2009	Nitrate-N	< 50		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Nitrate-N	< 100		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Nitrate-N	62	H2J	ug/L
15A	MW-15A	CDM	9/16/2009	Nitrate-N	500	GU	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Nitrate-N	< 100		ug/L
14A	MW-14A	CDM	9/16/2009	Nitrate-N	500	GU	ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Nitrate-N	< 100		ug/L
13A	MW-13A	CDM	9/16/2009	Nitrate-N	< 50		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Nitrate-N	< 100		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Nitrate-N	2500	GU	ug/L
12B	MW-12B	CDM	9/16/2009	Nitrate-N	< 50		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Nitrate-N	< 100		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Nitrate-N	< 50		ug/L
12A	MW-12A	CDM	9/16/2009	Nitrate-N	2500	GU	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Nitrate-N	< 100		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Nitrate-N	< 50		ug/L
11B	MW-11B	CDM	9/16/2009	Nitrate-N	< 50		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Nitrate-N	< 100		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Nitrate-N	< 50		ug/L
11A	MW-11A	CDM	9/16/2009	Nitrate-N	< 50		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Nitrate-N	< 100		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Nitrate-N	< 50		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Nitrate-N	< 50		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Nitrate-N	< 100		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Nitrate-N	< 50		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-10A	MW-10A	CDM	9/10/2009	Nitrate-N	< 50		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Nitrate-N	< 100		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Nitrate-N	< 50		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Nitrate-Nitrite	230		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Nitrate-Nitrite	< 100		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Nitrate-Nitrite	< 100		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Nitrate-Nitrite	< 100		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Nitrate-Nitrite	530		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Nitrate-Nitrite	< 100		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
MW-15	MW-15A	CDM	10/15/2009	Nitrate-Nitrite	< 100		ug/L
MW-14	MW-14A	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
MW-13	MW-13A	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Nitrate-Nitrite	130		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Nitrate-Nitrite	13	B	ug/L
MW-10A	MW-10A	CDM	10/14/2009	Nitrate-Nitrite	< 100		ug/L
SW-9	SG-9	CDM	9/9/2009	Nitrite-N	< 50		ug/L
SW-8	SG-8	CDM	9/9/2009	Nitrite-N	< 50		ug/L
SW-7	SG-7	CDM	9/9/2009	Nitrite-N	< 50		ug/L
SW-6	SG-6	CDM	9/9/2009	Nitrite-N	< 50		ug/L
SW-5	SG-5	CDM	9/9/2009	Nitrite-N	< 50		ug/L
SW-4	SG-4	CDM	9/9/2009	Nitrite-N	28	BJ	ug/L
SW-3	SG-3	CDM	9/9/2009	Nitrite-N	60	J	ug/L
SW-2A	SG-2A	CDM	9/9/2009	Nitrite-N	120	J	ug/L
SG-16	SG-16	URS	9/8/2009	Nitrite-N	140	J	ug/L
SG-15	SG-15	URS	9/8/2009	Nitrite-N	120	J	ug/L
SG-14	SG-14	URS	9/8/2009	Nitrite-N	140	J	ug/L
SG-13	SG-13	URS	9/8/2009	Nitrite-N	200	J	ug/L
SG-12	SG-12	URS	9/8/2009	Nitrite-N	180	J	ug/L
SG-11	SG-11	URS	9/8/2009	Nitrite-N	130	J	ug/L
FD1	SG-10dup	CDM	9/9/2009	Nitrite-N	130	J	ug/L
SW-10	SG-10	CDM	9/9/2009	Nitrite-N	130	J	ug/L
SG-10	SG-10	URS	9/8/2009	Nitrite-N	130	J	ug/L
SW-1	SG-1	CDM	9/9/2009	Nitrite-N	87	J	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Nitrite-N	< 50		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Nitrite-N	< 50		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Nitrite-N	< 50		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Nitrite-N	< 50		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Nitrite-N	< 50		ug/L
MW-7A	MW-7A	CDM	9/11/2009	Nitrite-N	< 50		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-6C	MW-6C	URS	10/13/2009	Nitrite-N	1500	B	ug/L
MW-6C	MW-6C	URS	9/9/2009	Nitrite-N	< 50		ug/L
MW-6A	MW-6A	URS	10/13/2009	Nitrite-N	< 50		ug/L
MW-6A	MW-6A	URS	9/9/2009	Nitrite-N	350	J	ug/L
MW-5C	MW-5C	URS	10/14/2009	Nitrite-N	< 50		ug/L
MW-5C	MW-5C	URS	9/14/2009	Nitrite-N	< 50		ug/L
MW-4	MW-5A	URS	10/14/2009	Nitrite-N	< 50		ug/L
MW-4	MW-5A	URS	9/9/2009	Nitrite-N	< 50		ug/L
MW-1	MW-4C	URS	10/14/2009	Nitrite-N	< 50		ug/L
MW-1	MW-4C	URS	9/11/2009	Nitrite-N	< 50		ug/L
MW-2	MW-4B	URS	10/14/2009	Nitrite-N	300		ug/L
MW-2	MW-4B	URS	9/10/2009	Nitrite-N	< 50		ug/L
MW-4A	MW-4A	URS	10/14/2009	Nitrite-N	< 50		ug/L
MW-4A	MW-4A	URS	9/10/2009	Nitrite-N	< 50		ug/L
MW-3C	MW-3C	URS	10/12/2009	Nitrite-N	47	B	ug/L
MW-3C	MW-3C	URS	9/11/2009	Nitrite-N	< 50		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Nitrite-N	< 50		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Nitrite-N	< 50		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Nitrite-N	< 50		ug/L
MW-2C	MW-2C	URS	10/13/2009	Nitrite-N	860	B	ug/L
MW-2C	MW-2C	URS	9/14/2009	Nitrite-N	410		ug/L
MW-2A	MW-2A	URS	10/13/2009	Nitrite-N	49	B	ug/L
MW-2A	MW-2A	URS	9/10/2009	Nitrite-N	< 50		ug/L
MW-1C	MW-1C	URS	10/12/2009	Nitrite-N	< 50		ug/L
MW-1C	MW-1C	URS	9/11/2009	Nitrite-N	< 50		ug/L
MW-1A	MW-1A	URS	10/12/2009	Nitrite-N	< 50		ug/L
MW-1A	MW-1A	URS	9/9/2009	Nitrite-N	330	J	ug/L
MW-3	MW-19A	CDM	9/10/2009	Nitrite-N	< 50		ug/L
MW-2	MW-18A	CDM	9/10/2009	Nitrite-N	< 50		ug/L
MW-1	MW-17A	CDM	9/10/2009	Nitrite-N	< 50		ug/L
5B	MW-16B	CDM	9/16/2009	Nitrite-N	66		ug/L
5A	MW-16A	CDM	9/16/2009	Nitrite-N	< 50		ug/L
15A	MW-15A	CDM	9/16/2009	Nitrite-N	600		ug/L
14A	MW-14A	CDM	9/16/2009	Nitrite-N	500	GU	ug/L
13A	MW-13A	CDM	9/16/2009	Nitrite-N	60		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Nitrite-N	2500	GU	ug/L
12B	MW-12B	CDM	9/16/2009	Nitrite-N	79		ug/L
12A	MW-12A	CDM	9/16/2009	Nitrite-N	2500	GU	ug/L
11B	MW-11B	CDM	9/16/2009	Nitrite-N	230		ug/L
11A	MW-11A	CDM	9/16/2009	Nitrite-N	< 50		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Nitrite-N	< 50		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Nitrite-N	< 50		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Phosphorus	340		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Phosphorus	132		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Phosphorus	114		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Phosphorus	116		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Phosphorus	126		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-9B	MW-9B	MACTEC	6/17/2009	Phosphorus	222		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Phosphorus	110		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Phosphorus	< 100		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Phosphorus	101		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Phosphorus	147		ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Phosphorus	100	M8	ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Phosphorus	< 100		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Phosphorus	< 100		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Phosphorus	151		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Phosphorus	< 100		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Phosphorus	< 100		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Phosphorus	< 100		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Phosphorus	< 100		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Phosphorus	319		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Phosphorus	113		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Phosphorus	212		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Phosphorus	198		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Phosphorus	195		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Phosphorus	210		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Selenium	< 10		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Selenium	< 4.3		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Selenium	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Selenium	< 5		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Selenium	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Selenium	< 5		ug/L
SW-7	SG-7	CDM	9/9/2009	Selenium	4.5	B	ug/L
SW-08	SG-7	TetraTech	9/9/2009	Selenium	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Selenium	4.6	B	ug/L
SW-07	SG-6	TetraTech	9/9/2009	Selenium	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Selenium	< 5		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Selenium	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Selenium	< 5		ug/L
SW-17	SG-38	TetraTech	9/10/2009	Selenium	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Selenium	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Selenium	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Selenium	< 4.3		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Selenium	< 4.3		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Selenium	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Selenium	4.9	J	ug/L
SW-3	SG-3	CDM	9/9/2009	Selenium	< 5		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Selenium	< 10		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Selenium	< 4.3		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Selenium	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Selenium	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Selenium	< 5		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Selenium	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Selenium	< 10		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-13	SG-29	TetraTech	9/10/2009	Selenium	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Selenium	< 10		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Selenium	< 4.3		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Selenium	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Selenium	< 10		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Selenium	5.5	J	ug/L
SG-8	SG-24	MACTEC	11/19/2008	Selenium	< 4.3		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Selenium	4.6	J	ug/L
SG-6	SG-22	MACTEC	11/19/2008	Selenium	< 4.3		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Selenium	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Selenium	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Selenium	< 4.3		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Selenium	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Selenium	< 4.3		ug/L
SG-16	SG-16	URS	9/8/2009	Selenium	< 5		ug/L
SG-15	SG-15	URS	9/8/2009	Selenium	< 5		ug/L
SG-14	SG-14	URS	9/8/2009	Selenium	< 5		ug/L
SG-13	SG-13	URS	9/8/2009	Selenium	< 5		ug/L
SG-12	SG-12	URS	9/8/2009	Selenium	< 5		ug/L
SW-18	SG-11	TetraTech	9/10/2009	Selenium	<		ug/L
SG-11	SG-11	URS	9/8/2009	Selenium	< 5		ug/L
FD1	SG-10dup	CDM	9/9/2009	Selenium	< 5		ug/L
SW-10	SG-10	CDM	9/9/2009	Selenium	< 5		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Selenium	<		ug/L
SG-10	SG-10	URS	9/8/2009	Selenium	< 5		ug/L
SW-1	SG-1	CDM	9/9/2009	Selenium	< 5		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Selenium	<		ug/L
	PW-73	City	7/19/2008	Selenium	<		ug/L
	PW-72	City	7/18/2008	Selenium	<		ug/L
	PW-7	City	7/18/2008	Selenium	<		ug/L
	PW-55	City	7/18/2008	Selenium	<		ug/L
	PW-54	City	7/18/2008	Selenium	<		ug/L
	PW-5	City	7/18/2008	Selenium	<		ug/L
	PW-46	City	7/19/2008	Selenium	<		ug/L
	PW-43	City	7/19/2008	Selenium	<		ug/L
	PW-4	City	7/18/2008	Selenium	<		ug/L
	PW-34	City	7/19/2008	Selenium	4.5		ug/L
	PW-30	City	7/18/2009	Selenium	<		ug/L
	PW-28	City	7/19/2008	Selenium	2.9		ug/L
	PW-26	City	7/18/2008	Selenium	<		ug/L
	PW-25	City	7/19/2008	Selenium	2.9		ug/L
	PW-23	City	7/19/2008	Selenium	<		ug/L
	PW-20	City	7/19/2008	Selenium	<		ug/L
	PW-19	City	7/19/2008	Selenium	<		ug/L
	PW-18	City	7/19/2008	Selenium	<		ug/L
	PW-17	City	7/19/2008	Selenium	<		ug/L
	PW-14	City	7/18/2008	Selenium	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-12	City	7/18/2008	Selenium	<		ug/L
	PW-11	City	7/18/2008	Selenium	<		ug/L
	PW-10	City	7/19/2008	Selenium	<		ug/L
	PW-1	City	7/18/2008	Selenium	<		ug/L
	PW-1	City	7/18/2008	Selenium	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Selenium	< 5		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Selenium	< 5		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Selenium	< 10		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Selenium	< 4.3		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Selenium	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Selenium	< 5		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Selenium	< 5		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Selenium	< 10		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Selenium	< 4.3		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Selenium	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Selenium	< 5		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Selenium	< 5		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Selenium	< 10		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Selenium	< 4.3		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Selenium	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Selenium	< 5		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Selenium	< 5		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Selenium	< 10		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Selenium	6.9	J	ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Selenium	<		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Selenium	< 5		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Selenium	< 5		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Selenium	< 10		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Selenium	< 4.3		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Selenium	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Selenium	< 5		ug/L
MW-7A	MW-7A	CDM	9/11/2009	Selenium	< 5		ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Selenium	< 10		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Selenium	< 4.3		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Selenium	<		ug/L
MW-6C	MW-6C	URS	10/13/2009	Selenium	< 5		ug/L
MW-6C	MW-6C	URS	9/9/2009	Selenium	< 5		ug/L
MW-6A	MW-6A	URS	10/13/2009	Selenium	< 5		ug/L
MW-6A	MW-6A	URS	9/9/2009	Selenium	< 5		ug/L
MW-5C	MW-5C	URS	10/14/2009	Selenium	< 5		ug/L
MW-5C	MW-5C	URS	9/14/2009	Selenium	< 5		ug/L
MW-4	MW-5A	URS	10/14/2009	Selenium	< 5		ug/L
MW-4	MW-5A	URS	9/9/2009	Selenium	< 5		ug/L
MW-1	MW-4C	URS	10/14/2009	Selenium	< 5		ug/L
MW-1	MW-4C	URS	9/11/2009	Selenium	< 5		ug/L
MW-2	MW-4B	URS	10/14/2009	Selenium	< 5		ug/L
MW-2	MW-4B	URS	9/10/2009	Selenium	< 5		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-4A	MW-4A	URS	10/14/2009	Selenium	< 5		ug/L
MW-4A	MW-4A	URS	9/10/2009	Selenium	< 5		ug/L
MW-3C	MW-3C	URS	10/12/2009	Selenium	< 5		ug/L
MW-3C	MW-3C	URS	9/11/2009	Selenium	< 5		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Selenium	< 5		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Selenium	< 5		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Selenium	< 10		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Selenium	< 4.3		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Selenium	<		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Selenium	< 5		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Selenium	< 5		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Selenium	< 5		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Selenium	< 10		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Selenium	< 4.3		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Selenium	<		ug/L
MW-2C	MW-2C	URS	10/13/2009	Selenium	< 5		ug/L
MW-2C	MW-2C	URS	9/14/2009	Selenium	< 5		ug/L
MW-2A	MW-2A	URS	10/13/2009	Selenium	< 5		ug/L
MW-2A	MW-2A	URS	9/10/2009	Selenium	< 5		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Selenium	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Selenium	< 5		ug/L
MW-1C	MW-1C	URS	9/11/2009	Selenium	< 5		ug/L
MW-1A	MW-1A	URS	10/12/2009	Selenium	< 5		ug/L
MW-1A	MW-1A	URS	9/9/2009	Selenium	< 5		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Selenium	< 5		ug/L
MW-3	MW-19A	CDM	9/10/2009	Selenium	< 5		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Selenium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Selenium	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Selenium	< 5		ug/L
MW-2	MW-18A	CDM	9/10/2009	Selenium	3.3	B	ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Selenium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Selenium	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Selenium	< 5		ug/L
MW-1	MW-17A	CDM	9/10/2009	Selenium	< 5		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Selenium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Selenium	<		ug/L
5B	MW-16B	CDM	9/16/2009	Selenium	< 5		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Selenium	< 10		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-5B	MW-16B	MACTEC	12/4/2008	Selenium	< 4.3		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Selenium	<		ug/L
5A	MW-16A	CDM	9/16/2009	Selenium	< 5		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Selenium	< 10		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Selenium	< 4.3		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Selenium	<		ug/L
MW-15	MW-15A	CDM	10/15/2009	Selenium	< 5		ug/L
15A	MW-15A	CDM	9/16/2009	Selenium	< 5		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Selenium	< 10		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Selenium	9		ug/L
MW-14	MW-14A	CDM	10/14/2009	Selenium	< 5		ug/L
14A	MW-14A	CDM	9/16/2009	Selenium	< 5		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Selenium	< 10		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Selenium	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Selenium	< 5		ug/L
13A	MW-13A	CDM	9/16/2009	Selenium	< 5		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Selenium	< 10		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Selenium	<		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Selenium	< 5		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Selenium	< 5		ug/L
12B	MW-12B	CDM	9/16/2009	Selenium	< 5		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Selenium	< 10		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Selenium	< 4.3		ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Selenium	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Selenium	< 5		ug/L
12A	MW-12A	CDM	9/16/2009	Selenium	< 5		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Selenium	< 10		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Selenium	< 4.3		ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Selenium	<		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Selenium	< 5		ug/L
11B	MW-11B	CDM	9/16/2009	Selenium	< 5		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Selenium	< 10		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Selenium	< 4.3		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Selenium	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Selenium	< 5		ug/L
11A	MW-11A	CDM	9/16/2009	Selenium	< 5		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Selenium	< 10		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Selenium	< 4.3		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Selenium	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Selenium	< 5		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Selenium	< 5		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Selenium	< 10		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Selenium	< 4.3		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Selenium	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Selenium	< 5		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Selenium	< 5		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Selenium	< 10		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-10A	MW-10A	MACTEC	12/4/2008	Selenium	< 4.3		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Selenium	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Selenium	<		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Selenium	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Selenium	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Selenium	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Selenium	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Selenium	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Selenium	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Selenium	<		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Selenium	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Silver	< 5		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Silver	< 1.6		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Silver	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Silver	< 5		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Silver	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Silver	< 5		ug/L
SW-7	SG-7	CDM	9/9/2009	Silver	< 5		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Silver	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Silver	< 5		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Silver	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Silver	< 5		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Silver	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Silver	< 5		ug/L
SW-17	SG-38	TetraTech	9/10/2009	Silver	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Silver	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Silver	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Silver	< 1.6		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Silver	< 1.6		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Silver	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Silver	< 1.6		ug/L
SW-3	SG-3	CDM	9/9/2009	Silver	< 5		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Silver	< 5		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Silver	< 1.6		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Silver	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Silver	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Silver	< 5		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Silver	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Silver	< 5		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Silver	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Silver	< 5		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Silver	< 1.6		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Silver	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-9	SG-25	MACTEC	5/27/2009	Silver	< 5		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Silver	< 1.6		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Silver	< 1.6		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Silver	< 1.6		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Silver	< 1.6		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Silver	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Silver	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Silver	< 1.6		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Silver	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Silver	< 1.6		ug/L
SG-16	SG-16	URS	9/8/2009	Silver	< 5		ug/L
SG-15	SG-15	URS	9/8/2009	Silver	< 5		ug/L
SG-14	SG-14	URS	9/8/2009	Silver	< 5		ug/L
SG-13	SG-13	URS	9/8/2009	Silver	< 5		ug/L
SG-12	SG-12	URS	9/8/2009	Silver	< 5		ug/L
SW-18	SG-11	TetraTech	9/10/2009	Silver	<		ug/L
SG-11	SG-11	URS	9/8/2009	Silver	< 5		ug/L
FD1	SG-10dup	CDM	9/9/2009	Silver	< 5		ug/L
SW-10	SG-10	CDM	9/9/2009	Silver	< 5		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Silver	<		ug/L
SG-10	SG-10	URS	9/8/2009	Silver	< 5		ug/L
SW-1	SG-1	CDM	9/9/2009	Silver	< 5		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Silver	<		ug/L
	PW-73	City	7/19/2008	Silver	<		ug/L
	PW-72	City	7/18/2008	Silver	<		ug/L
	PW-7	City	7/18/2008	Silver	<		ug/L
	PW-55	City	7/18/2008	Silver	<		ug/L
	PW-54	City	7/18/2008	Silver	<		ug/L
	PW-5	City	7/18/2008	Silver	<		ug/L
	PW-46	City	7/19/2008	Silver	<		ug/L
	PW-43	City	7/19/2008	Silver	<		ug/L
	PW-4	City	7/18/2008	Silver	<		ug/L
	PW-34	City	7/19/2008	Silver	<		ug/L
	PW-30	City	7/18/2009	Silver	<		ug/L
	PW-28	City	7/19/2008	Silver	<		ug/L
	PW-26	City	7/18/2008	Silver	<		ug/L
	PW-25	City	7/19/2008	Silver	<		ug/L
	PW-23	City	7/19/2008	Silver	<		ug/L
	PW-20	City	7/19/2008	Silver	<		ug/L
	PW-19	City	7/19/2008	Silver	<		ug/L
	PW-18	City	7/19/2008	Silver	<		ug/L
	PW-17	City	7/19/2008	Silver	<		ug/L
	PW-14	City	7/18/2008	Silver	<		ug/L
	PW-12	City	7/18/2008	Silver	<		ug/L
	PW-11	City	7/18/2008	Silver	<		ug/L
	PW-10	City	7/19/2008	Silver	<		ug/L
	PW-1	City	7/18/2008	Silver	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-1	City	7/18/2008	Silver	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Silver	<	5	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Silver	<	5	ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Silver	<	5	ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Silver	<	1.6	ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Silver	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Silver	<	5	ug/L
MW-9A	MW-9A	CDM	9/10/2009	Silver	<	5	ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Silver	<	50	ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Silver	<	1.6	ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Silver	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Silver	<	5	ug/L
MW-8B	MW-8B	CDM	9/10/2009	Silver	<	5	ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Silver	<	5	ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Silver	<	1.6	ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Silver	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Silver	<	5	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Silver	<	5	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Silver	<	5	ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Silver	<	1.6	ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Silver	<		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Silver	<	5	ug/L
MW-7B	MW-7B	CDM	9/11/2009	Silver	<	5	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Silver	<	5	ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Silver	<	1.6	ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Silver	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Silver	<	5	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Silver	<	5	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Silver	<	5	ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Silver	<	1.6	ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Silver	<		ug/L
MW-6C	MW-6C	URS	10/13/2009	Silver		1	BJ ug/L
MW-6C	MW-6C	URS	9/9/2009	Silver	<	5	ug/L
MW-6A	MW-6A	URS	10/13/2009	Silver	<	5	ug/L
MW-6A	MW-6A	URS	9/9/2009	Silver	<	5	ug/L
MW-5C	MW-5C	URS	10/14/2009	Silver	<	5	ug/L
MW-5C	MW-5C	URS	9/14/2009	Silver	<	5	ug/L
MW-4	MW-5A	URS	10/14/2009	Silver	<	5	ug/L
MW-4	MW-5A	URS	9/9/2009	Silver	<	5	ug/L
MW-1	MW-4C	URS	10/14/2009	Silver	<	5	ug/L
MW-1	MW-4C	URS	9/11/2009	Silver	<	5	ug/L
MW-2	MW-4B	URS	10/14/2009	Silver	<	5	ug/L
MW-2	MW-4B	URS	9/10/2009	Silver	<	5	ug/L
MW-4A	MW-4A	URS	10/14/2009	Silver		0.74	BJ ug/L
MW-4A	MW-4A	URS	9/10/2009	Silver	<	5	ug/L
MW-3C	MW-3C	URS	10/12/2009	Silver		0.81	BJ ug/L
MW-3C	MW-3C	URS	9/11/2009	Silver	<	5	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-6B	MW-3B	CDM	10/13/2009	Silver	< 5		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Silver	< 5		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Silver	< 5		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Silver	< 1.6		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Silver	<		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Silver	< 5		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Silver	0.69	B	ug/L
MW-6A	MW-3A	CDM	9/11/2009	Silver	< 5		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Silver	< 5		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Silver	< 1.6		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Silver	<		ug/L
MW-2C	MW-2C	URS	10/13/2009	Silver	< 5		ug/L
MW-2C	MW-2C	URS	9/14/2009	Silver	< 5		ug/L
MW-2A	MW-2A	URS	10/13/2009	Silver	< 5		ug/L
MW-2A	MW-2A	URS	9/10/2009	Silver	< 5		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Silver	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Silver	0.78	BJ	ug/L
MW-1C	MW-1C	URS	9/11/2009	Silver	< 5		ug/L
MW-1A	MW-1A	URS	10/12/2009	Silver	< 5		ug/L
MW-1A	MW-1A	URS	9/9/2009	Silver	< 5		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Silver	< 5		ug/L
MW-3	MW-19A	CDM	9/10/2009	Silver	< 5		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Silver	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Silver	0.043	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Silver	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Silver	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Silver	0.067	J	ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Silver	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Silver	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Silver	< 5		ug/L
MW-2	MW-18A	CDM	9/10/2009	Silver	< 5		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Silver	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Silver	0.12	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Silver	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Silver	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Silver	< 5		ug/L
MW-1	MW-17A	CDM	9/10/2009	Silver	< 5		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Silver	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Silver	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Silver	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Silver	<		ug/L
5B	MW-16B	CDM	9/16/2009	Silver	< 5		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Silver	< 5		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Silver	< 1.6		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Silver	<		ug/L
5A	MW-16A	CDM	9/16/2009	Silver	< 5		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Silver	< 5		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-5A	MW-16A	MACTEC	12/2/2008	Silver	1.9	J	ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Silver	<		ug/L
MW-15	MW-15A	CDM	10/15/2009	Silver	<	5	ug/L
15A	MW-15A	CDM	9/16/2009	Silver	<	5	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Silver	<	5	ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Silver	<		ug/L
MW-14	MW-14A	CDM	10/14/2009	Silver	<	5	ug/L
14A	MW-14A	CDM	9/16/2009	Silver	<	5	ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Silver	<	5	ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Silver	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Silver	<	5	ug/L
13A	MW-13A	CDM	9/16/2009	Silver	<	5	ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Silver	<	5	ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Silver	<		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Silver	<	5	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Silver	<	5	ug/L
12B	MW-12B	CDM	9/16/2009	Silver	<	5	ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Silver	<	5	ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Silver	<	1.6	ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Silver	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Silver	<	5	ug/L
12A	MW-12A	CDM	9/16/2009	Silver	<	5	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Silver	<	5	ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Silver	<	1.6	ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Silver	<		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Silver	0.86	B	ug/L
11B	MW-11B	CDM	9/16/2009	Silver	<	5	ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Silver	<	5	ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Silver	<	1.6	ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Silver	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Silver	<	5	ug/L
11A	MW-11A	CDM	9/16/2009	Silver	<	5	ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Silver	<	5	ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Silver	<	1.6	ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Silver	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Silver	<	5	ug/L
MW-10B	MW-10B	CDM	9/10/2009	Silver	<	5	ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Silver	<	50	ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Silver	<	1.6	ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Silver	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Silver	<	5	ug/L
MW-10A	MW-10A	CDM	9/10/2009	Silver	<	5	ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Silver	<	5	ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Silver	<	1.6	ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Silver	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Silver	<		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Silver	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Silver	<		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Silver	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Silver	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Silver	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Silver	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Silver	<		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Silver	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Silver	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Silver	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Silver	<		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Silver	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Sulfate		34600	ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Sulfate		35600	ug/L
SG-19	SG-35	MACTEC	11/19/2008	Sulfate		12600	ug/L
SG-18	SG-34	MACTEC	11/21/2008	Sulfate		17900	ug/L
SG-16	SG-32	MACTEC	11/19/2008	Sulfate		24400	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Sulfate		90000	ug/L
SG-11	SG-3	MACTEC	11/19/2008	Sulfate		70000	ug/L
SG-13	SG-29	MACTEC	5/27/2009	Sulfate		80500	ug/L
SG-12	SG-28	MACTEC	5/27/2009	Sulfate		142000	ug/L
SG-12	SG-28	MACTEC	11/19/2008	Sulfate		163000	ug/L
SG-9	SG-25	MACTEC	5/27/2009	Sulfate		35600	ug/L
SG-9	SG-25	MACTEC	11/19/2008	Sulfate		31800	ug/L
SG-8	SG-24	MACTEC	11/19/2008	Sulfate		5880	ug/L
SG-7	SG-23	MACTEC	11/19/2008	Sulfate		57200	ug/L
SG-6	SG-22	MACTEC	11/19/2008	Sulfate		10500	ug/L
SG-4	SG-20	MACTEC	11/19/2008	Sulfate		88200	ug/L
SG-3	SG-19	MACTEC	11/19/2008	Sulfate		18300	ug/L
SG-16	SG-16	URS	9/8/2009	Sulfate	<	5000	ug/L
SG-15	SG-15	URS	9/8/2009	Sulfate		8200	ug/L
SG-14	SG-14	URS	9/8/2009	Sulfate	<	5000	ug/L
SG-13	SG-13	URS	9/8/2009	Sulfate		69000	ug/L
SG-12	SG-12	URS	9/8/2009	Sulfate	<	5000	ug/L
SG-11	SG-11	URS	9/8/2009	Sulfate		14700	ug/L
SG-10	SG-10	URS	9/8/2009	Sulfate		48200	ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Sulfate		12100	ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Sulfate		11900	ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Sulfate		60300	ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Sulfate		76700	ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Sulfate		19000	ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Sulfate		16000	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Sulfate		885000	ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Sulfate		1050000	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Sulfate		11200	ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Sulfate		41800	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Sulfate		41100	ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Sulfate		12700	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-6C	MW-6C	URS	10/13/2009	Sulfate	269000		ug/L
MW-6C	MW-6C	URS	9/9/2009	Sulfate	267000		ug/L
MW-6A	MW-6A	URS	10/13/2009	Sulfate	12400		ug/L
MW-6A	MW-6A	URS	9/9/2009	Sulfate	17000		ug/L
MW-5C	MW-5C	URS	10/14/2009	Sulfate	< 5000		ug/L
MW-5C	MW-5C	URS	9/14/2009	Sulfate	< 5000		ug/L
MW-4	MW-5A	URS	10/14/2009	Sulfate	448000		ug/L
MW-4	MW-5A	URS	9/9/2009	Sulfate	363000		ug/L
MW-1	MW-4C	URS	10/14/2009	Sulfate	102000		ug/L
MW-1	MW-4C	URS	9/11/2009	Sulfate	99400		ug/L
MW-2	MW-4B	URS	10/14/2009	Sulfate	59400		ug/L
MW-2	MW-4B	URS	9/10/2009	Sulfate	36200		ug/L
MW-4A	MW-4A	URS	10/14/2009	Sulfate	75600		ug/L
MW-4A	MW-4A	URS	9/10/2009	Sulfate	70100		ug/L
MW-3C	MW-3C	URS	10/12/2009	Sulfate	< 5000		ug/L
MW-3C	MW-3C	URS	9/11/2009	Sulfate	< 5000		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Sulfate	79700		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Sulfate	79900		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Sulfate	61700		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Sulfate	51500		ug/L
MW-2C	MW-2C	URS	10/13/2009	Sulfate	87700		ug/L
MW-2C	MW-2C	URS	9/14/2009	Sulfate	83200		ug/L
MW-2A	MW-2A	URS	10/13/2009	Sulfate	68000		ug/L
MW-2A	MW-2A	URS	9/10/2009	Sulfate	57600		ug/L
MW-1C	MW-1C	URS	10/12/2009	Sulfate	< 5000		ug/L
MW-1C	MW-1C	URS	9/11/2009	Sulfate	< 5000		ug/L
MW-1A	MW-1A	URS	10/12/2009	Sulfate	39700		ug/L
MW-1A	MW-1A	URS	9/9/2009	Sulfate	53200		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Sulfate	56800		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Sulfate	120000		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Sulfate	113000		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Sulfate	65600		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Sulfate	408000		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Sulfate	53800		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Sulfate	550000		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Sulfate	113000		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Sulfate	117000		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Sulfate	155000		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Sulfate	76900		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Sulfate	96200		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Sulfate	50000		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Sulfate	62200		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Sulfate	90700		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Sulfate	55100		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Sulfate	38600		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Sulfate	147000		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Sulfate	169000		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-10	SW-2A	MACTEC	5/27/2009	Sulfide	< 100		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Sulfide	< 100		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Sulfide	< 100		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Sulfide	< 100		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Sulfide	< 100		ug/L
SG-16	SG-16	URS	9/8/2009	Sulfide	< 3000		ug/L
SG-15	SG-15	URS	9/8/2009	Sulfide	< 3000		ug/L
SG-14	SG-14	URS	9/8/2009	Sulfide	< 3000		ug/L
SG-13	SG-13	URS	9/8/2009	Sulfide	< 3000		ug/L
SG-12	SG-12	URS	9/8/2009	Sulfide	< 3000		ug/L
SG-11	SG-11	URS	9/8/2009	Sulfide	< 3000		ug/L
SG-10	SG-10	URS	9/8/2009	Sulfide	< 3000		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Sulfide	< 1000		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Sulfide	< 1000		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Sulfide	< 1000		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Sulfide	< 1000		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Sulfide	< 1000		ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Sulfide	< 1000		ug/L
MW-6C	MW-6C	URS	10/13/2009	Sulfide	< 3000		ug/L
MW-6C	MW-6C	URS	9/9/2009	Sulfide	< 3000		ug/L
MW-6A	MW-6A	URS	10/13/2009	Sulfide	< 3000		ug/L
MW-6A	MW-6A	URS	9/9/2009	Sulfide	< 3000		ug/L
MW-5C	MW-5C	URS	10/14/2009	Sulfide	< 3000		ug/L
MW-5C	MW-5C	URS	9/14/2009	Sulfide	< 3000		ug/L
MW-4	MW-5A	URS	10/14/2009	Sulfide	< 3000		ug/L
MW-4	MW-5A	URS	9/9/2009	Sulfide	3200		ug/L
MW-1	MW-4C	URS	10/14/2009	Sulfide	< 3000		ug/L
MW-1	MW-4C	URS	9/11/2009	Sulfide	< 3000		ug/L
MW-2	MW-4B	URS	10/14/2009	Sulfide	< 3000		ug/L
MW-2	MW-4B	URS	9/10/2009	Sulfide	< 3000		ug/L
MW-4A	MW-4A	URS	10/14/2009	Sulfide	< 3000		ug/L
MW-4A	MW-4A	URS	9/10/2009	Sulfide	< 3000		ug/L
MW-3C	MW-3C	URS	10/12/2009	Sulfide	< 3000		ug/L
MW-3C	MW-3C	URS	9/11/2009	Sulfide	< 3000		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Sulfide	< 1000		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Sulfide	< 1000		ug/L
MW-2C	MW-2C	URS	10/13/2009	Sulfide	< 3000		ug/L
MW-2C	MW-2C	URS	9/14/2009	Sulfide	< 3000		ug/L
MW-2A	MW-2A	URS	10/13/2009	Sulfide	< 3000		ug/L
MW-2A	MW-2A	URS	9/10/2009	Sulfide	< 3000		ug/L
MW-1C	MW-1C	URS	10/12/2009	Sulfide	< 3000		ug/L
MW-1C	MW-1C	URS	9/11/2009	Sulfide	< 3000		ug/L
MW-1A	MW-1A	URS	10/12/2009	Sulfide	< 3000		ug/L
MW-1A	MW-1A	URS	9/9/2009	Sulfide	< 3000		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Sulfide	< 1000		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Sulfide	< 1000		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Sulfide	< 1000		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-14	MW-14A	MACTEC	6/18/2009	Sulfide	< 1000		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Sulfide	< 1000		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Sulfide	< 1000		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Sulfide	< 1000		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Sulfide	< 1000		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Sulfide	< 1000		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Sulfide	< 1000		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Sulfide	< 1000		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Thallium	< 10		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Thallium	< 7.5		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Thallium	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Thallium	< 10		ug/L
SW-11	SG-9	TetraTech	9/9/2009	Thallium	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Thallium	< 10		ug/L
SW-7	SG-7	CDM	9/9/2009	Thallium	< 10		ug/L
SW-08	SG-7	TetraTech	9/9/2009	Thallium	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Thallium	< 10		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Thallium	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Thallium	< 10		ug/L
SW-04	SG-5	TetraTech	9/9/2009	Thallium	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Thallium	< 10		ug/L
SW-17	SG-38	TetraTech	9/10/2009	Thallium	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Thallium	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Thallium	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Thallium	< 7.5		ug/L
SG-18	SG-34	MACTEC	11/21/2008	Thallium	< 7.5		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Thallium	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Thallium	< 7.5		ug/L
SW-3	SG-3	CDM	9/9/2009	Thallium	< 10		ug/L
SG-11	SG-3	MACTEC	5/27/2009	Thallium	< 10		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Thallium	< 7.5		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Thallium	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Thallium	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Thallium	< 10		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Thallium	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Thallium	< 10		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Thallium	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Thallium	< 10		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Thallium	7.5	M2	ug/L
SW-02	SG-28	TetraTech	9/10/2009	Thallium	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Thallium	< 10		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Thallium	< 7.5		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Thallium	< 7.5		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Thallium	7.5		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Thallium	< 7.5		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Thallium	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Thallium	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-4	SG-20	MACTEC	11/19/2008	Thallium	< 7.5		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Thallium	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Thallium	< 7.5		ug/L
SG-16	SG-16	URS	9/8/2009	Thallium	< 10		ug/L
SG-15	SG-15	URS	9/8/2009	Thallium	< 10		ug/L
SG-14	SG-14	URS	9/8/2009	Thallium	< 10		ug/L
SG-13	SG-13	URS	9/8/2009	Thallium	< 10		ug/L
SG-12	SG-12	URS	9/8/2009	Thallium	< 10		ug/L
SW-18	SG-11	TetraTech	9/10/2009	Thallium	<		ug/L
SG-11	SG-11	URS	9/8/2009	Thallium	< 10		ug/L
FD1	SG-10dup	CDM	9/9/2009	Thallium	< 10		ug/L
SW-10	SG-10	CDM	9/9/2009	Thallium	< 10		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Thallium	<		ug/L
SG-10	SG-10	URS	9/8/2009	Thallium	< 10		ug/L
SW-1	SG-1	CDM	9/9/2009	Thallium	< 10		ug/L
SW-01	SG-1	TetraTech	9/9/2009	Thallium	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Thallium	< 10		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Thallium	< 10		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Thallium	< 10		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Thallium	< 7.5		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Thallium	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Thallium	< 10		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Thallium	< 10		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Thallium	< 10		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Thallium	< 7.5		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Thallium	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Thallium	< 10		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Thallium	< 10		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Thallium	< 10		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Thallium	< 7.5		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Thallium	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Thallium	< 10		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Thallium	< 10		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Thallium	< 10		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Thallium	< 7.5		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Thallium	<		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Thallium	< 10		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Thallium	< 10		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Thallium	< 10		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Thallium	< 7.5		ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Thallium	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Thallium	< 10		ug/L
MW-7A	MW-7A	CDM	9/11/2009	Thallium	< 10		ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Thallium	< 10		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Thallium	< 7.5		ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Thallium	<		ug/L
MW-6C	MW-6C	URS	10/13/2009	Thallium	< 10		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-6C	MW-6C	URS	9/9/2009	Thallium	< 10		ug/L
MW-6A	MW-6A	URS	10/13/2009	Thallium	< 10		ug/L
MW-6A	MW-6A	URS	9/9/2009	Thallium	< 10		ug/L
MW-5C	MW-5C	URS	10/14/2009	Thallium	< 10		ug/L
MW-5C	MW-5C	URS	9/14/2009	Thallium	< 10		ug/L
MW-4	MW-5A	URS	10/14/2009	Thallium	< 10		ug/L
MW-4	MW-5A	URS	9/9/2009	Thallium	< 10		ug/L
MW-1	MW-4C	URS	10/14/2009	Thallium	< 10		ug/L
MW-1	MW-4C	URS	9/11/2009	Thallium	< 10		ug/L
MW-2	MW-4B	URS	10/14/2009	Thallium	< 10		ug/L
MW-2	MW-4B	URS	9/10/2009	Thallium	< 10		ug/L
MW-4A	MW-4A	URS	10/14/2009	Thallium	< 10		ug/L
MW-4A	MW-4A	URS	9/10/2009	Thallium	< 10		ug/L
MW-3C	MW-3C	URS	10/12/2009	Thallium	< 10		ug/L
MW-3C	MW-3C	URS	9/11/2009	Thallium	24.8		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Thallium	< 10		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Thallium	< 10		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Thallium	< 10		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Thallium	< 7.5		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Thallium	<		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Thallium	< 10		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Thallium	< 10		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Thallium	< 10		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Thallium	< 10		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Thallium	< 7.5		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Thallium	<		ug/L
MW-2C	MW-2C	URS	10/13/2009	Thallium	< 10		ug/L
MW-2C	MW-2C	URS	9/14/2009	Thallium	< 10		ug/L
MW-2A	MW-2A	URS	10/13/2009	Thallium	< 10		ug/L
MW-2A	MW-2A	URS	9/10/2009	Thallium	< 10		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Thallium	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Thallium	< 10		ug/L
MW-1C	MW-1C	URS	9/11/2009	Thallium	< 10		ug/L
MW-1A	MW-1A	URS	10/12/2009	Thallium	< 10		ug/L
MW-1A	MW-1A	URS	9/9/2009	Thallium	< 10		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Thallium	< 10		ug/L
MW-3	MW-19A	CDM	9/10/2009	Thallium	< 10		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Thallium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Thallium	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Thallium	< 10		ug/L
MW-2	MW-18A	CDM	9/10/2009	Thallium	< 10		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Thallium	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Thallium	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Thallium	<	10	ug/L
MW-1	MW-17A	CDM	9/10/2009	Thallium	<	10	ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Thallium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Thallium	<		ug/L
5B	MW-16B	CDM	9/16/2009	Thallium	<	10	ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Thallium	<	10	ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Thallium	<	7.5	ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Thallium	<		ug/L
5A	MW-16A	CDM	9/16/2009	Thallium	<	10	ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Thallium	<	10	ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Thallium	<	7.5	ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Thallium	<		ug/L
MW-15	MW-15A	CDM	10/15/2009	Thallium	<	10	ug/L
15A	MW-15A	CDM	9/16/2009	Thallium	<	10	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Thallium	<	10	ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Thallium		0.66	J ug/L
MW-14	MW-14A	CDM	10/14/2009	Thallium	<	10	ug/L
14A	MW-14A	CDM	9/16/2009	Thallium	<	10	ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Thallium	<	10	ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Thallium	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Thallium	<	10	ug/L
13A	MW-13A	CDM	9/16/2009	Thallium	<	10	ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Thallium	<	10	ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Thallium	<		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Thallium	<	10	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Thallium	<	10	ug/L
12B	MW-12B	CDM	9/16/2009	Thallium	<	10	ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Thallium	<	10	ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Thallium	<	7.5	ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Thallium	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Thallium	<	10	ug/L
12A	MW-12A	CDM	9/16/2009	Thallium	<	10	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Thallium	<	10	ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Thallium	<	7.5	ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Thallium	<		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Thallium	<	10	ug/L
11B	MW-11B	CDM	9/16/2009	Thallium	<	10	ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Thallium	<	10	ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Thallium	<	7.5	ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Thallium	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Thallium	<	10	ug/L
11A	MW-11A	CDM	9/16/2009	Thallium	<	10	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-11A	MW-11A	MACTEC	6/17/2009	Thallium	< 10		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Thallium	< 7.5		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Thallium	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Thallium	< 10		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Thallium	< 10		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Thallium	< 10		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Thallium	< 7.5		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Thallium	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Thallium	< 10		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Thallium	< 10		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Thallium	< 10		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Thallium	< 7.5		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Thallium	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Thallium	<		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Thallium	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Thallium	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Thallium	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Thallium	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Thallium	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Thallium	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Thallium	<		ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Thallium	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Vanadium	< 20		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Vanadium	< 1.5		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Vanadium	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Vanadium	3.1	B	ug/L
SW-11	SG-9	TetraTech	9/9/2009	Vanadium	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Vanadium	6.2	B	ug/L
SW-7	SG-7	CDM	9/9/2009	Vanadium	5.8	B	ug/L
SW-08	SG-7	TetraTech	9/9/2009	Vanadium	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Vanadium	20.3	B	ug/L
SW-07	SG-6	TetraTech	9/9/2009	Vanadium	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Vanadium	2.5	B	ug/L
SW-04	SG-5	TetraTech	9/9/2009	Vanadium	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Vanadium	< 50		ug/L
SW-17	SG-38	TetraTech	9/10/2009	Vanadium	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Vanadium	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Vanadium	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Vanadium	6	J	ug/L
SG-18	SG-34	MACTEC	11/21/2008	Vanadium	4.5	J	ug/L
SW-12	SG-33	TetraTech	9/9/2009	Vanadium	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Vanadium	1.5	J	ug/L
SW-3	SG-3	CDM	9/9/2009	Vanadium	< 50		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SG-11	SG-3	MACTEC	5/27/2009	Vanadium	< 20		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Vanadium	< 1.5		ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Vanadium	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Vanadium	<		ug/L
SW-2A	SG-2A	CDM	9/9/2009	Vanadium	< 50		ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Vanadium	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Vanadium	< 20		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Vanadium	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Vanadium	< 20		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Vanadium	< 1.5		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Vanadium	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Vanadium	< 20		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Vanadium	2.7	J	ug/L
SG-8	SG-24	MACTEC	11/19/2008	Vanadium	9.1	J	ug/L
SG-7	SG-23	MACTEC	11/19/2008	Vanadium	< 1.5		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Vanadium	10.1	J	ug/L
SW-10	SG-22	TetraTech	9/9/2009	Vanadium	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Vanadium	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Vanadium	< 1.5		ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Vanadium	<		ug/L
SG-3	SG-19	MACTEC	11/19/2008	Vanadium	5.9	J	ug/L
SG-16	SG-16	URS	9/8/2009	Vanadium	4.6	B	ug/L
SG-15	SG-15	URS	9/8/2009	Vanadium	7.6	B	ug/L
SG-14	SG-14	URS	9/8/2009	Vanadium	5	B	ug/L
SG-13	SG-13	URS	9/8/2009	Vanadium	< 50		ug/L
SG-12	SG-12	URS	9/8/2009	Vanadium	2.9	B	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Vanadium	<		ug/L
SG-11	SG-11	URS	9/8/2009	Vanadium	4.3	B	ug/L
FD1	SG-10dup	CDM	9/9/2009	Vanadium	< 50		ug/L
SW-10	SG-10	CDM	9/9/2009	Vanadium	< 50		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Vanadium	<		ug/L
SG-10	SG-10	URS	9/8/2009	Vanadium	< 50		ug/L
SW-1	SG-1	CDM	9/9/2009	Vanadium	2.5	B	ug/L
SW-01	SG-1	TetraTech	9/9/2009	Vanadium	<		ug/L
	PW-73	City	7/19/2008	Vanadium	<		ug/L
	PW-72	City	7/18/2008	Vanadium	<		ug/L
	PW-7	City	7/18/2008	Vanadium	<		ug/L
	PW-55	City	7/18/2008	Vanadium	<		ug/L
	PW-54	City	7/18/2008	Vanadium	<		ug/L
	PW-5	City	7/18/2008	Vanadium	<		ug/L
	PW-46	City	7/19/2008	Vanadium	<		ug/L
	PW-43	City	7/19/2008	Vanadium	<		ug/L
	PW-4	City	7/18/2008	Vanadium	<		ug/L
	PW-34	City	7/19/2008	Vanadium	<		ug/L
	PW-30	City	7/18/2009	Vanadium	<		ug/L
	PW-28	City	7/19/2008	Vanadium	<		ug/L
	PW-26	City	7/18/2008	Vanadium	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-25	City	7/19/2008	Vanadium	<		ug/L
	PW-23	City	7/19/2008	Vanadium	<		ug/L
	PW-20	City	7/19/2008	Vanadium	<		ug/L
	PW-19	City	7/19/2008	Vanadium	<		ug/L
	PW-18	City	7/19/2008	Vanadium	<		ug/L
	PW-17	City	7/19/2008	Vanadium	<		ug/L
	PW-14	City	7/18/2008	Vanadium	<		ug/L
	PW-12	City	7/18/2008	Vanadium	<		ug/L
	PW-11	City	7/18/2008	Vanadium	<		ug/L
	PW-10	City	7/19/2008	Vanadium	<		ug/L
	PW-1	City	7/18/2008	Vanadium	<		ug/L
	PW-1	City	7/18/2008	Vanadium	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Vanadium	< 50		ug/L
MW-9B	MW-9B	CDM	9/10/2009	Vanadium	< 50		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Vanadium	< 20		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Vanadium	< 1.5		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Vanadium	<		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Vanadium	< 50		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Vanadium	< 50		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Vanadium	< 20		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Vanadium	< 1.5		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Vanadium	<		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Vanadium	< 50		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Vanadium	< 50		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Vanadium	< 20		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Vanadium	< 1.5		ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Vanadium	<		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Vanadium	< 50		ug/L
MW-8A	MW-8A	CDM	9/10/2009	Vanadium	< 50		ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Vanadium	< 20		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Vanadium	32.3		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Vanadium	<		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Vanadium	< 50		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Vanadium	< 50		ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Vanadium	< 20		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Vanadium	1.7	J	ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Vanadium	<		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Vanadium	4.5	B	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Vanadium	3.8	B	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Vanadium	< 20		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Vanadium	1.8	J	ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Vanadium	2.9	J	ug/L
MW-6C	MW-6C	URS	10/13/2009	Vanadium	< 50		ug/L
MW-6C	MW-6C	URS	9/9/2009	Vanadium	9	B	ug/L
MW-6A	MW-6A	URS	10/13/2009	Vanadium	< 50		ug/L
MW-6A	MW-6A	URS	9/9/2009	Vanadium	< 50		ug/L
MW-5C	MW-5C	URS	10/14/2009	Vanadium	< 50		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-5C	MW-5C	URS	9/14/2009	Vanadium	< 50		ug/L
MW-4	MW-5A	URS	10/14/2009	Vanadium	16.6	B	ug/L
MW-4	MW-5A	URS	9/9/2009	Vanadium	10.7	B	ug/L
MW-1	MW-4C	URS	10/14/2009	Vanadium	2.9	B	ug/L
MW-1	MW-4C	URS	9/11/2009	Vanadium	< 50		ug/L
MW-2	MW-4B	URS	10/14/2009	Vanadium	< 50		ug/L
MW-2	MW-4B	URS	9/10/2009	Vanadium	< 50		ug/L
MW-4A	MW-4A	URS	10/14/2009	Vanadium	< 50		ug/L
MW-4A	MW-4A	URS	9/10/2009	Vanadium	< 50		ug/L
MW-3C	MW-3C	URS	10/12/2009	Vanadium	< 50		ug/L
MW-3C	MW-3C	URS	9/11/2009	Vanadium	< 50		ug/L
MW-6B	MW-3B	CDM	10/13/2009	Vanadium	2.2	B	ug/L
MW-6B	MW-3B	CDM	9/11/2009	Vanadium	4.5	B	ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Vanadium	< 20		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Vanadium	< 1.5		ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Vanadium	2.4	J	ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Vanadium	4.8	B	ug/L
MW-6A	MW-3A	CDM	10/13/2009	Vanadium	< 50		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Vanadium	3.3	B	ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Vanadium	< 20		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Vanadium	< 1.5		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Vanadium	2.5	J	ug/L
MW-2C	MW-2C	URS	10/13/2009	Vanadium	< 50		ug/L
MW-2C	MW-2C	URS	9/14/2009	Vanadium	< 50		ug/L
MW-2A	MW-2A	URS	10/13/2009	Vanadium	< 50		ug/L
MW-2A	MW-2A	URS	9/10/2009	Vanadium	< 50		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Vanadium	<		ug/L
MW-1C	MW-1C	URS	10/12/2009	Vanadium	< 50		ug/L
MW-1C	MW-1C	URS	9/11/2009	Vanadium	< 50		ug/L
MW-1A	MW-1A	URS	10/12/2009	Vanadium	2	B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Vanadium	2.5	B	ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Vanadium	3.4	B	ug/L
MW-3	MW-19A	CDM	9/10/2009	Vanadium	3.7	B	ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Vanadium	<		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Vanadium	1.1	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Vanadium	2.8	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Vanadium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Vanadium	1.1	J	ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Vanadium	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Vanadium	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Vanadium	4.1	B	ug/L
MW-2	MW-18A	CDM	9/10/2009	Vanadium	9.6	B	ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Vanadium	2.1	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Vanadium	1.1	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Vanadium	<		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Vanadium	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Vanadium	< 50		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-1	MW-17A	CDM	9/10/2009	Vanadium	2.2	B	ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Vanadium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Vanadium	1.2	J	ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Vanadium	<		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Vanadium	<		ug/L
5B	MW-16B	CDM	9/16/2009	Vanadium	< 50		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Vanadium	< 20		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Vanadium	< 1.5		ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Vanadium	203		ug/L
5A	MW-16A	CDM	9/16/2009	Vanadium	< 50		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Vanadium	< 20		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Vanadium	< 1.5		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Vanadium	<		ug/L
MW-15	MW-15A	CDM	10/15/2009	Vanadium	13.1	B	ug/L
15A	MW-15A	CDM	9/16/2009	Vanadium	7.6	B	ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Vanadium	36.3		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Vanadium	17.3		ug/L
MW-14	MW-14A	CDM	10/14/2009	Vanadium	< 50		ug/L
14A	MW-14A	CDM	9/16/2009	Vanadium	< 50		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Vanadium	< 20		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Vanadium	<		ug/L
MW-13	MW-13A	CDM	10/14/2009	Vanadium	3.3	B	ug/L
13A	MW-13A	CDM	9/16/2009	Vanadium	4.5	B	ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Vanadium	< 20		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Vanadium	2	J	ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Vanadium	< 50		ug/L
MW-12B	MW-12B	CDM	10/14/2009	Vanadium	< 50		ug/L
12B	MW-12B	CDM	9/16/2009	Vanadium	< 50		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Vanadium	< 20		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Vanadium	2	J	ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Vanadium	<		ug/L
MW-12A	MW-12A	CDM	10/14/2009	Vanadium	< 50		ug/L
12A	MW-12A	CDM	9/16/2009	Vanadium	< 50		ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Vanadium	< 20		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Vanadium	1.7	J	ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Vanadium	<		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Vanadium	< 50		ug/L
11B	MW-11B	CDM	9/16/2009	Vanadium	< 50		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Vanadium	< 20		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Vanadium	< 1.5		ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Vanadium	<		ug/L
MW-11A	MW-11A	CDM	10/14/2009	Vanadium	< 50		ug/L
11A	MW-11A	CDM	9/16/2009	Vanadium	< 50		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Vanadium	< 20		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Vanadium	< 1.5		ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Vanadium	<		ug/L
MW-10B	MW-10B	CDM	10/14/2009	Vanadium	< 50		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-10B	MW-10B	CDM	9/10/2009	Vanadium	< 50		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Vanadium	< 20		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Vanadium	< 1.5		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Vanadium	<		ug/L
MW-10A	MW-10A	CDM	10/14/2009	Vanadium	< 50		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Vanadium	< 50		ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Vanadium	< 20		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Vanadium	< 1.5		ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Vanadium	<		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Vanadium	16.4	J	ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Vanadium	<		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Vanadium	<		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Vanadium	<		ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Vanadium	<		ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Vanadium	<		ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Vanadium	<		ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Vanadium	4	J	ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Vanadium	<		ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Vanadium	<		ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Vanadium	<		ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Vanadium	14.7	J	ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Vanadium	<		ug/L
SG-10	SW-2A	MACTEC	5/27/2009	Zinc	< 50		ug/L
SG-10	SW-2A	MACTEC	11/19/2008	Zinc	< 10		ug/L
SW-19	SW-10	TetraTech	9/10/2009	Zinc	<		ug/L
SW-9	SG-9	CDM	9/9/2009	Zinc	8.2	B	ug/L
SW-11	SG-9	TetraTech	9/9/2009	Zinc	<		ug/L
SW-8	SG-8	CDM	9/9/2009	Zinc	9.8	B	ug/L
SW-7	SG-7	CDM	9/9/2009	Zinc	7.3	B	ug/L
SW-08	SG-7	TetraTech	9/9/2009	Zinc	<		ug/L
SW-6	SG-6	CDM	9/9/2009	Zinc	27.9		ug/L
SW-07	SG-6	TetraTech	9/9/2009	Zinc	<		ug/L
SW-5	SG-5	CDM	9/9/2009	Zinc	10.6	B	ug/L
SW-04	SG-5	TetraTech	9/9/2009	Zinc	<		ug/L
SW-4	SG-4	CDM	9/9/2009	Zinc	16.1	B	ug/L
SW-17	SG-38	TetraTech	9/10/2009	Zinc	<		ug/L
SW-15	SG-37	TetraTech	9/10/2009	Zinc	<		ug/L
SW-14	SG-36	TetraTech	9/10/2009	Zinc	<		ug/L
SG-19	SG-35	MACTEC	11/19/2008	Zinc	13.5	J	ug/L
SG-18	SG-34	MACTEC	11/21/2008	Zinc	< 10		ug/L
SW-12	SG-33	TetraTech	9/9/2009	Zinc	<		ug/L
SG-16	SG-32	MACTEC	11/19/2008	Zinc	< 10		ug/L
SW-3	SG-3	CDM	9/9/2009	Zinc	13.1	B	ug/L
SG-11	SG-3	MACTEC	5/27/2009	Zinc	< 50		ug/L
SG-11	SG-3	MACTEC	11/19/2008	Zinc	22.3	J	ug/L
SW-06	SG-2Bdup	TetraTech	9/9/2009	Zinc	<		ug/L
SW-05	SG-2B	TetraTech	9/9/2009	Zinc	<		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
SW-2A	SG-2A	CDM	9/9/2009	Zinc	5.1	B	ug/L
SW-03	SG-2A	TetraTech	9/9/2009	Zinc	<		ug/L
SG-13	SG-29	MACTEC	5/27/2009	Zinc	< 50		ug/L
SW-13	SG-29	TetraTech	9/10/2009	Zinc	<		ug/L
SG-12	SG-28	MACTEC	5/27/2009	Zinc	< 50		ug/L
SG-12	SG-28	MACTEC	11/19/2008	Zinc	80.6		ug/L
SW-02	SG-28	TetraTech	9/10/2009	Zinc	<		ug/L
SG-9	SG-25	MACTEC	5/27/2009	Zinc	< 50		ug/L
SG-9	SG-25	MACTEC	11/19/2008	Zinc	< 10		ug/L
SG-8	SG-24	MACTEC	11/19/2008	Zinc	< 10		ug/L
SG-7	SG-23	MACTEC	11/19/2008	Zinc	< 10		ug/L
SG-6	SG-22	MACTEC	11/19/2008	Zinc	< 10		ug/L
SW-10	SG-22	TetraTech	9/9/2009	Zinc	<		ug/L
SW-16	SG-21	TetraTech	9/10/2009	Zinc	<		ug/L
SG-4	SG-20	MACTEC	11/19/2008	Zinc	35.3	J	ug/L
BG08-SW-SW02	SG-20	TetraTech	8/29/2008	Zinc	26	J	ug/L
SG-3	SG-19	MACTEC	11/19/2008	Zinc	< 10		ug/L
SG-16	SG-16	URS	9/8/2009	Zinc	12.1	B	ug/L
SG-15	SG-15	URS	9/8/2009	Zinc	21.2		ug/L
SG-14	SG-14	URS	9/8/2009	Zinc	14.6	B	ug/L
SG-13	SG-13	URS	9/8/2009	Zinc	< 20		ug/L
SG-12	SG-12	URS	9/8/2009	Zinc	4.1	B	ug/L
SW-18	SG-11	TetraTech	9/10/2009	Zinc	<		ug/L
SG-11	SG-11	URS	9/8/2009	Zinc	12.2	B	ug/L
FD1	SG-10dup	CDM	9/9/2009	Zinc	3	B	ug/L
SW-10	SG-10	CDM	9/9/2009	Zinc	< 20		ug/L
BG08-SW-SW01	SG-10	TetraTech	8/29/2008	Zinc	24.7	J	ug/L
SG-10	SG-10	URS	9/8/2009	Zinc	9.2	B	ug/L
SW-1	SG-1	CDM	9/9/2009	Zinc	7.5	B	ug/L
SW-01	SG-1	TetraTech	9/9/2009	Zinc	<		ug/L
	PW-73	City	7/19/2008	Zinc	<		ug/L
	PW-72	City	7/18/2008	Zinc	12		ug/L
	PW-7	City	7/18/2008	Zinc	10		ug/L
	PW-6	City	7/18/2008	Zinc	9		ug/L
	PW-55	City	7/18/2008	Zinc	<		ug/L
	PW-54	City	7/18/2008	Zinc	<		ug/L
	PW-46	City	7/19/2008	Zinc	11		ug/L
	PW-43	City	7/19/2008	Zinc	21		ug/L
	PW-4	City	7/18/2008	Zinc	147		ug/L
	PW-34	City	7/19/2008	Zinc	<		ug/L
	PW-30	City	7/18/2009	Zinc	113		ug/L
	PW-28	City	7/19/2008	Zinc	<		ug/L
	PW-26	City	7/18/2008	Zinc	<		ug/L
	PW-25	City	7/19/2008	Zinc	<		ug/L
	PW-23	City	7/19/2008	Zinc	<		ug/L
	PW-20	City	7/19/2008	Zinc	<		ug/L
	PW-19	City	7/19/2008	Zinc	138		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
	PW-18	City	7/19/2008	Zinc	13		ug/L
	PW-17	City	7/19/2008	Zinc	<		ug/L
	PW-14	City	7/18/2008	Zinc	<		ug/L
	PW-12	City	7/18/2008	Zinc	<		ug/L
	PW-11	City	7/18/2008	Zinc	<		ug/L
	PW-10	City	7/19/2008	Zinc	6		ug/L
	PW-1	City	7/18/2008	Zinc	<		ug/L
	PW-1	City	7/18/2008	Zinc	<		ug/L
MW-9B	MW-9B	CDM	10/14/2009	Zinc	3.7	B	ug/L
MW-9B	MW-9B	CDM	9/10/2009	Zinc	< 20		ug/L
MW-9B	MW-9B	MACTEC	6/17/2009	Zinc	< 50		ug/L
MW-9B	MW-9B	MACTEC	12/4/2008	Zinc	< 10		ug/L
MW-09B	MW-9B	TetraTech	9/10/2009	Zinc	2.3		ug/L
MW-9A	MW-9A	CDM	10/14/2009	Zinc	< 20		ug/L
MW-9A	MW-9A	CDM	9/10/2009	Zinc	< 20		ug/L
MW-9A	MW-9A	MACTEC	6/17/2009	Zinc	< 50		ug/L
MW-9A	MW-9A	MACTEC	12/4/2008	Zinc	< 10		ug/L
MW-09A	MW-9A	TetraTech	9/10/2009	Zinc	5.8		ug/L
MW-8B	MW-8B	CDM	10/14/2009	Zinc	285		ug/L
MW-8B	MW-8B	CDM	9/10/2009	Zinc	84.1		ug/L
MW-8B	MW-8B	MACTEC	6/16/2009	Zinc	< 50		ug/L
MW-8B	MW-8B	MACTEC	12/8/2008	Zinc	13	J	ug/L
MW-08B	MW-8B	TetraTech	9/10/2009	Zinc	30.9		ug/L
MW-8A	MW-8A	CDM	10/14/2009	Zinc	9	BJ	ug/L
MW-8A	MW-8A	CDM	9/10/2009	Zinc	8.3	B	ug/L
MW-8A	MW-8A	MACTEC	6/16/2009	Zinc	211		ug/L
MW-8A	MW-8A	MACTEC	12/4/2008	Zinc	1030		ug/L
MW-08A	MW-8A	TetraTech	9/10/2009	Zinc	8.8		ug/L
MW-7B	MW-7B	CDM	10/13/2009	Zinc	< 20		ug/L
MW-7B	MW-7B	CDM	9/11/2009	Zinc	4.3	B	ug/L
MW-7B	MW-7B	MACTEC	6/17/2009	Zinc	< 50		ug/L
MW-7B	MW-7B	MACTEC	12/2/2008	Zinc	18.4	J	ug/L
MW-07B	MW-7B	TetraTech	9/11/2009	Zinc	4.6		ug/L
MW-7A	MW-7A	CDM	10/13/2009	Zinc	16.9	B	ug/L
MW-7A	MW-7A	CDM	9/11/2009	Zinc	7.9	B	ug/L
MW-7A	MW-7A	MACTEC	6/17/2009	Zinc	< 50		ug/L
MW-7A	MW-7A	MACTEC	12/2/2008	Zinc	16.3	J	ug/L
MW-07A	MW-7A	TetraTech	9/11/2009	Zinc	9.1		ug/L
MW-6C	MW-6C	URS	10/13/2009	Zinc	3.6	B	ug/L
MW-6C	MW-6C	URS	9/9/2009	Zinc	29		ug/L
MW-6A	MW-6A	URS	10/13/2009	Zinc	< 20		ug/L
MW-6A	MW-6A	URS	9/9/2009	Zinc	11.9	B	ug/L
MW-5C	MW-5C	URS	10/14/2009	Zinc	< 20		ug/L
MW-5C	MW-5C	URS	9/14/2009	Zinc	< 20		ug/L
MW-4	MW-5A	URS	10/14/2009	Zinc	658		ug/L
MW-4	MW-5A	URS	9/9/2009	Zinc	406		ug/L
MW-1	MW-4C	URS	10/14/2009	Zinc	8.4	B	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-1	MW-4C	URS	9/11/2009	Zinc	8.3	B	ug/L
MW-2	MW-4B	URS	10/14/2009	Zinc	9.9	B	ug/L
MW-2	MW-4B	URS	9/10/2009	Zinc	< 20		ug/L
MW-4A	MW-4A	URS	10/14/2009	Zinc	< 20		ug/L
MW-4A	MW-4A	URS	9/10/2009	Zinc	< 20		ug/L
MW-3C	MW-3C	URS	10/12/2009	Zinc	< 20		ug/L
MW-3C	MW-3C	URS	9/11/2009	Zinc	6.4	B	ug/L
MW-6B	MW-3B	CDM	10/13/2009	Zinc	20.8		ug/L
MW-6B	MW-3B	CDM	9/11/2009	Zinc	128		ug/L
MW-6B	MW-3B	MACTEC	6/16/2009	Zinc	< 50		ug/L
MW-6B	MW-3B	MACTEC	11/24/2008	Zinc	29.6	J	ug/L
MW-06B	MW-3B	TetraTech	9/11/2009	Zinc	21.5		ug/L
FD-2	MW-3Adup	CDM	9/11/2009	Zinc	124		ug/L
MW-6A	MW-3A	CDM	10/13/2009	Zinc	126		ug/L
MW-6A	MW-3A	CDM	9/11/2009	Zinc	21.6		ug/L
MW-6A	MW-3A	MACTEC	6/16/2009	Zinc	50		ug/L
MW-6A	MW-3A	MACTEC	11/20/2008	Zinc	< 10		ug/L
MW-06A	MW-3A	TetraTech	9/11/2009	Zinc	119		ug/L
MW-2C	MW-2C	URS	10/13/2009	Zinc	< 20		ug/L
MW-2C	MW-2C	URS	9/14/2009	Zinc	< 20		ug/L
MW-2A	MW-2A	URS	10/13/2009	Zinc	5.1	B	ug/L
MW-2A	MW-2A	URS	9/10/2009	Zinc	< 20		ug/L
MW-20	MW-20A	TetraTech	9/11/2009	Zinc	7.6		ug/L
MW-1C	MW-1C	URS	10/12/2009	Zinc	< 20		ug/L
MW-1C	MW-1C	URS	9/11/2009	Zinc	< 20		ug/L
MW-1A	MW-1A	URS	10/12/2009	Zinc	17.3	B	ug/L
MW-1A	MW-1A	URS	9/9/2009	Zinc	24.3		ug/L
MW-3(KH)	MW-19A	CDM	10/14/2009	Zinc	10	BJ	ug/L
MW-3	MW-19A	CDM	9/10/2009	Zinc	20.5		ug/L
MW-03	MW-19A	TetraTech	9/10/2009	Zinc	19.2		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Zinc	24.1	J	ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Zinc	15.6		ug/L
BG08-GW-MW03	MW-19A	TetraTech	8/29/2008	Zinc	<		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Zinc	6.5	J	ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Zinc	11.4		ug/L
BG08-GW-MW02D	MW-18Adup	TetraTech	8/29/2008	Zinc	<		ug/L
MW-2(KH)	MW-18A	CDM	10/15/2009	Zinc	101	J	ug/L
MW-2	MW-18A	CDM	9/10/2009	Zinc	448		ug/L
MW-02	MW-18A	TetraTech	9/10/2009	Zinc	416		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Zinc	8.6	J	ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Zinc	6.8		ug/L
BG08-GW-MW02	MW-18A	TetraTech	8/29/2008	Zinc	<		ug/L
MW-1(KH)	MW-17A	CDM	10/14/2009	Zinc	91.6	J	ug/L
MW-1	MW-17A	CDM	9/10/2009	Zinc	78.2		ug/L
MW-01	MW-17A	TetraTech	9/10/2009	Zinc	75.9		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Zinc	70.8		ug/L
BG08-GW-MW01	MW-17A	TetraTech	8/29/2008	Zinc	74.9		ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
BG08-GW-MW01	MW-17A	TetraTech	8/28/2008	Zinc	<		ug/L
5B	MW-16B	CDM	9/16/2009	Zinc	157		ug/L
MW-5B	MW-16B	MACTEC	6/16/2009	Zinc	< 50		ug/L
MW-5B	MW-16B	MACTEC	12/4/2008	Zinc	11.9	J	ug/L
MW-05B	MW-16B	TetraTech	9/16/2009	Zinc	<		ug/L
5A	MW-16A	CDM	9/16/2009	Zinc	< 20		ug/L
MW-5A	MW-16A	MACTEC	6/16/2009	Zinc	69.1		ug/L
MW-5A	MW-16A	MACTEC	12/2/2008	Zinc	20.7		ug/L
MW-05A	MW-16A	TetraTech	9/16/2009	Zinc	4	B	ug/L
MW-15	MW-15A	CDM	10/15/2009	Zinc	29.6	J	ug/L
15A	MW-15A	CDM	9/16/2009	Zinc	58.3		ug/L
MW-15	MW-15A	MACTEC	6/18/2009	Zinc	107		ug/L
MW-15	MW-15A	TetraTech	9/16/2009	Zinc	49.5		ug/L
MW-14	MW-14A	CDM	10/14/2009	Zinc	< 20		ug/L
14A	MW-14A	CDM	9/16/2009	Zinc	< 20		ug/L
MW-14	MW-14A	MACTEC	6/18/2009	Zinc	< 50		ug/L
MW-14	MW-14A	TetraTech	9/16/2009	Zinc	4.1	B	ug/L
MW-13	MW-13A	CDM	10/14/2009	Zinc	156	J	ug/L
13A	MW-13A	CDM	9/16/2009	Zinc	107		ug/L
MW-13	MW-13A	MACTEC	6/18/2009	Zinc	224		ug/L
MW-13	MW-13A	TetraTech	9/16/2009	Zinc	115		ug/L
FD-3	MW-12Bdup	CDM	9/16/2009	Zinc	12	B	ug/L
MW-12B	MW-12B	CDM	10/14/2009	Zinc	< 20		ug/L
12B	MW-12B	CDM	9/16/2009	Zinc	< 20		ug/L
MW-12B	MW-12B	MACTEC	6/18/2009	Zinc	83.9		ug/L
MW-12B	MW-12B	MACTEC	12/5/2008	Zinc	17.2	J	ug/L
MW-12B	MW-12B	TetraTech	9/16/2009	Zinc	2.2	B	ug/L
MW-12A	MW-12A	CDM	10/14/2009	Zinc	12.9	BJ	ug/L
12A	MW-12A	CDM	9/16/2009	Zinc	12.3	B	ug/L
MW-12A	MW-12A	MACTEC	6/18/2009	Zinc	< 50		ug/L
MW-12A	MW-12A	MACTEC	12/5/2008	Zinc	28.1	J	ug/L
MW-12A	MW-12A	TetraTech	9/16/2009	Zinc	21.2		ug/L
MW-11B	MW-11B	CDM	10/14/2009	Zinc	< 20		ug/L
11B	MW-11B	CDM	9/16/2009	Zinc	< 20		ug/L
MW-11B	MW-11B	MACTEC	6/17/2009	Zinc	< 50		ug/L
MW-11B	MW-11B	MACTEC	12/4/2008	Zinc	14.3	J	ug/L
MW-11B	MW-11B	TetraTech	9/16/2009	Zinc	3.9	B	ug/L
MW-11A	MW-11A	CDM	10/14/2009	Zinc	9.9	B	ug/L
11A	MW-11A	CDM	9/16/2009	Zinc	< 20		ug/L
MW-11A	MW-11A	MACTEC	6/17/2009	Zinc	< 50		ug/L
MW-11A	MW-11A	MACTEC	12/4/2008	Zinc	13.7	J	ug/L
MW-11A	MW-11A	TetraTech	9/16/2009	Zinc	2.5	B	ug/L
MW-10B	MW-10B	CDM	10/14/2009	Zinc	< 20		ug/L
MW-10B	MW-10B	CDM	9/10/2009	Zinc	< 20		ug/L
MW-10B	MW-10B	MACTEC	6/17/2009	Zinc	< 50		ug/L
MW-10B	MW-10B	MACTEC	12/4/2008	Zinc	< 10		ug/L
MW-10B	MW-10B	TetraTech	9/10/2009	Zinc	1.3	J	ug/L

Field Sample Code	Control Code	Sampled By	Sample Date	Parameter	Result	Qualifier	Units
MW-10A	MW-10A	CDM	10/14/2009	Zinc	< 20		ug/L
MW-10A	MW-10A	CDM	9/10/2009	Zinc	8.5	B	ug/L
MW-10A	MW-10A	MACTEC	6/17/2009	Zinc	69.3		ug/L
MW-10A	MW-10A	MACTEC	12/4/2008	Zinc	12.1	J	ug/L
MW-10A	MW-10A	TetraTech	9/10/2009	Zinc	6.1		ug/L
BG08-GW-MP09	MP-9	TetraTech	8/29/2008	Zinc	244		ug/L
BG08-GW-MP08	MP-8	TetraTech	8/29/2008	Zinc	89.8		ug/L
BG08-GW-MP07	MP-7	TetraTech	8/28/2008	Zinc	326		ug/L
BG08-GW-MP06	MP-6	TetraTech	8/28/2008	Zinc	14.3	J	ug/L
BG08-GW-MP05	MP-5	TetraTech	8/28/2008	Zinc	6.4	J	ug/L
BG08-GW-MP04	MP-4	TetraTech	8/28/2008	Zinc	12.8	J	ug/L
BG08-GW-MP03	MP-3	TetraTech	8/29/2008	Zinc	9.8	J	ug/L
BG08-GW-MP02	MP-2	TetraTech	8/29/2008	Zinc	60.6		ug/L
BG08-GW-MP13	MP-13	TetraTech	8/28/2008	Zinc	7.1	J	ug/L
BG08-GW-MP12	MP-12	TetraTech	8/28/2008	Zinc	4.2	J	ug/L
BG08-GW-MP11	MP-11	TetraTech	8/28/2008	Zinc	5.2	J	ug/L
BG08-GW-MP10	MP-10	TetraTech	8/29/2008	Zinc	29.1	J	ug/L
BG08-GW-MP01	MP-1	TetraTech	8/28/2008	Zinc	6.2	J	ug/L